



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022


Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM LIGNOSIL-BASE**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** wood-primer
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIM MINERAL PAINTS LTD
Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA
Tel +44 1952 231 250 / Fax +44 1952 231 251
www.keim.com / sales@keimpaints.co.uk
- **Further information obtainable from:**
David Pratt
Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**

GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), (<0,1% benzene)
- **Hazard statements**
H372 Causes damage to the central nervous system through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P102 Keep out of reach of children.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 1)

- P260 Do not breathe mist/vapours/spray.
- P273 Avoid release to the environment.
- P270 Do not eat, drink or smoke when using this product.
- P314 Get medical advice/attention if you feel unwell.
- P501 Dispose of contents/container in accordance with regional/national regulations.

Additional information:

- EUH066 Repeated exposure may cause skin dryness or cracking.
- Restricted to professional users.

2.3 Other hazards**Results of PBT and vPvB assessment**

- PBT:** Not applicable
- vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-82-1 EC number: 919-164-8 Reg.nr.: 01-2119473977-17-XXXX	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), (<0,1% benzene) ⚠ STOT RE 1, H372; Asp. Tox. 1, H304; Aquatic Chronic 3, H412, EUH066	25-50%
CAS: 22464-99-9 EINECS: 245-018-1 Reg.nr.: 01-2119979088-21-XXXX	2-ethylhexanoic acid, zirconium salt ⚠ Repr. 2, H361d	≤0.3%

- Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures**General information:**

- With appearance of symptoms or in cases of doubt seek medical advice .
- When seeing the doctor we suggest to present this safety data sheet.

After inhalation:

- Supply fresh air; consult doctor in case of complaints.
- Keep affected person warm and quiet.
- In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

- Immediately wash with water and soap and rinse thoroughly.
- Do not use solvents or thinners.
- If skin irritation continues, consult a doctor.

After eye contact:

- Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 2)

- **After swallowing:**
Rinse mouth and throat well with water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
carbon oxide (CO_x)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Special protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
In case of fire do not breathe smoke, fumes and vapours.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Do not inhale fumes.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Avoid contact with skin and eyes.
Respect the protection rules (see section 7 and 8).
Keep away from ignition sources.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with non-combustible liquid-binding material (sand, earth, diatomite, vermiculite).
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

See item 8 (8.2) for information about suitable protective equipment and technical precautions.

Respect the protection rules.

· Information about fire - and explosion protection:

Protect from heat.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Keep container tightly closed. Do not empty container under pressure, non-pressure vessel! Close opened containers carefully and store upright, to prevent any leakage.

· Information about storage in one common storage facility:

Store away from flammable substances.

Do not store together with alkalis (caustic solutions).

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

Protect from frost.

· Storage class: 6.1C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

22464-99-9 2-ethylhexanoic acid, zirconium salt

Oral	Long-term - systemic effects	4.51 mg/kg bw/day (consumer)
Dermal	Long-term - systemic effects	6.49 mg/kg bw/day (worker)

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 4)

Inhalative	Long-term - systemic effects	3.25 mg/kg bw/day (consumer)
	Long-term - systemic effects	32.97 mg/m ³ (worker)
	Long-term - systemic effects	8.13 mg/m ³ (consumer)

· PNECs**22464-99-9 2-ethylhexanoic acid, zirconium salt**

Aquatic compartment - freshwater	0.36 mg/l (Freshwater)
Aquatic compartment - marine water	0.036 mg/l (Seawater)
Aquatic compartment - sediment in freshwater	6.37 mg/kg sed dw (Freshwater sediment)
Aquatic compartment - sediment in marine water	0.637 mg/kg sed dw (Marine sediment)
Terrestrial compartment - soil	1.06 mg/kg dw (soil)
Sewage treatment plant	71.7 mg/l (Sewage treatment plant)

· Additional information: The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Ensure that washing facilities are available at the work place.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Combination filter A2/P2

· Hand protection Protective gloves**· Material of gloves**

suitable material e.g.:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove materialValue for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed goggles**· Body protection:**

Protective work clothing

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 5)

- Oil resistant protective clothing
- **Environmental exposure controls**
See Section 12 and 6.2
No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Characteristic
- **Odour threshold:** Not determined
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** >176 °C
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** 1.4 Vol %
- **Upper:** 7.6 Vol %
- **Flash point:** 62 °C (closed cup)
- **Ignition temperature:** Not determined
- **Decomposition temperature:** Not determined
- **pH** Not determined
- **Viscosity:**
- **Kinematic viscosity at 40 °C** >20.5* mm²/s
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Insoluble
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C:** 0.94* g/cm³
- **Relative density** Not determined
- **Vapour density** Not determined.

· 9.2 Other information

* The values are for freshly produced material and may change with the time.

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**

· **Auto-ignition temperature:** Product is not selfigniting.

64742-82-1	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), (<0,1% benzene)	280-470 °C
------------	---	------------

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 6)

· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	37.38 %
· Change in condition	
· Evaporation rate	Not determined.

Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Strong exothermic reaction with acids.
Violent reactions with strong alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Acids
Bases
oxidizing agents
- **10.6 Hazardous decomposition products:**
No hazardous decomposition products if stored and handled as prescribed.

GB

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 7)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation**
Has de-greasing effect on skin.
Repeated exposure may cause skin dryness or cracking.
Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **during inhalation:**
Vapours may cause drowsiness and dizziness.
Irritant effect possible.
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), (<0,1% benzene): Asp. Tox. 1, H304 (see Section 3)
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Causes damage to the central nervous system through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **Subacute to chronic toxicity:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
2-ethylhexanoic acid, zirconium salt: Repr.2 H361d (see Section 3)
- **11.2 Information on other hazards**

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Harmful to aquatic organisms.
May cause long-term adverse effects in the aquatic environment.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** May be accumulated in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 8)

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **AOX-indication:**

Due to the substance of content which do include organic jointed halogens, the product can take influence on the AOX-load of the waste water.

· **General notes:**

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Harmful to aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, not even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
-----------	---

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR, IMDG, IATA** Void

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 9)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
TRGS 200 (Germany)
TRGS 500 (Germany)
TRGS 510 (Germany)
TRGS 900 (Germany)
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H304 May be fatal if swallowed and enters airways.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.12.2022

Version number 15.0 (replaces version 14.0)

Revision: 15.12.2022

Trade name: KEIM LIGNOSIL-BASE

(Contd. of page 10)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**