




KEIM LIME RENDER SYSTEMS – QUICK REFERENCE GUIDE

EASY APPLICATION OF BREATHABLE, LIME RENDERS


KEIM UNIVERSAL RENDER

- Hydrated Lime Render - ideal for modern and historic buildings
- Pre-bagged (mix only with water)
- Course & Fine Texture Available
- Compressive Strength - approx. 4.5N/mm²
- Quick Drying - Usually 15 day drying time
- Extremely Breathable - $\mu = 8.4$
- Easy Application - can be applied over existing renders
- Extremely Flexible & Resistant to Cracking - even on mixed substrates
- Reinforced with Glassfibre Reinforcing Mesh
- No re-wetting during curing required



KEIM NHL- KALKPUTZ RENDER

- Natural Hydraulic Lime Render - ideal for historic buildings
- Pre-bagged (mix only with water)
- Course & Fine Texture Available
- Compressive Strength - approx. 1.5-5.0N/mm²
- Drying time usually 1mm/per day (minimum 28 days)
- Maximum Breathability - $\mu= 10$
- Easy Application
- Extremely Flexible & Resistant to Cracking - even on mixed substrates
- Reinforced with Glassfibre Reinforcing Mesh





KEIM MINERAL PAINTS LTD.

Santok Building, Deer Park Way, Donnington Wood
Telford, Shropshire, TF2 7NA

01952 231250 / www.keimpaints.co.uk / sales@keimpaints.co.uk

KEIM. COLOURS FOR EVER.