



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM FLUAT-10**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Pre-treatment and cleaning agent for render surfaces.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIM MINERAL PAINTS LTD
Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA
Tel +44 1952 231 250 / Fax +44 1952 231 251
www.keim.com / sales@keimpaints.co.uk
- **Further information obtainable from:**
David Pratt
Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Hexafluorosilicic acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection.
P260 Do not breathe spray.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with regional/national regulations.

Additional information:

Restricted to professional users.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures**Description:**

Aqueous solution

Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 16961-83-4 EINECS: 241-034-8 Index number: 009-011-00-5 Reg.nr.: 01-2119488906-19-xxxx	Hexafluorosilicic acid ⚠ Skin Corr. 1B, H314	9.9%
CAS: 7664-39-3 EINECS: 231-634-8 Index number: 009-003-00-1	hydrofluoric acid ⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1A, H314	<0.15%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

When seeing the doctor we suggest to present this safety data sheet.

After inhalation:

Supply plenty of fresh air and to be sure call for a doctor.

Keep affected person warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

Use a respiratory bag or breathing device.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 2)

- **After skin contact:**
Immediately rinse with water.
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.
Seek medical treatment.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse mouth and throat well with water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Water haze, extinguishing powder, alcohol resistant foam, CO₂, sand.
Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Hydrogen fluoride (HF)
silicon tetrafluoride
- **5.3 Advice for firefighters**
- **Special protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Respect the protection rules (see section 7 and 8).
Wear protective clothing.
Mount respiratory protective device.
Avoid contact with skin and eyes.
Keep people at a distance and stay on the windward side.
- **6.2 Environmental precautions:**
Do not allow product to reach soil, sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Follow local governmental rules and regulations.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose of the material collected according to regulations.
Fill in labelled, lockable containers.
Dispose contaminated material as waste according to item 13.
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with skin and eyes.
Do not inhale aerosols.
See item 8 (8.2) for information about suitable protective equipment and technical precautions.
Respect the protection rules.
- **Information about fire - and explosion protection:**
The product is not flammable.
No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
glass and silicate containing materials are affected
Drip pan to be provided.
- **Information about storage in one common storage facility:**
Store away from metals.
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**
Store in a cool place.
Protect from frost.
Keep container tightly sealed.
Protect from heat and direct sunlight.
- **Storage class:** 8B
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7664-39-3 hydrofluoric acid

WEL	Short-term value: 2.5 mg/m ³ , 3 ppm
	Long-term value: 1.5 mg/m ³ , 1.8 ppm

· DNELs

16961-83-4 Hexafluorosilicic acid

Oral	Long-term - systemic effects	0.01 mg/kg bw/day (consumer)
	Acute - systemic effects	0.01 mg/kg/day (consumer)
Inhalative	Acute - systemic effects	0.04 mg/m ³ (consumer)
	Acute - local effects	3.125 mg/m ³ (worker)
	Acute - local effects	1.56 mg/m ³ (consumer)
	Long-term - systemic effects	1.875 mg/m ³ (worker)
	Long-term - systemic effects	0.04 mg/m ³ (consumer)
	Long-term - local effects	1.56 mg/m ³ (consumer)

· PNECs

16961-83-4 Hexafluorosilicic acid

Aquatic compartment - freshwater	0.9 mg/l (Freshwater)
Aquatic compartment - marine water	0.9 mg/l (Seawater)
Terrestrial compartment - soil	11 mg/kg dw (soil)
Sewage treatment plant	51 mg/l (Sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

- Avoid contact with the eyes and skin.
- Do not inhale aerosols.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

- Use suitable respiratory protective device only when aerosol or mist is formed.
- Combination filter B2/P2

· Hand protection Acid resistant gloves

· Material of gloves

- suitable material e.g.:
- Natural rubber, NR
- Recommended thickness of the material: ≥ 0.5 mm
- Chloroprene rubber, CR
- Recommended thickness of the material: ≥ 0.5 mm
- Fluorocarbon rubber (Viton)

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 5)

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Face protection

Tightly sealed goggles

· **Body protection:**

Protective work clothing

Acid resistant protective clothing

· **Environmental exposure controls**

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

light pink, transparent

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

~100 °C

· **Flammability**

Not applicable

· **Lower and upper explosion limit**

· **Lower:**

Not applicable

· **Upper:**

Not applicable

· **Flash point:**

Not applicable

· **Ignition temperature:**

Not determined

· **Decomposition temperature:**

Not determined

· **pH at 20 °C**

~1*

· **Viscosity:**

· **Kinematic viscosity**

Not determined

· **Dynamic:**

Not determined.

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 6)

· Solubility	
· water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.0-1.1* g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable.
· 9.2 Other information	* The values are for freshly produced material and may change with the time.
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 7)

- **Thermal decomposition / conditions to be avoided:**
To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Bases
Metals
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
Hydrogen fluoride
silicon tetrafluoride
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **during inhalation:** Irritating to respiratory system.
- **during swallowing:** May cause burns to mouth, throat and stomach
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **Subacute to chronic toxicity:**
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Not applicable
- **11.2 Information on other hazards**

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 8)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **AOX-indication:**
Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.
- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**
According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.
- **General notes:**
The statements on ecotoxicology have been derived from the properties of the individual components.
Do not allow product to reach ground water, water course or sewage system.
At present there are no ecotoxicological assessments.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **European waste catalogue**

06 01 06*	other acids
-----------	-------------
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN1778

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 9)

<ul style="list-style-type: none">· 14.2 UN proper shipping name· ADR· IMDG, IATA	1778 FLUOROSILICIC ACID solution FLUOROSILICIC ACID, solution
<ul style="list-style-type: none">· 14.3 Transport hazard class(es)· ADR, IMDG, IATA 	
<ul style="list-style-type: none">· Class· Label	8 Corrosive substances. 8
<ul style="list-style-type: none">· 14.4 Packing group· ADR, IMDG, IATA	II
<ul style="list-style-type: none">· 14.5 Environmental hazards:· Marine pollutant:	No
<ul style="list-style-type: none">· 14.6 Special precautions for user· Hazard identification number (Kemler code):· EMS Number:· Segregation groups· Stowage Category· Segregation Code	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
<ul style="list-style-type: none">· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
<ul style="list-style-type: none">· Transport/Additional information:	metal corrosive
<ul style="list-style-type: none">· ADR· Limited quantities (LQ)· Excepted quantities (EQ) · Transport category· Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
<ul style="list-style-type: none">· IMDG· Limited quantities (LQ)· Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none">· UN "Model Regulation":	UN 1778 FLUOROSILICIC ACID SOLUTION, 8, II

GB

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

(Contd. of page 10)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
TRGS 200 (Germany)
TRGS 500 (Germany)
TRGS 510 (Germany)
TRGS 900 (Germany)
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H300 Fatal if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
EC10: Effective concentration at 10% mortality rate.
EC50: Half maximal effective concentration.
LC10: Lethal concentration at 10% mortality rate.
NOEC: No observed effect concentration.
UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 1: Acute toxicity – Category 1

(Contd. on page 12)



Page 12/12

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 1.0

Revision: 15.11.2022

Trade name: KEIM FLUAT-10

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 11)

GB