

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: KEIM INDULASTIC-P
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Adhesive and dampness protection
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

• Note on EUH208:

These are preservatives.

- Avoid contact with the skin and eyes.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · vPvB: Not applicable

(Contd. on page 2)

DEN



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

(Contd. of page 1)

SECTION 3: Compositio	n/information on ingredients	
· 3.2 Mixtures	dispersion, filled with inert fillers.	
· Dangerous components:		
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	 1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: ATE oral: 1,020 mg/kg Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 % 	<0.036%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- xxxx	reaction mass of: 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)	≥0.00025-<0.0015%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information: With appearance of symptoms or in cases of doubt seek medical advice . When seeing the doctor we suggest to present this safety data sheet. After inhalation: Take affected people into fresh air and keep quiet. Seek medical treatment in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not use solvents or thinners. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

⁻ DEN



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

(Contd. of page 2)

Trade name: KEIM INDULASTIC-P

• After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: carbon oxide (COx)

acrylic monomers

- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- Additional information

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Avoid contact with skin and eyes. Respect the protection rules (see section 7 and 8). Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite). Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. DEN

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

(Contd. of page 3)

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required.
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. Information about storage in one common storage facility: Not required. Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight. Storage class: 12 GISCode BSW20 Beschichtungsstoffe, wasserbasiert 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
· 8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:
2634-33-5 1,2-benzisothiazol-3(2H)-one
MAK (Germany) vgl.Abschn.IIb und Xc

55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³

vgl.Abschn.Xc

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Avoid contact with the eyes and skin.
- Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

⁻ DEN



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

(Contd. of page 4)

· Respiratory protection:

Suitable respiratory protective device recommended. Combination filter A/P

- Hand protection Protective gloves
- Material of gloves
- suitable material e.g.:
- Nitrile rubber, NBR
- Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material Value for the permeation: level ≥ 6 (480 min) The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing
- · Environmental exposure controls
- See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

Physical state	Fluid	
Colour:	White	
Odour:	slightly Not determined	
Odour threshold:		
Melting point/freezing point:	Not determined	
· Boiling point or initial boiling point and	1	
boiling range	~100 °C	
Flammability	Not applicable	
Lower and upper explosion limit		
Lower:	Not applicable	
· Upper:	Not applicable	
· Flash point:	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
pH at 20 °C	~8	



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

Viscosity:	(Contd. of page
Viscosity: Kinematic viscosity	Not determined
Dynamic at 20 °C:	15.000* mPas
Solubility	10.000 111 05
water:	Miscible
Partition coefficient n-octanol/water (log	
value)	Not applicable
Vapour pressure:	Not determined
Density and/or relative density	Not determined
Density at 20 °C:	1.2* g/cm³
Relative density	Not determined
Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced materi
A	and may change with the time.
Appearance:	Deete
Form:	Pasty
Important information on protection of hea	
and environment, and on safety.	Draduat is not colfigniting
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition Evaporation rate	Not applicable
•	Not applicable
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void Void
Desensitised explosives	

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- In case of fire, the following can be released:
- Carbon oxides (COx)
- acrylic monomers

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification	n:
--	----

2634-33-5	1,2-benzi	sothiazol-3(2H)-one
Oral	ATE	1,020 mg/kg (ATE)
	LD50	1,020 mg/kg (rat)
55965-84-		n mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- ol-3-one (3:1)
Oral	ATE	53 mg/kg (ATE)
	LD50	53 mg/kg (rat)
Dermal	ATE	50 mg/kg (ATE)
Inhalative	ATE (4h)	0.05 mg/l (ATE) (Dust / Fog) Conversion value from Table 3.1.2 of the CLP Regulation
Serious e during in during sw	ye damag halation: /allowing:	ation Frequent persistent contact with the skin may cause skin irritation. e/irritation In case of longer exposure, irritating effect is possible. rritant effect possible. Irritant effect possible
		sensitisation
		IT(3:1). May produce an allergic reaction. azol-3(2H)-one
		ethyl-2H-isothiazol-3-one
		thiazolin-3-one
Germ cell	mutagen	icity Based on available data, the classification criteria are not met.
		sed on available data, the classification criteria are not met

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

(Contd. of page 7)

Trade name: KEIM INDULASTIC-P

- Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable
- vPvB: Not applicable
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to our current data base the product does not consist of any heavy metals or substances of EU guideline NO. 2006/11/EC.

General notes:

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

(Contd. on page 9)

DEN



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

(Contd. of page 8)

Trade name: KEIM INDULASTIC-P

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

(Contd. on page 10)

DEN



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

	(Contd. of pag
	TIVE 2011/65/EU on the restriction of the use of certain hazardous substances al and electronic equipment – Annex II
None of	f the ingredients is listed.
REGUL	ATION (EU) 2019/1148
	I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose ng under Article 5(3))
Not rele	evant.
· ANNEX	I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.
None of	f the ingredients is listed.
· Annex	II - REPORTABLE EXPLOSIVES PRECURSORS
None of	f the ingredients is listed.
· Regula	tion (EC) No 273/2004 on drug precursors
-	f the ingredients is listed.
	ntion (EC) No 111/2005 laying down rules for the monitoring of trade between
	unity and third countries in drug precursors
	f the ingredients is listed.
·Nation	al regulations:
	-
	azard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
	egulations, limitations and prohibitive regulations
	nces of very high concern (SVHC) according to REACH, Article 57 Not applicable
· Produc	t-Code/Giscode: BSW20
15.2 Ch	nemical safety assessment: A Chemical Safety Assessment has not been carried out.
SECT This inf	ION 16: Other information formation is based on our present knowledge. However, this shall not constitute a g
tor any	specific product features and shall not establish a legally valid contractual relationship.
Releva	nt phrases
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life

H400

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410

EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

(Contd. on page 11)

DEN



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2024

Version number 6.1

Revision: 14.03.2024

Trade name: KEIM INDULASTIC-P

	(Contd. of page 10
· Abbre	viations and acronyms:
	ccord relatif au transport international des marchandises dangereuses par route (European Agreement Concernin rnational Carriage of Dangerous Goods by Road)
IMDG: I	nternational Maritime Code for Dangerous Goods
IATA: Ir	nternational Air Transport Association
GHS: G	lobally Harmonised System of Classification and Labelling of Chemicals
EINECS	S: European Inventory of Existing Commercial Chemical Substances
ELINCS	: European List of Notified Chemical Substances
CAS: C	hemical Abstracts Service (division of the American Chemical Society)
TRGS:	Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
LC50: L	ethal concentration, 50 percent
LD50: L	ethal dose, 50 percent
PBT: Pe	ersistent, Bioaccumulative and Toxic
SVHC:	Substances of Very High Concern
vPvB: v	ery Persistent and very Bioaccumulative
AGW: A	Arbeitsplatzgrenzwert (Germany)
EC10: E	Effective concentration at 10% mortality rate.
EC50: H	Half maximal effective concentration.
LC10: L	ethal concentration at 10% mortality rate.
NOEC:	No observed effect concentration.
REACH	l: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
ATE: A	cute toxicity estimate values
Acute T	ox. 3: Acute toxicity – Category 3
Acute T	ox. 4: Acute toxicity – Category 4
Acute T	ox. 2: Acute toxicity – Category 2
Skin Co	prr. 1C: Skin corrosion/irritation – Category 1C
Skin Irri	t. 2: Skin corrosion/irritation – Category 2
	m. 1: Serious eye damage/eye irritation – Category 1
Skin Se	ns. 1: Skin sensitisation – Category 1
	ns. 1A: Skin sensitisation – Category 1A
	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic	Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	compared to the previous version altered.