

Page 1/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: KEIM MYCAL-XO
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- \cdot Application of the substance / the mixture
- Oxidizing agent for disinfection of wall surfaces infested with mould.
- \cdot Uses advised against All other uses are not recommended.

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

• **Further information obtainable from:** Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de

• **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- [•] Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void

 Hazard stateme 	ints Void
• Precautionary s	statements
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection.
P261	Avoid breathing mist/vapours/spray.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P330+P33	31 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a doctor if you feel unwell.
P501	Dispose of contents/container in accordance with regional/national regulations. (Contd. on page 2)

- DEN



Page 2/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

(Contd. of page 1)

Trade name: KEIM MYCAL-XO

• Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

Contains biocidal products: Hydrogen peroxide, Glycollic acid, (+)-tartaric acid

- [·] 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- vPvB: Not applicable
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of substances listed below with nonhazardous additions. Aqueous solution

CAS: 7722-84-1	Hydrogen peroxide	4.83%
EINECS: 231-765-0	📀 Ox. Liq. 1, H271; 📀 Skin Corr. 1A, H314; Eye Dam. 1,	
Index number: 008-003-00-9	H318; () Acute Tox. 4, H302; Acute Tox. 4, H332; STOT	
Reg.nr.: 01-2119485845-22- XXXX	SE 3, H335; Aquatic Chronic 3, H412	
****	ATE: ATE oral: 694-1,026 mg/kg	
	ATE (4h) inhalative: 11 mg/l Specific concentration limits:	
	Ox. Liq. 1; H271: C \geq 70 %	
	Ox. Liq. 2; H272: 50 % \leq C < 70 %	
	Skin Corr. 1A; H314: $C \ge 70 \%$	
	Skin Corr. 1B; H314: 50 % ≤ C < 70 %	
	Skin Irrit. 2; H315: 35 % ≤ C < 50 %	
	Eye Dam. 1; H318: C ≥ 8 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 8 %	
	STOT SE 3; C ≥ 35 %	
CAS: 87-69-4	(+)-tartaric acid	0.98%
EINECS: 201-766-0 Reg.nr.: 01-2119537204-47-	♦ Eye Dam. 1, H318	
XXXX		
CAS: 79-14-1	Glycollic acid	0.97%
EINECS: 201-180-5 Reg.nr.: 01-2119485579-17-	♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H332	
XXXX	ATE: ATE (4h) inhalative: 3.6 mg/l	

(Contd. on page 3)



Page 3/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

(Contd. of page 2)

SECTION 4:	First aid measures
	of first aid measures
General informa	
	ove any clothing soiled by the product.
	atment in case of complaints.
	e doctor we suggest to present this safety data sheet.
· After inhalation	
Supply fresh air.	
	atment in case of complaints.
	sciousness place patient stably in side position for transportation.
· After skin conta	
	h with water and soap and rinse thoroughly.
Do not use solve	
	ontinues, consult a doctor.
· After eye conta	,
	e for several minutes under running water. Then consult a doctor.
· After swallowin	
	and then drink plenty of water.
Do not induce vo	ant symptoms and effects, both acute and delayed
NO TURBOR ROLOVO	nt information available
	nt information available.
· 4.3 Indication o	f any immediate medical attention and special treatment needed
	f any immediate medical attention and special treatment needed
· 4.3 Indication o	f any immediate medical attention and special treatment needed
• 4.3 Indication o Symptomatic tre	f any immediate medical attention and special treatment needed atment
4.3 Indication o Symptomatic tre SECTION 5: I	f any immediate medical attention and special treatment needed atment Firefighting measures
4.3 Indication o Symptomatic tre SECTION 5: I 5.1 Extinguishin	f any immediate medical attention and special treatment needed atment Firefighting measures ng media
4.3 Indication o Symptomatic tre- SECTION 5: I 5.1 Extinguishin Suitable extingu	f any immediate medical attention and special treatment needed atment Firefighting measures ng media Jishing agents:
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinger Water haze, extinger 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand.
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinger Water haze, extinger 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media Jishing agents:
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinger Water haze, extinger Product itself does 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings.
 4.3 Indication o Symptomatic tre SECTION 5: 5.1 Extinguishin Suitable extingu Water haze, exti Product itself doo For safety reaso 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet
 4.3 Indication o Symptomatic tre SECTION 5: 5.1 Extinguishin Suitable extingu Water haze, exti Product itself doo For safety reaso 5.2 Special haza 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture
 4.3 Indication o Symptomatic tree SECTION 5: 5.1 Extinguishin Suitable exting Water haze, exti Product itself door For safety rease 5.2 Special haza In case of fire, the 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet
 4.3 Indication o Symptomatic tree SECTION 5: 5.1 Extinguishin Suitable extinger Water haze, extinger For safety rease 5.2 Special haze In case of fire, the Oxygen 	f any immediate medical attention and special treatment needed atment Firefighting measures mg media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released:
 4.3 Indication o Symptomatic tree SECTION 5: 5.1 Extinguishin Suitable extinge Water haze, exti Product itself doi For safety rease 5.2 Special haza In case of fire, th Oxygen 5.3 Advice for fire 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters
 4.3 Indication o Symptomatic tree SECTION 5: 5.1 Extinguishin Suitable extinge Water haze, exti Product itself dod For safety rease 5.2 Special haze In case of fire, th Oxygen 5.3 Advice for fi Special protect 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment:
 4.3 Indication o Symptomatic tree SECTION 5: 5.1 Extinguishin Suitable extinge Water haze, exti Product itself doo For safety rease 5.2 Special haze In case of fire, th Oxygen 5.3 Advice for fi Special protect Wear self-contai 	f any immediate medical attention and special treatment needed atment Firefighting measures ng media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment: ned respiratory protective device.
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinge Water haze, exti Product itself doo For safety rease 5.2 Special haza In case of fire, the Oxygen 5.3 Advice for fif Special protection Wear self-contain Wear fully proteor 	f any immediate medical attention and special treatment needed atment Firefighting measures mg media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment: ned respiratory protective device. ctive suit.
 4.3 Indication o Symptomatic treation Suppromatic treation SECTION 5: I 5.1 Extinguishin Suitable extinged Suitable extinged Water haze, extinged Product itself door For safety reased 5.2 Special hazed In case of fire, the Oxygen 5.3 Advice for fire Special protection Wear self-contain Wear fully protection Additional information 	f any immediate medical attention and special treatment needed atment Firefighting measures mg media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment: ned respiratory protective device. stive suit. mation
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinge Water haze, exti Product itself doo For safety rease 5.2 Special haze In case of fire, the Oxygen 5.3 Advice for fit Special protection Wear self-contain Wear fully protection Additional infortico cool endangered 	f any immediate medical attention and special treatment needed atment Firefighting measures mg media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment: ned respiratory protective device. etive suit. mation d receptacles with water spray.
 4.3 Indication o Symptomatic tree SECTION 5: I 5.1 Extinguishin Suitable extinge Water haze, exti Product itself doo For safety rease 5.2 Special haze In case of fire, the Oxygen 5.3 Advice for fite Special protection Wear self-contain Wear fully protection Additional inform Cool endangered Dispose of fire d 	f any immediate medical attention and special treatment needed atment Firefighting measures mg media uishing agents: nguishing powder, alcohol resistant foam, CO2, sand. es not burn. Co-ordinate fire-fighting measures to the fire surroundings. ons unsuitable extinguishing agents: Water with full jet ards arising from the substance or mixture e following can be released: refighters ve equipment: ned respiratory protective device. stive suit. mation

(Contd. on page 4)



Page 4/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

(Contd. of page 3)

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Do not inhale fumes. Ensure adequate ventilation Respect the protection rules (see section 7 and 8). Keep uninvolved people away. 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. Dilute with plenty of water. 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, earth, diatomite, vermiculite). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Do not refill residue into storage receptacles. Information about fire - and explosion protection: Protect from heat. Keep ignition sources away - Do not smoke. · 7.2 Conditions for safe storage, including any incompatibilities • Storage: · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Keep in the original containers in a cool and dry place. Information about storage in one common storage facility: Store away from flammable substances. Do not store together with alkalis (caustic solutions). Store away from ferrous- and heavy metal salts. (Contd. on page 5)

⁻ DEN



Page 5/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

(Contd. of page 4)

Trade name: KEIM MYCAL-XO

· Further information about storage conditions:

Store in a cool place.

Protect from frost.

Store receptacle in a well ventilated area.

Protect from contamination.

Protect from heat and direct sunlight.

· Storage class: 12

· GISCode GD0 Desinfektionsreiniger, sonstige

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 				
7722-84-1 Hydrogen peroxide				
	rmany) Long-term value: 0.71 1(I);DFG, Y	mg/m³, 0.5	5 ppm	
DNELs	·			
7722-84-1	Hydrogen peroxide			
Inhalative	Acute - local effects	3 mg/m³ (v	worker)	
	Acute - local effects	1.93 mg/m	³ (consumer)	
	Long-term - local effects	1.4 mg/m ³	(worker)	
	Long-term - local effects	0.21 mg/m	³ (consumer)	
79-14-1 G	lycollic acid			
Oral	Long-term - systemic effects	0.75 mg/kg	g bw/day (consumer)	
Dermal	Long-term - systemic effects	28.85 mg/kg bw/day (consumer)		
		57.69 mg/kg bw/day (worker)		
Inhalative	Acute - systemic effects	9.2 mg/m ³ (worker)		
	Acute - systemic effects	2.3 mg/m ³ (consumer)		
	Acute - local effects	2.3 mg/m ³ (consumer)		
		9.2 mg/m ³	(worker)	
	Long-term - systemic effects	2.6 mg/m³ (consumer)		
		10.56 mg/m ³ (worker)		
	Long-term - local effects	1.53 mg/m	³ (worker)	
PNECs				
7722-84-1	Hydrogen peroxide			
Aquatic co	ompartment - freshwater		0.013 mg/l (Freshwater)	
Aquatic co	ompartment - marine water		0.013 mg/l (Seawater)	
Aquatic co	ompartment - water, intermitter	nt releases	0.014 mg/l (Freshwater)	
Aquatic co	ompartment - sediment in fresl	nwater	0.047 mg/kg sed dw (Freshwater sediment)	



Page 6/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

Aquatic compartment - sediment in marine water	(Contd. of pag 0.047 mg/kg sed dw (Marine sediment)
Terrestrial compartment - soil	0.002 mg/kg dw (soil)
Sewage treatment plant	4.66 mg/l (Sewage treatment plant)
79-14-1 Glycollic acid	
Aquatic compartment - freshwater	0.031 mg/l (Freshwater)
Aquatic compartment - marine water	0.003 mg/l (Seawater)
Aquatic compartment - water, intermittent releases	,
Aquatic compartment - sediment in freshwater	0.115 mg/kg sed dw (Freshwater)
Aquatic compartment - sediment in marine water	0.011 mg/kg sed dw (Seawater)
Terrestrial compartment - soil	0.007 mg/kg dw (soil)
Sewage treatment plant	7 mg/l (Sewage treatment plant)
Oral secondary poisoning	16.66 mg/kg food (not specified)
• Additional information: The lists valid during the r	
Combination filter A1/P1 In unsufficient ventilated working areas and durin necessary. If the product is used for more than 20 minutes per aerosol and gas (against CAS 7722-84-1) with a pro- Germany). Hand protection	day, wear a respirator with a combined filter
Protective gloves are recommendable The glove material has to be impermeable and preparation. Check protective gloves prior to each use for their p	
required.	



Page 7/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

· P	enetration time of glove material
	alue for the permeation: level ≥ 6 (480 min)
С	he determined penetration times according to EN 16523-1:2015 are not performed under practic onditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time recommended.
T	he exact break trough time has to be found out by the manufacturer of the protective gloves a as to be observed.
۰N	ot suitable are gloves made of the following materials:
Le	eather gloves
S	trong material gloves
۰E	ye/face protection
G	loggles recommended during refilling
Ti	ightly sealed goggles
	ody protection:
Ρ	rotective work clothing
Ν	lear proper protective clothing especially in case handling huge amounts or danger of squirting.
۰E	nvironmental exposure controls
S	ee Section 12 and 6.2
Ν	o further relevant information available.

 General Information Physical state 	Fluid	
· Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined	
	~0 °C	
• Melting point/freezing point:		
· Boiling point or initial boiling point a	∩a ~100 °C	
boiling range		
Floremobility	(Decomposition)	
Flammability	Not applicable	
Lower and upper explosion limit		
· Lower:	Not applicable	
· Upper:	Not determined	
· Flash point:	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
·pH	Acidic	
· Viscosity:		
Kinematic viscosity	Not determined	
· Dynamic:	Not determined.	
Solubility		
· water:	Fully miscible	

DEN



Page 8/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

	(Contd. of page	
Partition coefficient n-octanol/water (log		
value)	Not applicable	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	1.0-1.1* g/cm ³	
Relative density	Not determined	
Vapour density	Not applicable.	
9.2 Other information	* The values are for freshly produced materia	
	and may change with the time.	
Appearance:		
Form:	Fluid	
Important information on protection of hea	llth	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
Evaporation rate	Not applicable	
Information with regard to physical haza classes	ard	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
	Void	
Organic peroxides		
Organic peroxides Corrosive to metals	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity Product is an oxidizing agent and reactive. Stable at room temperature.

- 10.2 Chemical stability Stable under normal conditions of storage.
- Thermal decomposition / conditions to be avoided:

Risk of decomposition when exposed to heat.

(Contd. on page 9)

⁻ DEN



Page 9/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

Trade Traini			
			(Contd. of page 8)
To avoi	d thermal c	ecomposition do not overheat.	(conta: of page o)
		f hazardous reactions	
		g agent on organic materials such as wood, paper and fats.	
· 10.4 Co	onditions t	o avoid No further relevant information available.	
· 10.5 Inc	compatible	e materials:	
	g agents		
Metals	0 0		
Bases			
Ferrous	s- and heav	y metal salts	
	ble substar		
· 10.6 Ha	azardous d	ecomposition products:	
Oxygen			
		omposition products if stored and handled as prescribed.	
	onal inform		
Comme	ercial produ	cts are stabilized to reduce decomposition dangers of contami	nation
OFOT			
SECT	ION 11:	Toxicological information	
· 11 1 Inf	formation	on hazard classes as defined in Regulation (EC) No 1272/2	2008
		sed on available data, the classification criteria are not met.	
	-	elevant for classification:	
7722-84	4-1 Hydrog	en peroxide	
Oral	ATE	694-1,026 mg/kg (ATE)	
	LD50	694-1.026 mg/kg (rat) (H2O2 70%)	

- Oran	, · · · —					
	LD50	694-1,026 mg/kg (rat) (H2O2 70%)				
Dermal	LD50	>2,000 mg/kg (rabbit) (H2O2 35%)				
Inhalative	ATE (4h)	11 mg/l (ATE) (Vapours)				
		Conversion value from Table 3.1.2 of the CLP Regulation				
	LC50/4h	>0.17 mg/l (rat) (H2O2 50%)				
87-69-4 (+	-)-tartaric	acid	1			
Oral	LD50	>2,000 mg/kg (rat)	1			
Dermal	LD50	>2,000 mg/kg (rat)				
79-14-1 G	79-14-1 Glycollic acid					
Oral	LD50	2,040 mg/kg (rat)	1			
Inhalative	ATE (4h)	3.6 mg/l (ATE) (Dust / Fog)				
	LC50/4 h	3.6 mg/l (rat) (Dust / Fog)				
		ation Frequent persistent contact with the skin may cause skin irritation.				
		e/irritation Based on available data, the classification criteria are not met.				
-		rritant effect possible.				
-	during swallowing: Irritant effect possible					
•	-	sensitisation Based on available data, the classification criteria are not met.				
	-	icity Based on available data, the classification criteria are not met. sed on available data, the classification criteria are not met.				
•	 Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. 					
	3 Apoo					

- DEN -

⁽Contd. on page 10)



Page 10/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

(Contd. of page 9)

Trade name: KEIM MYCAL-XO

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):
- Experimental analysis are not available.
- The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	•			
	lydrogen peroxide			
NOEC	0.63 mg/l (algae) (72h)			
	5 mg/l (fish) (96h)	• • • • • •		
	0.63 mg/l (daphnia) (21d)		
EC 50/48h	2.4 mg/l (daphnia)			
EC 50/72 h	1.38 mg/l (algae)			
LC 50/96 h	16.4 mg/l (freshwa	ter fish)		
	tartaric acid			
NOEC	3.125 mg/l /72h (al	gae)		
	135 mg/l (daphnia)	(32H)		
NOEC	3.125 mg/kg /72h (algae)		
EC 50/72 h	51.4 mg/l (algae)			
LC 50/96 h	>100 mg/l (fish)			
79-14-1 Gly	collic acid			
NOEC	14 mg/kg (algae) (72h)		
	91 mg/kg (fish) (96	ih)		
	70.7 mg/kg (daphn	ia) (48h)		
EC 50/48h	99.6 mg/l (daphnia)		
EC 50/72 h	31.2 mg/l (algae)	31.2 mg/l (algae)		
LC 50/96 h	114.8 mg/l (fish)			
	tence and degrada	ability		
Easily biode	•			
		>99 (30min, OECD 209) %		
87-69-4	(+)-tartaric acid	85 (28d, OECD 306) %		
i			(Contd. on page 11	

DEN



Page 11/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

	(Contd. of page 1
79-14-1 Glycollic acid	78 (11d, OECD 301B) %
Behaviour in environmenta	il systems:
· Components:	
Water, ground.	ons fast decomposition into oxygen and water.
	ntial Bioaccumulation is not expected due to decomposition, reduction
	her relevant information available.
12.5 Results of PBT and vP	
· PBT: Not applicable	
· vPvB: Not applicable	
12.6 Endocrine disrupting p	properties
	substances with endocrine disrupting properties.
· 12.7 Other adverse effects	
• Additional ecological inform	nation:
• AOX-indication:	ant which do not include organic icinted belowing the arc-livet are a
take influence on the AOX-loa	tent which do not include organic jointed halogens, the product can n ad of the waste water
	on contains the following heavy metals and compounds from th
EU guideline NO. 2006/11/E	
	a base the product does not consist of any heavy metals or substance
of EU guideline NO. 2006/11/	
· General notes:	
	ground water, water course or sewage system.
At present there are no ecoto	xicological assessments. xicology have been derived from the properties of the individu
components.	acology have been derived from the properties of the individu
	an Regulation) (Self-assessment): slightly hazardous for water
SECTION 13: Disposal	considerations
· 13.1 Waste treatment metho	ods
· Recommendation	
	usehold garbage. Do not allow product to reach sewage system.
Disposal must be made acco	rding to official regulations.
European waste catalogue	
16 10 01* aqueous liquid was	stes containing hazardous substances
 Uncleaned packaging: 	
Recommendation:	
Disposal must be made acco	
Only empty containers may b	e recycled. gents: Water, if necessary with cleansing agents.

(Contd. on page 12)



Page 12/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

(Contd. of page 11)

SECTION 14: Transport informa	tion
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transpor regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148

Product contains: Reportable explosives precursors (H2O2 4.83 %). Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Not relevant.

(Contd. on page 13)



Page 13/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

	(Contd. of page 12)
· A1	INEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.
77	22-84-1 Hydrogen peroxide

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Please note:

TRGS 200 (Germany) TRGS 500 (Germany) TRGS 510 (Germany)

TRGS 900 (Germany)

- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: GD0
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 14)



Page 14/14

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.03.2024

Version number 4.1

Revision: 12.03.2024

Trade name: KEIM MYCAL-XO

IATA: International Air Transport Association	(Contd. of page 1
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
TRGS: Technische Regeln für Gefährstoffe (Technical Rules for Dangerous Substances,	, BAuA, Germany)
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
AGW: Arbeitsplatzgrenzwert (Germany)	
EC10: Effective concentration at 10% mortality rate.	
EC50: Half maximal effective concentration.	
LC10: Lethal concentration at 10% mortality rate.	
NOEC: No observed effect concentration.	
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.19	<i>3</i> 07/2006)
ATE: Acute toxicity estimate values	
Ox. Liq. 1: Oxidizing liquids – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Ca	ategory 3
* * Data compared to the previous version altered.	