



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM CONCRETAL-C**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Concrete paint/ concrete coating
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIMFARBEN GMBH
Keimstraße 16 / 86420 Diedorf
Tel. +49 (0)821 4802-0
Fax +49 (0)821 4802-210
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**
Product safety department
Telefon: 49(0)821/4802-138
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH208 Contains reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- **Note on EUH208:**
These are preservatives.
Avoid contact with the skin and eyes.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

DEN

(Contd. on page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous solution of silica sol, acrylic polymer, mineral fillers, pigments, additives.

Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] 	<15%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one ATE: ATE oral: 450 mg/kg ATE inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A;H317: C $\geq 0.036 \%$	≥ 0.0036 -<0.03%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-XXXX	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ATE: ATE oral: 66 mg/kg ATE dermal: >141 mg/kg ATE (4h) inhalative: 0.17 mg/l Specific concentration limits: Skin Corr. 1C;H314: C $\geq 0.6 \%$ Skin Irrit. 2; H315: $0.06 \% \leq C < 0.6 \%$ Eye Dam. 1; H318: C $\geq 0.6 \%$ Eye Irrit. 2; H319: $0.06 \% \leq C < 0.6 \%$ Skin Sens. 1A; H317: C $\geq 0.0015 \%$	≥ 0.00025 -<0.0015%

Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter $\leq 10 \mu\text{m}$) bound in the paint matrix.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

With appearance of symptoms or in cases of doubt seek medical advice .

(Contd. on page 3)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 2)

When seeing the doctor we suggest to present this safety data sheet.

· **After inhalation:**

Take affected people into fresh air and keep quiet.
Seek medical treatment in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
Do not use solvents or thinners.
If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse mouth and throat well with water.
Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

carbon oxide (CO_x)

acrylic monomers

· **5.3 Advice for firefighters**

· **Special protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

The product itself is not inflammable. The remaining polymer after ablating of the aqueous phase is flammable.

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Avoid contact with skin and eyes.

Respect the protection rules (see section 7 and 8).

Particular danger of slipping on leaked/spilled product.

· **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

(Contd. on page 4)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 3)

Dilute with plenty of water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Close drainages (risk of blocking due to polymer precipitation)

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions.

Respect the protection rules.

· **Information about fire - and explosion protection:**

Cool endangered receptacles with water spray.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Protect from frost.

Protect from heat and direct sunlight.

· **Storage class:** 12

· **GISCode** BSW20 Beschichtungsstoffe, wasserbasiert

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

AGW (Germany)	Long-term value: $1.25 \cdot 10^{**} \text{ mg/m}^3$ 2(II);*alveolengängig**einatembare; AGS, DFG, Y
---------------	---

(Contd. on page 5)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 4)

2634-33-5 1,2-benzisothiazol-3(2H)-one

MAK (Germany) | vgl.Abschn.IIb und Xc

55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)MAK (Germany) | Long-term value: 0.2E mg/m³
vgl.Abschn.Xc

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Avoid contact with the eyes and skin.
 - Do not inhale aerosols.
 - Wash hands before breaks and at the end of work.
 - Immediately remove all soiled and contaminated clothing.
- **Respiratory protection:**
 - Use suitable respiratory protective device only when aerosol or mist is formed.
 - Combination filter A/P
- **Hand protection** Protective gloves
- **Material of gloves**
 - suitable material e.g.:
 - Nitrile rubber, NBR
 - Recommended thickness of the material: ≥ 0.5 mm
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 - Value for the permeation: level ≥ 6 (480 min)
 - The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
 - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Safety glasses
- **Body protection:** Protective work clothing
- **Environmental exposure controls**
 - See Section 12 and 6.2
 - No further relevant information available.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Different, according to colouring.

(Contd. on page 6)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 5)

· Odour:	Characteristic
· Odour threshold:	Not determined
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	~100 °C (7732-18-5 Water)
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	Not applicable
· Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH at 20 °C	8-9*
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	1.300-1.600* mPas
· Solubility	
· water:	Miscible
· Partition coefficient n-octanol/water (log value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa (7732-18-5 Water)
· Density and/or relative density	
· Density at 20 °C:	1.3-1.5* g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable.
· 9.2 Other information	* The values are for freshly produced material and may change with the time.
· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Softening point/range	
· Oxidising properties:	Not applicable
· Evaporation rate	Not applicable
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 7)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 6)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
Carbon oxides (CO_x)
acrylic monomers
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Oral	LD50	>5,000 mg/kg (rat) (OECD 425)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	ATE	450 mg/kg (ATE) (ECHA)
------	-----	------------------------

(Contd. on page 8)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 7)

Inhalative	ATE	0.21 mg/l (ATE) (Dust / Fog) ECHA
55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
Oral	ATE	66 mg/kg (ATE)
Dermal	ATE	>141 mg/kg (ATE)
Inhalative	ATE (4h)	0.17 mg/l (ATE) (Dust / Fog)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation**
Contains CIT/MIT (3:1) , BIT. May produce an allergic reaction.
CIT = 5-chloro-2- methyl-2H-isothiazol-3-one
MIT = 2-methylisothiazol-3(2H)-one
BIT = 1,2-benzisothiazol-3(2H)-one
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **Subacute to chronic toxicity:**

Repeated dose toxicity**13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]**

Oral	NOAEL	3,500 mg/kg (rat) (90d)
Inhalative	NOAEC	10 mg/m ³ (rat) (90d)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

DEN

(Contd. on page 9)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 8)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

NOEC	$\geq 100,000$ mg/kg (Freshwater sediment) (ASTM 1706)
EC 50	>10,000 mg/l (algae) (ISO 10253)
	>100 mg/l (Freshwater algae) (OECD 201)
LC 50	>10,000 mg/l (marine fish) (OECD 203)
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	>1,000 mg/l (daphnia) (OECD 202)

2634-33-5 1,2-benzisothiazol-3(2H)-one

NOEC	0.04 mg/l /72h (algae) (OECD 201) S 2238
	0.21 mg/l /28d (fish) (OECD 215) S 805
	1.2 mg/l /21d (daphnia) (OECD 211) S 803
EC 50/48h	3.27 mg/l (daphnia) (OECD 202) S 2240
EC 50/3h	13 mg/l (sewage sludge) (OECD 209) S 2747
EC 50/72 h	0.11 mg/l (algae) (OECD 201) S 2238
EC20/3h	3.3 mg/l (sewage sludge) (OECD 209) S 2747
LC 50/96 h	1.6 mg/l (fish) (OECD 203) S 2746

55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

NOEC	0.0012 mg/l /72h (algae) (OECD 201) S 1322 (b)
	0.098 mg/l /28d (fish) (OECD 215) S 117 (b)
	0.004 mg/l /21d (daphnia) (OECD 211) S 52 (b)
EC 50/48h	0.0052 mg/l (algae) (OECD 201) RAC opinion
	0.1 mg/l (daphnia) (OECD 202) S 52 (b)

(Contd. on page 10)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 9)

EC 50/3h	7.92 mg/l (sewage sludge) (OECD 209) S 418 (b)
EC 50/72 h	0.048 mg/l (algae) (OECD 201) S 1322 (b)
EC20/3h	0.97 mg/l (sewage sludge) (OECD 209) S 418 (b)
LC 50/96 h	0.22 mg/l (fish) (OECD 203) S 6 (b)

12.2 Persistence and degradability

55965-84-9	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	OECD 301 D; >60 %
------------	--	-------------------

Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

12.3 Bioaccumulative potential No further relevant information available.**Bioconcentration factor (BCF)**

2634-33-5	1,2-benzisothiazol-3(2H)-one	6,95 (Fish)
55965-84-9	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,16

12.4 Mobility in soil No further relevant information available.**12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

- **Other information:** Pretreat waste water with help of precipitation.

Additional ecological information:**AOX-indication:**

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO₂.

General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

DEN

(Contd. on page 11)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 10)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

· **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Not applicable

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to Regulation (EC) No 1272/2008**

For information on labelling please refer to section 2 of this document.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** Not applicable

(Contd. on page 12)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 11)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** Not applicable
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** Not applicable

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148**· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Not relevant.

· ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW20
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.

(Contd. on page 13)

DEN



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2024

Version number 15.2 (replaces version 15.1)

Revision: 14.11.2024

Trade name: KEIM CONCRETAL-C

(Contd. of page 12)

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

· **Department issuing SDS:** KEIMFARBEN Germany, Product safety department

· **Version number of previous version:** 15.1

· **Abbreviations and acronyms:**

BOELV: Binding Occupational Exposure Limit Values

IOELV : Indicative Occupational Exposure Limit Values

OELV: Occupational Exposure Limit Value

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· * **Data compared to the previous version altered.**