

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: KEIM BRILLANTPUTZ
 (ALL TYPES / ALLE TYPEN)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture

Dry mortar to be mixed with water and then used as a plaster for walls and ceilings indoors and outdoors.

Mineral thin-layer, lightweight plaster.

- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk

· 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Cement, portland, chemicals calcium dihydroxide

(Contd. on page 2)



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P261 Avoid breathing dust.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362 Take off contaminated clothing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards

This Product contains cement. Cement produces an alkaline reaction with moisture or water. Avoid contact with eyes and prolonged skin contact.

Results of PBT and vPvB assessment

PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Portland-cement, calcium dihydroxide, aggregates and additives

· Dangerous components:			
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	10-<20%	
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45- XXXX	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<10%	
CAS: 12001-26-2 EC number: 601-648-2	Mica substance with a Community workplace exposure limit	≤2.5%	

· Additional information:

The cement used is low in chromate, as its content of soluble chromium (VI) is below 2 ppm (0.0002%).

For the wording of the listed hazard phrases refer to section 16.

GB



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: When seeing the doctor we suggest to present this safety data sheet.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Respect the protection rules (see section 7 and 8).

Product forms slippery surface when combined with water.

· 6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

6.3 Methods and material for containment and cleaning up:

Close drainages (risk of blocking)

(Contd. on page 4)



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 3)

Avoid formation of dust.

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Danger of slipping!

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Keep receptacles tightly sealed.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

Avoid dust formations and deposits.

Keep container tightly sealed.

Protect from heat and direct sunlight.

- Storage class: 13
- · 7.3 Specific end use(s) No further relevant information available.

GB



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingre	Ingredients with limit values that require monitoring at the workplace:		
65997	65997-15-1 Cement, portland, chemicals		
	WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust		
1305-	1305-62-0 calcium dihydroxide		
	Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction		
12001	-26-2 Mica		

WEL	Long-term value: 10* 0.8** mg/m³
	*total inhalable **respirable

· DNELs

1305-62-0 calcium dihydroxide

1303-02-0	calcium umyuroxiue	
Inhalative	Acute - local effects	4 mg/m³ (consumer) respirable dust
		4 mg/m³ (worker) respirable dust
	Long-term - local effects	1 mg/m³ (consumer) respirable dust
		1 mg/m³ (worker) respirable dust

· PNECs

1305-62-0 calcium dihydroxide

Aquatic compartment - freshwater	0.49 mg/l (Freshwater)	
Aquatic compartment - marine water	0.32 mg/l (Seawater)	
Terrestrial compartment - soil	1,080 mg/kg dw (soil)	
Sewage treatment plant	3 mg/l (Microorganism)	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Respiratory protection:

In a dusty environment wear suitable facemask.

Filter: FFP2

(Contd. on page 6)



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 5)

· Hand protection

Protective gloves

Alkaline resistant gloves

Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

In a dusty environment wear protective goggles.

Tightly sealed goggles

· Body protection:

Protective work clothing

After contact with skin wash thoroughly with water and apply lotion.

Environmental exposure controls

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined Not applicable

· Lower and upper explosion limit

Lower: Not applicable
Upper: Not applicable
Flash point: Not applicable
Ignition temperature: Not determined

(Contd. on page 7)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

	(Contd. of pag	
Decomposition temperature:		
1305-62-0 calcium dihydroxide >580 °C		
рН	11.5-13.5*	
•	mixed with water	
Viscosity:		
Kinematic viscosity	Not applicable	
Dynamic:	Not applicable	
Solubility		
water at 20 °C:	< 2 g/l (Ca(OH)2)	
	Miscible	
Partition coefficient n-octanol/water (log	THE SIDIO	
value)	Not applicable	
Vapour pressure:	Not applicable.	
Density and/or relative density	1101 αργιιοασίο.	
Density:	Not determined	
Relative density	Not determined	
Bulk density at 20 °C:	1.1-1.6* g/cm ³	
Vapour density	Not applicable.	
<u> </u>		
9.2 Other information	* The values are for freshly produced mater	
	and may change with the time.	
Appearance:		
Form:	Powder	
Important information on protection of hea	alth	
and environment, and on safety.		
Auto-ignition temperature: Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
Softening point/range		
Oxidising properties:	Not applicable	
Evaporation rate	Not applicable	
Information with regard to physical ba-	··	
Information with regard to physical haz classes	aru	
	Vaid	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids Self-heating substances and mixtures	Void	
	Void	



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 7)

Void	
Void	
	Void Void Void Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

Stable at environment temperature.

No decomposition if used and stored according to specifications.

- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Humidity
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1305-62-0 calcium dihydroxide

Oral LD50 >2,000 mg/kg (rat) (OECD 425)

Dermal LD50 >2,500 mg/kg (rabbit) (OECD 402)

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · during inhalation: Irritating to respiratory system.
- during swallowing: Irritant effect possible
- Respiratory or skin sensitisation

Product is reduced in chromate. Within the indicated storage time sensitization is not expected.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 8)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- · Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	· Aquatic toxicity:	
1305-62-0 calcium dihy	droxide	
NOEC	48 mg/l (Freshwater algae) (72h)	
	32 mg/l (marine invertebrate organisms) (14d)	
EC10/LC10 oder NOEC 2,000 mg/kg (Soil macroorganisms)		
	12,000 mg/kg (soil microorganisms)	
NOEC 1,080 mg/kg (plants) (21d)		
EC 50/48h	49.1 mg/l (freshwater invertebrate organisms)	
EC 50/72 h 184.57 mg/l (Freshwater algae)		
LC 50/96 h 457 mg/l (marine fish)		
	50.6 mg/l (freshwater fish)	
	158 mg/l (marine invertebrate organisms)	

- 12.2 Persistence and degradability No further relevant information available.
- $\cdot \, \textbf{12.3 Bioaccumulative potential} \,\, \textbf{No further relevant information available}.$
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · **vPvB**: Not applicable
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Other information: Elimination from the water by means of sedimentation.
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

(Contd. on page 10)



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 9)

· General notes:

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

Unused remainders of the product should be regarded as hazardous waste.

Recommendation for non-reusable residues: Mix with water and allow to harden.

Allow wet product and product sludge to harden and do not allow to get into drains or waterways.

· European waste catalogue

17 01 01 concrete

- · Uncleaned packaging:
- Recommendation:

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informa	tion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable	
		(Contd. on page



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ

(ALL TYPES / ALLE TYPEN)

(Contd. of page 10)

· 14.7 Maritime transport in bulk accordi	ng to
IMO instruments	Not applicable
· Transport/Additional information:	No dangerous good in sense of these transpor regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Please note:

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022 Version number 14.0 (replaces version 13.0) Revision: 13.09.2022

Trade name: KEIM BRILLANTPUTZ (ALL TYPES / ALLE TYPEN)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

(Contd. of page 11)