



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM MYCAL-XO**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Oxidizing agent for disinfection of wall surfaces infested with mould.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIMFARBEN GMBH
Keimstraße 16 / 86420 Diedorf
Tel. +49 (0)821 4802-0
Fax +49 (0)821 4802-210
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**
Product safety department
Telefon: 49(0)821/4802-138
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Precautionary statements**
 - P262 Do not get in eyes, on skin, or on clothing.
 - P280 Wear protective gloves/protective clothing/eye protection.
 - P261 Avoid breathing mist/vapours/spray.
 - P284 In case of inadequate ventilation wear respiratory protection.
 - P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 - P312 Call a doctor if you feel unwell.
 - P501 Dispose of contents/container in accordance with regional/national regulations.

(Contd. on page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 1)

- **Additional information:**
Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.
Contains biocidal products: Hydrogen peroxide, Glycollic acid
- **2.3 Other hazards** The product is acidic. Avoid contact with eyes and skin.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Determination of endocrine-disrupting properties** Not applicable

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Aqueous solution

- **Dangerous components:**

CAS: 7722-84-1 EINECS: 231-765-0 Index number: 008-003-00-9 Reg.nr.: 01-2119485845-22-XXXX	Hydrogen peroxide ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 ATE: ATE oral: 694-1,026 mg/kg ATE (4h) inhalative: 11 mg/l Specific concentration limits: Ox. Liq. 1; H271: $C \geq 70\%$ Ox. Liq. 2; H272: $50\% \leq C < 70\%$ Skin Corr. 1A; H314: $C \geq 70\%$ Skin Corr. 1B; H314: $50\% \leq C < 70\%$ Skin Irrit. 2; H315: $35\% \leq C < 50\%$ Eye Dam. 1; H318: $C \geq 8\%$ Eye Irrit. 2; H319: $5\% \leq C < 8\%$ STOT SE 3; $C \geq 35\%$	4.83%
CAS: 79-14-1 EINECS: 201-180-5 Reg.nr.: 01-2119485579-17-XXXX	Glycollic acid ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H332 ATE: ATE (4h) inhalative: 3.6 mg/l	0.97%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Seek medical treatment in case of complaints.
When seeing the doctor we suggest to present this safety data sheet.
- **After inhalation:**
Supply fresh air.

(Contd. on page 3)

DEN



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 2)

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Water haze, extinguishing powder, alcohol resistant foam, CO₂, sand.

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Oxygen

· **5.3 Advice for firefighters**

· **Special protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Do not inhale fumes.

Ensure adequate ventilation

Respect the protection rules (see section 7 and 8).

Keep uninvolved people away.

· **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.

(Contd. on page 4)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 3)

Follow local governmental rules and regulations.

Dilute with plenty of water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with non-combustible liquid-binding material (sand, earth, diatomite, vermiculite).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection).

See item 8 (8.2) for information about suitable protective equipment and technical precautions.

Respect the protection rules.

Do not refill residue into storage receptacles.

· **Information about fire - and explosion protection:**

Protect from heat.

Keep ignition sources away - Do not smoke.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

· **Information about storage in one common storage facility:**

Store away from flammable substances.

Do not store together with alkalis (caustic solutions).

Store away from ferrous- and heavy metal salts.

· **Further information about storage conditions:**

Store in a cool place.

Protect from frost.

Store receptacle in a well ventilated area.

Protect from contamination.

Protect from heat and direct sunlight.

· **Storage class:** 12

· **GISCode** GD0 Desinfektionsreiniger, sonstige

(Contd. on page 5)



Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 4)

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

7722-84-1 Hydrogen peroxide

AGW (Germany)	Long-term value: 0.71 mg/m ³ , 0.5 ppm 1(I);DFG, Y
---------------	--

· **DNELs**

7722-84-1 Hydrogen peroxide

Inhalative	Acute - local effects	3 mg/m ³ (worker)
	Acute - local effects	1.93 mg/m ³ (consumer)
	Long-term - local effects	1.4 mg/m ³ (worker)
	Long-term - local effects	0.21 mg/m ³ (consumer)

79-14-1 Glycollic acid

Oral	Long-term - systemic effects	0.75 mg/kg bw/day (consumer)
Dermal	Long-term - systemic effects	28.85 mg/kg bw/day (consumer)
		57.69 mg/kg bw/day (worker)
Inhalative	Acute - systemic effects	9.2 mg/m ³ (worker)
	Acute - systemic effects	2.3 mg/m ³ (consumer)
	Acute - local effects	2.3 mg/m ³ (consumer)
		9.2 mg/m ³ (worker)
	Long-term - systemic effects	2.6 mg/m ³ (consumer)
		10.56 mg/m ³ (worker)
	Long-term - local effects	1.53 mg/m ³ (worker)

· **PNECs**

7722-84-1 Hydrogen peroxide

Aquatic compartment - freshwater	0.013 mg/l (Freshwater)
Aquatic compartment - marine water	0.013 mg/l (Seawater)
Aquatic compartment - water, intermittent releases	0.014 mg/l (Freshwater)
Aquatic compartment - sediment in freshwater	0.047 mg/kg sed dw (Freshwater sediment)
Aquatic compartment - sediment in marine water	0.047 mg/kg sed dw (Marine sediment)
Terrestrial compartment - soil	0.002 mg/kg dw (soil)
Sewage treatment plant	4.66 mg/l (Sewage treatment plant)

79-14-1 Glycollic acid

Aquatic compartment - freshwater	0.031 mg/l (Freshwater)
Aquatic compartment - marine water	0.003 mg/l (Seawater)
Aquatic compartment - water, intermittent releases	0.312 mg/l (Freshwater)

(Contd. on page 6)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 5)

Aquatic compartment - sediment in freshwater	0.115 mg/kg sed dw (Freshwater)
Aquatic compartment - sediment in marine water	0.011 mg/kg sed dw (Seawater)
Terrestrial compartment - soil	0.007 mg/kg dw (soil)
Sewage treatment plant	7 mg/l (Sewage treatment plant)
Oral secondary poisoning	16.66 mg/kg food (not specified)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

- Do not eat, drink, smoke or sniff while working.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

- Suitable respiratory protective device recommended.
- Combination filter A1/P1
- In insufficient ventilated working areas and during spray-processing a breathing protection is necessary.
- If the product is used for more than 20 minutes per day, wear a respirator with a combined filter for aerosol and gas (against CAS 7722-84-1) with a protection factor of at least 10 (EN 529: 2005, APF Germany).

· **Hand protection**

- Protective gloves are recommendable
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Check protective gloves prior to each use for their proper condition.
- To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

· **Material of gloves**

- suitable material e.g.:
- Natural rubber, NR
- Nitrile rubber, NBR
- Recommended thickness of the material: ≥ 0.4 mm
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

- Value for the permeation: level ≥ 6 (480 min)
- The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 6)

- **Not suitable are gloves made of the following materials:**
 - Leather gloves
 - Strong material gloves
- **Eye/face protection**
 - Goggles recommended during refilling
 - Tightly sealed goggles
- **Body protection:**
 - Protective work clothing
 - Wear proper protective clothing especially in case handling huge amounts or danger of squirting.
- **Environmental exposure controls**
 - See Section 12 and 6.2
 - No further relevant information available.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** Colourless
- **Odour:** Characteristic
- **Odour threshold:** Not determined
- **Melting point/freezing point:** ~0 °C
- **Boiling point or initial boiling point and boiling range** ~100 °C (Zersetzung)
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** Not applicable
- **Upper:** Not determined
- **Flash point:** Not applicable
- **Auto-ignition temperature:** Not determined
- **Decomposition temperature:** Not determined
- **pH at 20 °C** >2*
- **Viscosity:**
- **Kinematic viscosity** Not determined
- **Dynamic:** Not determined
- **Solubility**
- **water:** Fully miscible
- **Partition coefficient n-octanol/water (log value)** Not applicable
- **Vapour pressure at 50 °C:** ≤1.100 hPa
- **Density and/or relative density**
- **Density at 20 °C:** 1.0-1.1* g/cm³
- **Relative density** Not determined
- **Vapour density** Not applicable

(Contd. on page 8)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 7)

· 9.2 Other information	*The values are for freshly produced material and may change with the time.
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not applicable
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Product is an oxidizing agent and reactive. Stable at room temperature.
- **10.2 Chemical stability** Stable under normal conditions of storage.
- **Thermal decomposition / conditions to be avoided:**
Risk of decomposition when exposed to heat.
To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions**
Acts as an oxidising agent on organic materials such as wood, paper and fats.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Reducing agents
Metals
Bases

(Contd. on page 9)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 8)

Ferrous- and heavy metal salts
Flammable substances

· 10.6 Hazardous decomposition products:

Oxygen

No hazardous decomposition products if stored and handled as prescribed.

· Additional information:

Commercial products are stabilized to reduce decomposition dangers of contamination.

SECTION 11: Toxicological information**· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****· Acute toxicity** Based on available data, the classification criteria are not met.**· LD/LC50 values relevant for classification:****7722-84-1 Hydrogen peroxide**

Oral	ATE	694-1,026 mg/kg (ATE)
	LD50	694-1,026 mg/kg (rat) (H2O2 70%)
Dermal	LD50	>2,000 mg/kg (rabbit) (H2O2 35%)
Inhalative	ATE (4h)	11 mg/l (ATE) (Vapours)

79-14-1 Glycollic acid

Oral	LD50	2,040 mg/kg (rat)
Inhalative	ATE (4h)	3.6 mg/l (ATE) (Dust / Fog)
	LC50/4 h	3.6 mg/l (rat) (Dust / Fog)

· Primary irritant effect:**· Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.**· Serious eye damage/irritation** Based on available data, the classification criteria are not met.**· during inhalation:** Irritant effect possible.**· during swallowing:** Irritant effect possible.**· Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**· Germ cell mutagenicity** Based on available data, the classification criteria are not met.**· Carcinogenicity** Based on available data, the classification criteria are not met.**· Reproductive toxicity** Based on available data, the classification criteria are not met.**· STOT-single exposure** Based on available data, the classification criteria are not met.**· STOT-repeated exposure** Based on available data, the classification criteria are not met.**· Aspiration hazard** Based on available data, the classification criteria are not met.**· Other information (about experimental toxicology):**

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

· Subacute to chronic toxicity:**· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Not applicable

(Contd. on page 10)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 9)

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****7722-84-1 Hydrogen peroxide**

NOEC	0.63 mg/l (algae) (72h) 5 mg/l (fish) (96h) 0.63 mg/l (daphnia) (21d)
EC 50/48h	2.4 mg/l (daphnia)
EC 50/72 h	1.38 mg/l (algae)
LC 50/96 h	16.4 mg/l (freshwater fish)

79-14-1 Glycollic acid

NOEC	>100 mg/kg (algae) (72h) ≥89.6 mg/kg (daphnia) (21d)
EC 50/48h	>100 mg/l (daphnia)
EC 50/72 h	>100 mg/l (algae)
LC 50/96 h	>100 mg/l (fish)

12.2 Persistence and degradability

Easily biodegradable

7722-84-1	Hydrogen peroxide	(30min, OECD 209) > 99 %
79-14-1	Glycollic acid	(28d, OECD 310) 83,9 %

Behaviour in environmental systems:**Components:**

Water, ground.

Under environmental conditions fast decomposition into oxygen and water.

12.3 Bioaccumulative potential Bioaccumulation is not expected due to decomposition, reduction.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable**vPvB:** Not applicable**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Additional ecological information:****AOX-indication:**

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

(Contd. on page 11)

DEN



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 10)

- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**
According to our current data base the product does not consist of any heavy metals or substances of EU guideline NO. 2006/11/EC.
- **General notes:**
The statements on ecotoxicology have been derived from the properties of the individual components.
Do not allow product to reach ground water, water course or sewage system.
At present there are no ecotoxicological assessments.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **European waste catalogue**

16 10 01*	aqueous liquid wastes containing hazardous substances
-----------	---
- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
Only empty containers may be recycled.
- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- | | |
|--|----------------|
| · 14.1 UN number or ID number | |
| · ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable |

(Contd. on page 12)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 11)

- | | |
|---|--|
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |
| · Transport/Additional information: | No dangerous good in sense of these transport regulations. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148Product contains: Reportable explosives precursors (H₂O₂ 4.83 %). Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.**· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Not relevant

· ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

7722-84-1 Hydrogen peroxide

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:**· Information about limitation of use:**

Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.

(Contd. on page 13)

DEN



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 12)

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
 - TRGS 200 (Germany)
 - TRGS 500 (Germany)
 - TRGS 510 (Germany)
 - TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** GD0
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H271 May cause fire or explosion; strong oxidiser.
 - H272 May intensify fire; oxidiser.
 - H302 Harmful if swallowed.
 - H314 Causes severe skin burns and eye damage.
 - H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H319 Causes serious eye irritation.
 - H332 Harmful if inhaled.
 - H335 May cause respiratory irritation.
 - H412 Harmful to aquatic life with long lasting effects.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Version number of previous version:** 4.1
- **Abbreviations and acronyms:**
 - BOELV: Binding Occupational Exposure Limit Values
 - IOELV : Indicative Occupational Exposure Limit Values
 - OELV: Occupational Exposure Limit Value
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
 - DNEL: Derived No-Effect Level (REACH)
 - PNEC: Predicted No-Effect Concentration (REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - AGW: Arbeitsplatzgrenzwert (Germany)
 - EC10: Effective concentration at 10% mortality rate.
 - EC50: Half maximal effective concentration.

(Contd. on page 14)



Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2026

Version number 5.0 (replaces version 4.1)

Revision: 06.02.2026

Trade name: KEIM MYCAL-XO

(Contd. of page 13)

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

ATE: Acute toxicity estimate values

Ox. Liq. 1: Oxidizing liquids – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

DEN