

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: KEIM MYCAL-TOP

Nanoform

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture
- Highly specialized silicate-based interior paint, applicable within the Mycal product system • Uses advised against All other uses are not recommended.
- Uses advised against Air other uses are not recomme
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de
- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · vPvB: Not applicable

(Contd. on page 2)



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Purely mineral fillers, potassium water glass, pure acrylate emulsion

 Dangerous components: 		
CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17- xxxx	Silicic acid, potassium salt Silicic acid, potassium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C \geq 40 % Eye Irrit. 2; H319: C \geq 40 % STOT SE 3; H335: C \geq 40 %	≥2.5-≤10%
CAS: 1314-98-3 EINECS: 215-251-3 Reg.nr.: 01-2119475779-15- xxxx	zinc sulphide substance with a Community workplace exposure limit	≥2.5-≤10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m] & Carc. 2, H351	2.5-10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	≥0.1-≤2.5%

· Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter \leq 10 $\mu m)$ bound in the paint matrix.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eye contact:

- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth and throat well with water.

(Contd. on page 3)

⁻ DEN



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

Do not induce vomiting; call for medical help immediately.

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.
- **SECTION 5: Firefighting measures**
- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: carbon oxide (COx)
- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Respect the protection rules (see section 7 and 8). Avoid contact with skin and eyes. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes.

(Contd. on page 4)



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

(Contd. of page 3) Ensure good ventilation/exhaustion at the workplace. Do not inhale aerosols. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Keep in the original containers in a cool and dry place. • Information about storage in one common storage facility: Do not store together with acids. · Further information about storage conditions: Protect from frost. Store in a cool place. Protect from heat and direct sunlight. · Storage class: 12 · GISCode BSW40 Beschichtungsstoffe, wasserbasiert, alkalisch · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 1314-98-3 zinc sulphide MAK (Germany) Long-term value: 0.1A* 2E** mg/m³ *alveolengängig; **einatembar 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y DNELs 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] Inhalative Long-term - systemic effects 0.8 mg/m³ (worker) · PNECs 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] 0.127 mg/l (Freshwater) Aquatic compartment - freshwater Aquatic compartment - marine water >1 mg/l (Seawater) >1,000 mg/kg sed dw (Freshwater) Aquatic compartment - sediment in freshwater

Aquatic compartment - sediment in marine water >100 mg/kg sed dw (Seawater)



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

	(Contd. of pag
Additional information: The lists valid	during the making were used as basis.
8.2 Exposure controls	
Individual protection measures, such	as personal protective equipment
General protective and hygienic measured	
Avoid contact with the eyes and skin.	
Do not inhale aerosols.	
Wash hands before breaks and at the e	nd of work
Immediately remove all soiled and conta	
Respiratory protection:	
Use suitable respiratory protective devic	e only when aerosol or mist is formed
Filter: P	
Hand protection Protective gloves	
• Material of gloves	
suitable material e.g.:	
Nitrile impregnated cotton-gloves	
Butyl rubber, BR	li > 0.5 mm
Recommended thickness of the materia	n. ≥ 0.5 mm
PVC or PE gloves	
Recommended thickness of the materia	
	s not only depend on the material, but also on further ma
	to manufacturer. As the product is a preparation of sev
	material can not be calculated in advance and has there
to be checked prior to the application.	
Penetration time of glove material	
Value for the permeation: level \geq 6 (480	
	rding to EN 16523-1:2015 are not performed under pract
	ing time, which corresponds to 50% of the penetration ti
is recommended.	
	found out by the manufacturer of the protective gloves
has to be observed.	
Eye/face protection Tightly sealed gog	
Body protection: Protective work cloth	ing
Environmental exposure controls	
See Section 12 and 6.2	
No further relevant information available	н.
SECTION OF Developed and about	
SECTION 9: Physical and chem	lical properties
9.1 Information on basic physical and	I chemical properties
General Information	
Physical state	Fluid
· Colour:	Different, according to colouring.
· Odour:	Characteristic
Odour threshold:	Not determined
• Melting point/freezing point:	Not determined



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

	(Contd. of pag
Boiling point or initial boiling point and	Not determined
boiling range	Not determined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH at 20 °C	~11*
Viscosity:	
Kinematic viscosity	Not determined
Dynamic at 20 °C:	1.600-2.100* mPas
Solubility	
water:	Miscible
Partition coefficient n-octanol/water (log	
value)	Not applicable
Vapour pressure at 20 °C:	~23 hPa
Density and/or relative density	
Density at 20 °C:	1.5-1.7* g/cm³
Relative density	Not determined
Vapour density	Not applicable
9.2 Other information	* The values are for freshly produced mater
	and may change with the time.
Appearance:	
Form:	Pasty
Important information on protection of hea	lith
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
	VOIG

(Contd. on page 7)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Versio

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

	(Contd. of page 6
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
Other safety characteristics	
· Photocatalytic properties	The product has photocatalytic properties.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

• 10.2 Chemical stability Stable under normal conditions of storage and use.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Acids

10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon oxides (COx)

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1314-98-	3 zinc sulphide	9
Oral	LD50	>15,000 mg/kg (rat) (OECD 401)
13463-67		oxide [in powder form containing 1 % or more of particles with ic diameter \leq 10 μ m]
Inhalative	ATE mix (4h)	>5 mg/l (inhalative)
	ATE mix	>2,000 mg/kg (dermal)
		>2,000 mg/kg (orally)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)
13463-67		oxide [in powder form containing 1 % or more of particles with ic diameter \leq 10 μ m]
Oral	LD50	>5,000 mg/kg (rat)

(Contd. on page 8)

⁻ DEN



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

Inhalative	LC50/4 h	(Contd. of page // (contd. of page // (contd. of page //)))
		tion Frequent persistent contact with the skin may cause skin irritation.
		/irritation slightly irritant
		itant effect possible.
		rritant effect possible
		sensitisation Based on available data, the classification criteria are not me
		ity Based on available data, the classification criteria are not met.
		ed on available data, the classification criteria are not met.
		y Based on available data, the classification criteria are not met.
		re Based on available data, the classification criteria are not met.
		Aura Read on available data, the elecation eritoria are not mot
		sure Based on available data, the classification criteria are not met.
Aspiratio	n hazard Ba	used on available data, the classification criteria are not met.
Aspiratio Other inf	n hazard Ba ormation (al	ased on available data, the classification criteria are not met. bout experimental toxicology):
Aspiratio Other inf Experime	n hazard Ba ormation (al ntal analysis	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available.
Aspiratio Other inf Experime The produ	n hazard Ba ormation (al ntal analysis uct was not to	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie
Aspiratio Other inf Experime The production	n hazard Ba ormation (al ntal analysis uct was not to lual compone	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents.
Aspiratio Other inf Experime The production Subacute	n hazard Ba ormation (al ntal analysis uct was not to	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity:
Aspiratio Other inf Experime The production Subacute Repeated	n hazard Ba ormation (al ntal analysis uct was not to dual compone to chronic dose toxic -7 titanium	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity:
Aspiratio Other inf Experime The production Subacute Repeated 13463-67	n hazard Ba ormation (al ntal analysis act was not to dual compone to chronic dose toxic -7 titanium aerodyna	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity: ity dioxide [in powder form containing 1 % or more of particles w
Aspiratio Other inf Experime The produ- the individ Subacute Repeated 13463-67	n hazard Ba ormation (al ntal analysis uct was not to lual compone to chronic dose toxic -7 titanium aerodyna	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity: ity dioxide [in powder form containing 1 % or more of particles withow} mic diameter ≤ 10 μm]
Aspiratio Other inf Experime The production Subacute Repeated 13463-67 Inhalative CMR effe	n hazard Ba ormation (al ntal analysis uct was not to lual compone to chronic dose toxic -7 titanium aerodyna NOAEC 10 ccts (carcino	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity: ity dioxide [in powder form containing 1 % or more of particles withow mic diameter ≤ 10 µm] D mg/m³ (rat) (90d)
Aspiratio Other inf Experime The product Subacute Repeated 13463-67 Inhalative CMR effe 11.2 Infor	n hazard Ba ormation (al ntal analysis act was not to dual compone to chronic dose toxic -7 titanium aerodyna NOAEC 10 ccts (carcino rmation on c	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. ested. The statements on toxicology have been derived from the propertie ents. toxicity: ity dioxide [in powder form containing 1 % or more of particles with mic diameter ≤ 10 μm] D mg/m³ (rat) (90d) ogenity, mutagenicity and toxicity for reproduction) Not applicable

SECTION 12: Ecological information

· 12.1 Toxicity

1314-98-3 zinc sul	phide
EC 50/48h (static)	100 mg/l (daphnia) (OECD 202)
EC 50/96h (static)	100 mg/l (fish) (OECD 203)
EC 50/72 h (static)	100 mg/l (algae) (OECD 202)
	im dioxide [in powder form containing 1 % or more of particles with namic diameter \leq 10 µm]
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca
EC50	>100 mg/kg (Freshwater algae) (OECD 201)
EC 50	>10,000 mg/l (algae) (ISO 10253)
LC 50	>10,000 mg/l (marine fish) (OECD 203)
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	(Contd. on page



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

	(Contd. of page
	>1,000 mg/l (daphnia) (OECD 202)
	nium dioxide [in powder form containing 1 % or more of particles wit odynamic diameter \leq 10 μ m]
ErC50/72h	>100 mg/l (algae)
LC 50/96 h	>1,000 mg/l (Pimephales promelas)
 12.3 Bioaccun 12.4 Mobility i 12.5 Results of PBT: Not appli vPvB: Not appli vPvB: Not appli 12.6 Endocrin The product do 12.7 Other adv Additional ecco ACX-indicatio Due to the sub take influence of According to EU guideline I The product co General notes The statement components. Do not allow pr At present ther 	icable a disrupting properties es not contain substances with endocrine disrupting properties. erse effects No further relevant information available. logical information: n: stance of content which do not include organic jointed halogens, the product can in on the AOX-load of the waste water. he formulation contains the following heavy metals and compounds from t IO. 2006/11/EC: htains BaSO4, TiO2, ZnS.
SECTION 1	: Disposal considerations
• 13.1 Waste tre • Recommenda Must not be dis	atment methods
· European was	
•	e paint and varnish other than those mentioned in 08 01 11
	:kaging: ion: Disposal must be made according to official regulations. I cleansing agents: Water, if necessary with cleansing agents.

(Contd. on page 10)



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

(Contd. of page 9)

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	Νο
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordi IMO instruments 	ing to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
- None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)

DEN



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 V

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

(Contd. of page 10)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable

· Product-Code/Giscode: BSW40

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

· Version number of previous version: 13.0

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative AGW: Arbeitsplatzgrenzwert (Germany) EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 2: Carcinogenicity - Category 2

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version nu

Version number 14.0 (replaces version 13.0)

Revision: 28.03.2023

Trade name: KEIM MYCAL-TOP

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · * **Data compared to the previous version altered.**

(Contd. of page 11)

DEN -