

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: KEIM GRANITAL
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicate exterior paint
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA

Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk

1.4 Emergency telephone number:GBK GmbH Global Regulatory Complian

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Silicate-based paint for outdoor use, with light resistant, inorganic pigments and mineral fillers.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

titanium dioxide [in powder form containing 1 % or more | 2.5-10%

of particles with aerodynamic diameter ≤ 10 µm]

Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5

Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10-

XXXX

Additional information: For the wording of the listed hazard phrases refer to section 16.

& Carc. 2, H351

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

Cool endangered receptacles with water spray.

GB

(Contd. of page 1)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Respect the protection rules (see section 7 a. 8).

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Flush rests with sufficient amount of water.

Clear contaminated areas thoroughly.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions:

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

· Storage class: 12

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

WEL Long-term value: 10* 4** mg/m³
*total inhalable **respirable

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

- · Hand protection Protective gloves
- Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: ≥ 0.5 mm

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing
- · Environmental exposure controls

See Section 12 and 6.2

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

No further relevant information available.

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Different, according to colouring.

Odour:
 Odour threshold:
 Melting point/freezing point:
 Odourless
 Not determined
 Not determined

· Boiling point or initial boiling point and

boiling range >100 °C

· Flammability Not applicable

Lower and upper explosion limit

Lower: Not applicableUpper: Not applicableFlash point: Not applicable

• Auto-ignition temperature: Product is not selfigniting.

• Decomposition temperature: Not determined

pH at 20 °C 11.0*

Via a a litera

· Viscosity:

Kinematic viscosity
 Dynamic at 20 °C:
 Not determined
 1200-1700* mPas

· Solubility

· water: Miscible

· Partition coefficient n-octanol/water (log

value)
Not applicable
Vapour pressure at 20 °C:
~23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined
 Not applicable.

• 9.2 Other information * The values are for freshly produced material

and may change with the time.

· Appearance:

· Form: Pasty

· Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined

• Explosive properties: Product does not present an explosion hazard.

Change in condition

Softening point/range

· Oxidising properties: Not applicable

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

		(Contd. of page
· Evaporation rate	Not applicable.	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative ATE mix (4h) >5 mg/l (inhalation) >2,000 mg/kg (dermal)

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

	(Contd. of page 6)	
	>2,000 mg/kg (orally)	
NOAEL	3,500 mg/kg /Oral (rat) (90d)	

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- · Serious eye damage/irritation

In case of longer exposure, slightly irritating effect to the eyes is possible.

- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Subacute to chronic toxicity:

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

NOEC	≥100,000 mg/kg (sediment fresh water)	
EC50	>100 mg/kg (freshwater alga) (OECD 201)	
EC 50	>10,000 mg/l (algae) (ISO 10253)	
LC 50	>10,000 mg/l (marine fish) (OECD 203)	
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)	
	>1,000 mg/l (daphnia) (OECD 202)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

(Contd. of page 7)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable · **vPvB:** Not applicable
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information - 14.1 UN number or ID number - ADR, IMDG, IATA Void - 14.2 UN proper shipping name - ADR, IMDG, IATA Void - 14.3 Transport hazard class(es) - ADR, IMDG, IATA - Class Void

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

	(Contd. of page 8
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Version number 13.1 (replaces version 13.0) Revision: 05.07.2021

Trade name: KEIM GRANITAL

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Carc. 2: Carcinogenicity – Category 2

 $^{\, \cdot \, *}$ Data compared to the previous version altered.

(Contd. of page 9)