

Page 1/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · 1.1 Product identifier

- · Trade name: KEIM CONCRETAL-CLEANER
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Cleaning agent for concrete and render surfaces.
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

# **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

- Acute Tox. 4 H312 Harmful in contact with skin.
- Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Hexafluorosilicic acid

Isotridecanol, ethoxylated ( $\geq$  2,5 EO) hydrofluoric acid

(Contd. on page 2)



Page 2/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

## Trade name: KEIM CONCRETAL-CLEANER

	(Contd. of page 1)
• Hazard stateme	nts
H302+H312 Har	mful if swallowed or in contact with skin.
H314 Cau	ises severe skin burns and eye damage.
Precautionary s	statements
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P33	31 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P303+P361+P35	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P501	Dispose of contents/container in accordance with regional/national regulations.
• Additional infor	mation:
Restricted to pro	fessional users.
2.3 Other hazar	ds
· Results of PBT	and vPvB assessment
· <b>PBT:</b> Not applica	able
• vPvB: Not applic	cable

# **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

· Description: Cleaning agent based on fluorosilicic acid.

CAS: 16961-83-4	Hexafluorosilicic acid	17.34%	
EINECS: 241-034-8 Index number: 009-011-00-5 Reg.nr.: 01-2119488906-19- xxxx	♦ Skin Corr. 1B, H314		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43- XXXX	ethanol	≤2.5%	
CAS: 69011-36-5 EC number: 931-138-8	Isotridecanol, ethoxylated (≥ 2,5 EO) ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≤2.5%	
CAS: 7664-39-3 EINECS: 231-634-8 Index number: 009-003-00-1	hydrofluoric acid ♦ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1A, H314	0.25%	

(Contd. on page 3)



Page 3/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 2)

#### **SECTION 4: First aid measures** · 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. When seeing the doctor we suggest to present this safety data sheet. • After inhalation: Supply fresh air or oxygen; call for doctor. Keep affected person warm and quiet. After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not use solvents or thinners. Rub in Ca-gluconate solution or Ca-gluconate gel immediately. Seek medical treatment. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. Calcium gluconate solution. After swallowing: Rinse mouth and throat well with water. Do not induce vomiting; call for medical help immediately. give to drink calcium gluconate solution • 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** · 5.1 Extinguishing media Suitable extinguishing agents: Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Hydrogen fluoride (HF) silicon tetrafluoride Formation of toxic gases is possible during heating or in case of fire. · 5.3 Advice for firefighters Special protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours. DEN (Contd. on page 4)



Page 4/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 3)

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures	
Wear protective clothing.	
Keep people at a distance and stay on the windward side.	
Avoid contact with skin and eyes.	
• 6.2 Environmental precautions:	
Do not allow product to reach soil, sewage system or any water course.	
Follow local governmental rules and regulations.	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Fill in labelled, lockable containers.	
Use neutralising agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Clear contaminated areas thoroughly.	
6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
	1
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	
Avoid contact with skin and eyes.	1
Do not inhale aerosols.	1
Keep receptacles tightly sealed.	
Ensure good ventilation/exhaustion at the workplace.	
See item 8 (8.2) for information about suitable protective equipment and technical precautions.	

Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required

No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. Drip pan to be provided.
  Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Store away from metals.
- Further information about storage conditions: Protect from frost. Keep container tightly sealed.

(Contd. on page 5)

<sup>–</sup> DEN



Page 5/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

(Contd. of page 4)

## Trade name: KEIM CONCRETAL-CLEANER

Protect from heat and direct sunlight.

· Storage class: 8B

GISCode GF50 Fassadenreiniger, sauer

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

		lues that requ	ure monito	oring at the workplace:	
64-17-5 et					
AGW (Germany) Long-term value: 380 4(II);DFG, Y		mg/m <sup>3</sup> , 200	) ppm		
7664-39-3	hydrofluoric a	cid			
AGW (Ge	many) Long-te 2(I);DF	rm value: 0.83 G, EU, Y, H	8 mg/m³, 1 p	opm	
DNELs					
16961-83-	4 Hexafluorosi	licic acid			
Oral	Long-term - sy	stemic effects	0.01 mg/kg	g bw/day (consumer)	
	989		0.01 mg/kg	g/day (consumer)	
Inhalative	Acute - system	ic effects	0.04 mg/m	<sup>3</sup> (consumer)	
	Acute - local ef	fects	3.125 mg/r	m³ (worker)	
	Acute - local ef	fects	1.56 mg/m	<sup>3</sup> (consumer)	
	Long-term - sys	ng-term - systemic effects		1.875 mg/m³ (worker)	
	Long-term - sy	stemic effects	s 0.04 mg/m³ (consumer)		
	Long-term - loc	al effects	1.56 mg/m	<sup>3</sup> (consumer)	
64-17-5 et	hanol				
Oral	Long-term - sys	stemic effects	87 mg/kg k	ow/day (consumer)	
Dermal	Long-term - sys	stemic effects	343 mg/kg	bw/day (worker)	
	Long-term - sys	stemic effects	206 mg/kg	bw/day (consumer)	
Inhalative	Acute - local ef	fects	1,900 mg/r	m³ (worker)	
	Acute - local ef	fects	950 mg/m <sup>3</sup>	³ (consumer)	
	Long-term - systemic effects				
	Long-term - sys	stemic effects	114 mg/m <sup>3</sup>	³ (consumer)	
PNECs					
16961-83-	4 Hexafluorosi	licic acid			
Aquatic co	mpartment - fre	shwater		0.9 mg/l (Freshwater)	
Aquatic co	mpartment - ma	arine water		0.9 mg/l (Seawater)	
Terrestrial	compartment -	soil		11 mg/kg dw (soil)	
Sewage treatment plant			51 mg/l (Sewage treatment plant)		

(Contd. on page 6)

<sup>-</sup> DEN



Page 6/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

## Trade name: KEIM CONCRETAL-CLEANER

64-17-5 ethanol	(Contd. of page
Aquatic compartment - freshwater	0.96 mg/l (Freshwater)
Aquatic compartment - marine water	0.79 mg/l (Seawater)
Aquatic compartment - water, intermittent releases	
Aquatic compartment - sediment in freshwater	3.6 mg/kg sed dw (Freshwater sediment)
Aquatic compartment - sediment in mesinwater	2.9 mg/kg sed dw (Marine sediment)
Terrestrial compartment - soil	0.63 mg/kg dw (soil)
	580 mg/l (Sewage treatment plant)
· Ingredients with biological limit values:	
7664-39-3 hydrofluoric acid	
BGW (Germany) 7.0 mg/g Kreatinin	
Untersuchungsmaterial: Urin	
Probennahmezeitpunkt: Expositio	nsende hzw. Schichtende
Parameter: Fluorid	
4.0 mg/g Kreatinin	
Untersuchungsmaterial: Urin	
Probennahmezeitpunkt: vor nach	folgender Schicht
Parameter: Fluorid	
<ul> <li>Additional information: The lists valid during the n</li> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal protective and hygienic measures;</li> </ul>	-
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal of the second seco</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal formation of the second s</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal of the second seco</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal formation of the end of the end</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal formation of the end of the end</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal formation of the event of the eve</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal formation of the event of the eve</li></ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols.</li> <li>Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated closes and states are spiratory protection: Use suitable respiratory protective device only when Combination filter B-P2</li> <li>Hand protection Acid resistant gloves</li> <li>Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm</li> </ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols.</li> <li>Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated closes and states are spiratory protection: Use suitable respiratory protective device only when Combination filter B-P2</li> <li>Hand protection Acid resistant gloves</li> <li>Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm Natural rubber, NR</li> </ul>	al protective equipment
<ul> <li>8.2 Exposure controls</li> <li>Individual protection measures, such as personal General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols.</li> <li>Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated closes and states are spiratory protection: Use suitable respiratory protective device only when Combination filter B-P2</li> <li>Hand protection Acid resistant gloves</li> <li>Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm Natural rubber, NR Recommended thickness of the material: ≥ 0.5 mm</li> </ul>	al protective equipment
• 8.2 Exposure controls • Individual protection measures, such as personal • General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated close • Respiratory protection: Use suitable respiratory protective device only when Combination filter B-P2 • Hand protection Acid resistant gloves • Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm Natural rubber, NR Recommended thickness of the material: ≥ 0.5 mm Fluorocarbon rubber (Viton)	al protective equipment
• 8.2 Exposure controls • Individual protection measures, such as personal • General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated close • Respiratory protection: Use suitable respiratory protective device only when Combination filter B-P2 • Hand protection Acid resistant gloves • Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm Natural rubber, NR Recommended thickness of the material: ≥ 0.5 mm Fluorocarbon rubber (Viton) Recommended thickness of the material: ≥ 0.7 mm	al protective equipment othing. a aerosol or mist is formed.
• 8.2 Exposure controls • Individual protection measures, such as personal • General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated close • Respiratory protection: Use suitable respiratory protective device only when Combination filter B-P2 • Hand protection Acid resistant gloves • Material of gloves suitable material e.g.: Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.5 mm Natural rubber, NR Recommended thickness of the material: ≥ 0.5 mm Fluorocarbon rubber (Viton)	al protective equipment othing. a aerosol or mist is formed. epend on the material, but also on further ma



Page 7/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

# Trade name: KEIM CONCRETAL-CLEANER

· Penetration time of glove material	(Contd. of page 6)
Value for the permeation: level $\geq$ 6 (480 min)	
The determined penetration times according to conditions. Therefore a maximum wearing times the second seco	to EN 16523-1:2015 are not performed under practica ne, which corresponds to 50% of the penetration time.
	out by the manufacturer of the protective gloves and
has to be observed.	
Eye/face protection	
Tightly sealed goggles	
if applicable face protection • Body protection: Acid resistant protective clo	sthing
• Environmental exposure controls	Juling
See Section 12 and 6.2	
No further relevant information available.	
SECTION 9: Physical and chemical	properties
• 9.1 Information on basic physical and cher	nical properties
· General Information	<b>F</b> IL:1
· Physical state	Fluid
· Colour: · Odour:	transparent colourless
	Pungent Net determined
· Odour threshold:	Not determined
• Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	~100 °C
boiling range · Flammability	Not applicable
· Lower and upper explosion limit	Not applicable
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	Not applicable
· Ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH at 20 °C	~1
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic:	Not determined.
Solubility	
· water:	Fully miscible
· Partition coefficient n-octanol/water (log	·
value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.1-1.2* g/cm³
· Relative density	Not determined



Page 8/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

	(Contd. of page
· Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced materia and may change with the time.
Appearance:	, .
Form:	Fluid
<ul> <li>Important information on protection of heat</li> </ul>	alth
and environment, and on safety.	
• Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Softening point/range	
<ul> <li>Oxidising properties:</li> </ul>	Not applicable
· Evaporation rate	Not applicable
classes Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
<sup>·</sup> Flammable liquids	Void
<sup>·</sup> Flammable solids	Void
Self-reactive substances and mixtures	Void
<sup>·</sup> Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

# **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:
- To avoid thermal decomposition do not overheat.

• **10.3 Possibility of hazardous reactions** Violent reactions with strong alkalis and oxidising agents. Reacts with light alloys to form hydrogen. Corrosive action on metals.

(Contd. on page 9)

<sup>-</sup> DEN



Page 9/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

(Contd. of page 8)

### Trade name: KEIM CONCRETAL-CLEANER

• <b>10.4 Conditions to avoid</b> No further relevant information available.
10.5 Incompatible materials:
Bases
Metals
<ul> <li>10.6 Hazardous decomposition products:</li> </ul>
In case of fire, the following can be released:
Hydrogen fluoride
silicon tetrafluoride
No hazardous decomposition products if stored and handled as prescribed.
, , ,

# **SECTION 11: Toxicological information**

### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### · Acute toxicity

Harmful if swallowed or in contact with skin.

		evant for classification:	
64-17-5 et			
Oral	LD50	10,470 mg/kg (rat) (OECD 401)	
Dermal	Dermal LD50 >2,000 mg/kg (rabbit) (OECD 402)		
Inhalative	LC50/4 h	>50 mg/l (rat) (OECD 403)	
69011-36-	5 Isotride	canol, ethoxylated (≥ 2,5 EO)	
Oral	LD50	>300-2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
	NOAEL	50 mg/kg /2 Jahre (rat) Herz Leber Niere	
Causes se during inl during sw harmful Swallowin esophagus Respirato Germ cell Carcinogo Reproduc STOT-sin STOT-rep	erious eye halation: I vallowing: s and stom ory or skin mutagen enicity Ba stive toxic gle expos	rritant effect possible. I to a caustic effect on mouth and throat and to the danger of perforation c	
		about experimental toxicology):	
		is are not available.	
		(Contd. on page 10	



Page 10/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 9) The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

· Subacute to chronic toxicity:

· Repeated dose toxicity

#### 64-17-5 ethanol

Oral NOAEL 1,760 mg/kg /90D (rat) (OECD 408) Zielorgan: Leber

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity:				
64-17-5 ethanol				
EC 50/48h	>10,000 mg/l (daphnia)			
EC 50/72 h	275 mg/l (Freshwater algae) (OECD 201)			
EC 50	>100 mg/l /statisch (algae) (OECD 201)			
LC 50/48h	8,140 mg/l (fish)			
69011-36-5 Isotri	decanol, ethoxylated (≥ 2,5 EO)			
NOEC	1.73 mg/l (fish) (QSAR)			
	2.5 mg/l /21D (daphnia) (OECD 211)			
NOEC	220 mg/kg (invertebrates)			
	10 mg/kg (plants) (OECD 208)			
EC 50/48h (static)	>1-10 mg/l (daphnia) (OECD 202)			
EC 50/72 h (static	) >1 mg/l (algae) (OECD 201)			
EC 50	140 mg/l (activated sludge)			
LC 50/96 h	>1-10 mg/l (fish) (OECD 203)			
EC 10 (static)	>1-10 mg/l /72H (algae) (OECD 201)			
12.3 Bioaccumul 12.4 Mobility in s 12.5 Results of P PBT: Not applicat vPvB: Not applicat 12.6 Endocrine of				
		(Contd. on page		



Page 11/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 10)

- 12.7 Other adverse effects
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

• According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

#### · General notes:

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

#### Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

06 01 06\* other acids

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• **Recommended cleansing agents:** Water, if necessary with cleansing agents.

## **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	UN1778
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul>	1778 FLUOROSILICIC ACID solution FLUOROSILICIC ACID, solution

(Contd. on page 12)



Page 12/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

## Trade name: KEIM CONCRETAL-CLEANER

	(Contd. of page 1
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
ADR, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	11
· 14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	F-A,S-B
Segregation groups	(SGG1) Acids
<ul> <li>Stowage Category</li> <li>Segregation Code</li> </ul>	A SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable
· Transport/Additional information:	metal corrosive
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
	UN 1778 FLUOROSILICIC ACID SOLUTION, 8, II

(Contd. on page 13)



Page 13/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 12)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: GF50
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H300 Fatal if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

(Contd. on page 14)



Page 14/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 14.03.2023

#### Trade name: KEIM CONCRETAL-CLEANER

(Contd. of page 13) H319 Causes serious eye irritation. H330 Fatal if inhaled. · Department issuing SDS: KEIMFARBEN Germany, Product safety department · Version number of previous version: 2.0 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative AGW: Arbeitsplatzgrenzwert (Germany) EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 \*\* Data compared to the previous version altered.

DEN