

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: KEIM CONCRETAL-W-GROB
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Filled Sol-silicate paint for concrete
- · Uses advised against All other uses are not recommended.

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

• Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mineral fillers, potassium water glass, silica sol, acrylate dispersion

⁻ DEN



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

· Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm]	2.5-<10%
Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	♦ Carc. 2, H351	
CAS: 1312-76-1	Silicic acid, potassium salt	0.1-≤2.5%
EINECS: 215-199-1 Reg.nr.: 01-2119456888-17-	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
xxxx	Specific concentration limits:	
	Skin Irrit. 2; H315: C ≥40 %	
	Eye Irrit. 2; H319: C ≥ 40 %	
	STOT SE 3; H335: C ≥ 40 %	

Route of exposure: Inhalation/contraction not given. Alveolar particles (diameter \leq 10 μm) bound in the paint matrix. This product contains <1 % respirable crystalline quartz.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 2) · 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: carbon oxide (COx) silicon dioxid (SiO2) 5.3 Advice for firefighters • Special protective equipment: Wear self-contained respiratory protective device. · Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Respect the protection rules (see section 7 and 8). Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation Avoid contact with skin and eyes. Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

- Information about fire and explosion protection: The product is not flammable. No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 3)

Keep in the original containers in a cool and dry place.

• Information about storage in one common storage facility: Do not store together with acids. • Further information about storage conditions:

- Please note information about storage co Please note information on label Store in a cool place. Protect from frost.
- Protect from heat and direct sunlight.
- Storage class: 12
- · GISCode BSW40 Beschichtungsstoffe, wasserbasiert, alkalisch
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

MAK (Germany) alveolengängige Fraktion

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]

AGW (Germany) Long-term value: 1.25* 10** mg/m³

2(II);*alveolengängig**einatembar; AGS, DFG, Y

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

- Avoid contact with the eyes and skin.
- Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed. Filter: P

- Hand protection Protective gloves
- Material of gloves

suitable material e.g.: Nitrile impregnated cotton-gloves

PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

Natural rubber, NR

Recommended thickness of the material: \geq 0.6 mm

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

DEN



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 4)

	(Contd. of page 4)
Penetration time of glove material	
Value for the permeation: level \geq 6 (480 min)	
	to EN 16523-1:2015 are not performed under practical
•	ne, which corresponds to 50% of the penetration time,
is recommended.	during rofilling
Eye/face protection Goggles recommended	aunng remiing
 Body protection: Protective work clothing 	
After contact with skin wash thoroughly with w	vater and apply lation
Environmental exposure controls	
See Section 12 and 6.2	
No further relevant information available.	
SECTION 9: Physical and chemical	properties
• 9.1 Information on basic physical and cher	nical properties
· General Information	
· Physical state	Fluid
· Colour:	Different, according to colouring.
· Odour:	Characteristic
· Odour threshold:	Not determined
 Melting point/freezing point: 	Not determined
Boiling point or initial boiling point and	
boiling range	Not determined
· Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	Not applicable
 Auto-ignition temperature: 	Not determined
 Decomposition temperature: 	Not determined
· pH at 20 °C	~11*
· Viscosity:	
Kinematic viscosity	Not determined
[·] Dynamic at 20 °C:	1800-2500* mPas
· Solubility	
wator	Missible

Miscible

~23 hPa

Not applicable

1.5-1.8* g/cm³

Not determined

Not applicable.

· water:

· Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C:

- Density and/or relative density
 Density at 20 °C:
- · Relative density
- · Vapour density

(Contd. on page 6)

⁻ DEN



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

	(Contd. of page
9.2 Other information	* The values are for freshly produced materia
	and may change with the time.
Appearance:	
Form:	Pasty
Important information on protection of heat	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable.
classes · Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
• Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials:
- Acids

oxidizing agents

(Contd. on page 7)

[–] DEN



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 6)

•	10.6 Hazardous decomposition products:
	In case of fire, the following can be released:
	Carbon oxides (COx)
	silicon dioxid (SiO2)
	No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide	[in powder form containing	1 % or more of particles with
aerodynamic diam	eter ≤ 10 μm]	-

Inhalative ATE mix (4h) >5 mg/l (inhalative)

ATE mix	>2,000 mg/kg (dermal)
	>2,000 mg/kg (orally)
	2 500 m = /// (0 m = 1 (m = 1) (/

3,500 mg/kg /Oral (rat) (90d) NOAEL

• Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation. • Serious eye damage/irritation In case of longer exposure, irritating effect is possible.

· during inhalation: Irritant effect possible.

· during swallowing: Irritant effect possible

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- Subacute to chronic toxicity:
- Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm]

Inhalative NOAEC 10 mg/m³ (rat) (90d)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 8)

DEN



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 7)

· 12.1 T	-
•	c toxicity:
13463-	67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m]
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca
EC50	>100 mg/kg (Freshwater algae) (OECD 201)
EC 50	>10,000 mg/l (algae) (ISO 10253)
LC 50	>10,000 mg/l (marine fish) (OECD 203)
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	>1,000 mg/l (daphnia) (OECD 202)
· 12.4 M · 12.5 R · PBT: №	ioaccumulative potential No further relevant information available. obility in soil No further relevant information available. esults of PBT and vPvB assessment lot applicable Not applicable
 12.4 M 12.5 R PBT: N vPvB: 12.6 E The prior 12.7 O Addition AOX-in Due to 	obility in soil No further relevant information available. esults of PBT and vPvB assessment lot applicable Not applicable ndocrine disrupting properties oduct does not contain substances with endocrine disrupting properties. ther adverse effects onal ecological information: ndication: the substance of content which do not include organic jointed halogens, the product can r
 12.4 M 12.5 R PBT: N vPvB: 12.6 E The provision of the provision	obility in soil No further relevant information available. esults of PBT and vPvB assessment lot applicable Not applicable ndocrine disrupting properties oduct does not contain substances with endocrine disrupting properties. ther adverse effects onal ecological information: ndication:

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 8)

Trade name: KEIM CONCRETAL-W-GROB

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
^{14.6} Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordin IMO instruments 	ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

(Contd. on page 10)

DEN



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 9)

Trade name: KEIM CONCRETAL-W-GROB

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. **REGULATION (EU) 2019/1148** Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) Not relevant. ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%. None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. \cdot Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · National regulations: • Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. · Other regulations, limitations and prohibitive regulations · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable · Product-Code/Giscode: BSW40 · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer. · Department issuing SDS: KEIMFARBEN Germany, Product safety department · Version number of previous version: 13.0 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023 Version numb

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM CONCRETAL-W-GROB

	(Contd. of page 10
LC50: Lethal concentration, 50 percent	(- 15
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
AGW: Arbeitsplatzgrenzwert (Germany)	
EC10: Effective concentration at 10% mortality rate.	
EC50: Half maximal effective concentration.	
LC10: Lethal concentration at 10% mortality rate.	
NOEC: No observed effect concentration.	
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	
Data compared to the previous version altered.	0