

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- [·] Trade name: KEIM LIGNOSIL-INCO
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Silicate-based wood-paint for interior use.
- · Uses advised against All other uses are not recommended.

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Liquid solution from silicic acid potassium salt, silica sol, fillers and organic additives

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more	10-25%
EINECS: 236-675-5	of particles with aerodynamic diameter $\leq 10~\mu\text{m}]$	
Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	🚸 Carc. 2, H351	
CAS: 1312-76-1	Silicic acid, potassium salt	≤2.5%
EINECS: 215-199-1 Reg.nr.: 01-2119456888-17-	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
xxxx	Specific concentration limits:	
	Skin Irrit. 2; H315: C ≥ 40%	
	Eye Irrit. 2; H319: C ≥ 40 %	
	STOT SE 3; H335: C ≥ 40 %	

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter $\leq 10 \ \mu m$) bound in the paint matrix.

This product contains <1 % respirable crystalline guartz.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting: call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: silicon dioxid (SiO2) carbon oxide (COx) 5.3 Advice for firefighters Special protective equipment: Wear self-contained respiratory protective dev Additional information Dispose of fire debris and contaminated fire fighting water in accordance with on In case of fire do not breathe smoke, fumes and vapours. 	
SECTION 6: Accidental release measures	
 6.1 Personal precautions, protective equipment and emergency procedur Respect the protection rules (see section 7 and 8). Avoid contact with skin and eyes. Particular danger of slipping on leaked/spilled product. Ensure adequate ventilation 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal bin Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
SECTION 7: Handling and storage	
 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. See item 8 (8.2) for information about suitable protective equipment and to Respect the protection rules. Information about fire - and explosion protection: Cool endangered receptacles with water spray. 	echnical precautions.
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Keep in the original containers in a cool and dry place. 	

• Information about storage in one common storage facility: Do not store together with acids.



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 3) · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from frost. Protect from heat and direct sunlight. · Storage class: 12 · GISCode BSW40 Beschichtungsstoffe, wasserbasiert, alkalisch · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II); *alveolengängig**einatembar; AGS, DFG, Y 14808-60-7 Quartz (SiO2) MAK (Germany) alveolengängige Fraktion · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Individual protection measures, such as personal protective equipment General protective and hygienic measures: Avoid contact with the eves and skin. Do not inhale aerosols. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing. **Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed. Filter: P · Hand protection Protective gloves Material of gloves suitable material e.g.: Nitrile impregnated cotton-gloves Natural rubber, NR Recommended thickness of the material: ≥ 0.6 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Value for the permeation: level \geq 6 (480 min) The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 4) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed goggles
- · Body protection: Protective work clothing
- Environmental exposure controls
- See Section 12 and 6.2
- No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chem	ical properties
General Information	
Physical state	Fluid
· Colour:	Different, according to colouring.
· Odour:	Odourless
· Odour threshold:	Not determined
 Melting point/freezing point: 	~0 °C
• Boiling point or initial boiling point and	
boiling range	~100 °C
· Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not applicable
· Upper:	Not applicable
Flash point:	Not applicable
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
· pH at 20 °C	~11*
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	400-600* mPas
· Solubility	
· water:	Miscible
 Partition coefficient n-octanol/water (log 	
value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa
Density and/or relative density	
· Density at 20 °C:	1.2-1.4* g/cm ³
Relative density	Not determined
Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced material
9.2 Other information	and may change with the time.
· Appearance:	
· Form:	Fluid
	(Contd. on page 6)

DEN



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

· Important information on protection of hea	alth
and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Softening point/range	
· Oxidising properties:	Not applicable
· Evaporation rate	Not determined.
•	
Information with regard to physical haz	ard
classes	N/ 11
Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
[.] Gases under pressure	Void
· Flammable liquids	Void
[·] Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials: Acids

10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

(Contd. on page 7)

DEN



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 6)

SECTIO	N 11: Toxic	ological information
		zard classes as defined in Regulation (EC) No 1272/2008
	•	available data, the classification criteria are not met.
· LD/LC50	values relevai	nt for classification:
13463-67-		oxide [in powder form containing 1 % or more of particles with ic diameter \leq 10 μm]
Inhalative	ATE mix (4h)	>5 mg/l (inhalative)
	ATE mix	>2,000 mg/kg (dermal)
		>2,000 mg/kg (orally)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)
Skin corr	osion/irritatio	n Frequent persistent contact with the skin may cause skin irritation.
Serious e	ye damage/irı	itation
		re, slightly irritating effect to the eyes is possible.
during inl	halation: Irrita	nt effect possible.
· during sw	vallowing: Irrit	ant effect possible
· Respirato	ory or skin ser	nsitisation Based on available data, the classification criteria are not met.
Germ cell	mutagenicity	Based on available data, the classification criteria are not met.
· Carcinog	enicity Based	on available data, the classification criteria are not met.
Reproduc	tive toxicity E	Based on available data, the classification criteria are not met.
STOT-sin	gle exposure	Based on available data, the classification criteria are not met.
		re Based on available data, the classification criteria are not met.
		ed on available data, the classification criteria are not met.
		ut experimental toxicology):
		e not available.
		ted. The statements on toxicology have been derived from the properties o
	ual componen	
	to chronic to	
Repeated	dose toxicity	,
13463-67-		oxide [in powder form containing 1 % or more of particles with ic diameter \leq 10 μ m]
Inhalative	NOAEC 10 m	ng/m³ (rat) (90d)
	cts (carcinoge mation on oth	enity, mutagenicity and toxicity for reproduction) Not applicable her hazards
· Endocrin	e disrupting p	roperties
None of th	e ingredients i	s listed.
	-	D

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 7)

	ION 12: Ecological information
	ION 12: Ecological information
· 12.1 To	-
-	c toxicity:
13463-	67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca
EC50	>100 mg/kg (Freshwater algae) (OECD 201)
EC 50	>10,000 mg/l (algae) (ISO 10253)
LC 50	
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	>1,000 mg/l (daphnia) (OECD 202)
• vPvB: • 12.6 Er The pro • 12.7 Of • Additio	lot applicable Not applicable ndocrine disrupting properties oduct does not contain substances with endocrine disrupting properties. ther adverse effects No further relevant information available. onal ecological information: indication:
Due to take inf	
	the substance of content which do not include organic jointed halogens, the product can no luence on the AOX-load of the waste water.
The pro	the substance of content which do not include organic jointed halogens, the product can no fluence on the AOX-load of the waste water. Jing to the formulation contains the following heavy metals and compounds from the deline NO. 2006/11/EC: oduct contains TiO2.
The pro • Genera Do not At pres	the substance of content which do not include organic jointed halogens, the product can no fluence on the AOX-load of the waste water. Jing to the formulation contains the following heavy metals and compounds from the deline NO. 2006/11/EC:

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations. Must not be disposed with household garbage. Do not allow product to reach sewage system. (Contd. on page 9)

- DEN -



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

(Contd. of page 8)

Trade name: KEIM LIGNOSIL-INCO

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

 · 14.1 UN number or ID number · ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordin IMO instruments 	ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

(Contd. on page 10)

DEN



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 9) · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed. • REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable

- · Product-Code/Giscode: BSW40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

· Version number of previous version: 12.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number

Version number 13.0 (replaces version 12.0)

Revision: 28.03.2023

Trade name: KEIM LIGNOSIL-INCO

	(Contd. of page
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
AGW: Arbeitsplatzgrenzwert (Germany)	
EC10: Effective concentration at 10% mortality rate.	
EC50: Half maximal effective concentration.	
LC10: Lethal concentration at 10% mortality rate.	
NOEC: No observed effect concentration.	
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
** Data compared to the previous version altered.	
····· •• •• •• •• •• •• •• •• •• •• •• •	