

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- Trade name: KEIM MALGRUNDMASSE
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture

Dry mortar to be mixed with water and then used as a substrate/ painting base for KEIM Künstlerfarben (KEIM A-technique).

- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

• **Further information obtainable from:** Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de

• **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals calcium dihydroxide

(Contd. on page 2)



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

	(Contd. of page
· Hazard statem	
H315 Causes s	skin irritation.
H318 Causes s	serious eye damage.
	se respiratory irritation.
Precautionary	
P280	Wear protective gloves/protective clothing/eye protection.
P261	Avoid breathing dust.
P271	Use only outdoors or in a well-ventilated area.
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contain
100011001110	lenses, if present and easy to do. Continue rinsing.
P315	Get immediate medical advice/attention.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302+P352	
P332+P313	
P362	Take off contaminated clothing.
2.3 Other haza	-
	ontains cement. Cement produces an alkaline reaction with moisture or water. Avoi
	es and prolonged skin contact.
	T and vPvB assessment
PBT: Not applie	
vPvB: Not appl	
••	of endocrine-disrupting properties Not applicable

• Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Ready-mixed mortar, consisting of mineral binding agents and aggregates

· Dangerous components:		
CAS: 65997-15-1	Cement, portland, chemicals	10-<20%
EINECS: 266-043-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	2.5-<10%
EINECS: 215-137-3	🚯 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; STOT SE	
Reg.nr.: 01-2119475151-45-	3, H335	
XXXX		

· Additional information:

White Portland cement is low in chromate due to the process, i.e. the content of water-soluble chromium(VI) is less than 0.0002 %, even without the addition of chromate reducer. This product contains <1 % respirable crystalline quartz.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: When seeing the doctor we suggest to present this safety data sheet.

(Contd. on page 3)

⁻ DEN



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 2)

Trade name: KEIM MALGRUNDMASSE

- After inhalation: Supply fresh air; consult doctor in case of complaints. • After skin contact:
 - Immediately wash with water and soap and rinse thoroughly.
 - Do not use solvents or thinners.
 - If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth and throat well with water.
- Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eves. Avoid formation of dust. Use respiratory protective device against the effects of fumes/dust/aerosol. Product forms slippery surface when combined with water. Respect the protection rules (see section 7 and 8). 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Close drainages (risk of blocking) Danger of slipping! Avoid formation of dust. Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations.



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

(Contd. of page 3)

Clear contaminated areas thoroughly.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Avoid contact with skin and eyes.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

• **Information about fire - and explosion protection:** The product is not flammable. No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:
- Store in dry conditions.
- Protect from humidity and water.
- Avoid dust formations and deposits.
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- Storage class: 13

· GISCode ZP1 Zementhaltige Produkte, chromatarm

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

MAK (Germany) alveolengängige Fraktion

65997-15-1 Cement, portland, chemicals

AGW (Germany) Long-term value: 5 E mg/m³

DFG

(Contd. on page 5)

⁻ DEN



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

) calcium dihydroxide	(Contd. of pag
AGW (Ge	rmany) Long-term value:	1E mg/m ³
	2(I);Y, EU, DFG	
DNELs		
1305-62-0) calcium dihydroxide	
Inhalative	Acute - local effects	4 mg/m³ (consumer) respirable dust
		4 mg/m³ (worker) respirable dust
	Long-term - local effects	1 mg/m³ (consumer) respirable dust
		1 mg/m³ (worker) respirable dust
PNECs	1	1
1305-62-0) calcium dihydroxide	
Aquatic co	ompartment - freshwater	0.49 mg/l (Freshwater)
Aquatic co	ompartment - marine wate	r 0.32 mg/l (Seawater)
Terrestria	l compartment - soil	1,080 mg/kg dw (soil)
Sewage tr	eatment plant	3 mg/l (Microorganism)
8.2 Expos	sure controls	alid during the making were used as basis.
8.2 Expose Individua General p Vacuum of Avoid con Do not inh Wash har Immediate Respirato In a dusty Filter: FFF Hand pro Protective	sure controls I protection measures, so protective and hygienic r elean contaminated clothin tact with the eyes and skin hale dust / smoke / mist. hds before breaks and at the ely remove all soiled and control ory protection: environment wear suitable 22 tection gloves	such as personal protective equipment measures: g. Do not blow or brush off contamination. n. he end of work. contaminated clothing.
8.2 Expose Individua General p Vacuum of Avoid con Do not inh Wash har Immediate Respirato In a dusty Filter: FFF Hand pro Protective Alkaline re Material of	sure controls I protection measures, so protective and hygienic r elean contaminated clothin tact with the eyes and skin hale dust / smoke / mist. hds before breaks and at the ely remove all soiled and cory protection: environment wear suitable 22 tection gloves esistant gloves	such as personal protective equipment measures: g. Do not blow or brush off contamination. n. he end of work. contaminated clothing.
8.2 Expose Individual General p Vacuum of Avoid con Do not inh Wash har Immediate Respirato In a dusty Filter: FFF Hand pro Protective Alkaline re Material of suitable m Nitrile imp Recomme	sure controls I protection measures, so protective and hygienic r elean contaminated clothin tact with the eyes and skin hale dust / smoke / mist. ads before breaks and at the ely remove all soiled and convergence ory protection: environment wear suitable environment wear suitable esistant gloves esistant gloves bof gloves haterial e.g.: regnated cotton-gloves ended thickness of the ma	such as personal protective equipment measures: g. Do not blow or brush off contamination. n. he end of work. contaminated clothing. e facemask. terial: ≥ 0.5 mm
8.2 Expose Individua General p Vacuum of Avoid con Do not inh Wash har Immediate Respirato In a dusty Filter: FFF Hand pro Protective Alkaline re Nitrile imp Recomme The selec of quality substance	sure controls I protection measures, so protective and hygienic r elean contaminated clothin tact with the eyes and skin hale dust / smoke / mist. ads before breaks and at the ely remove all soiled and corry protection: environment wear suitable ory protection: environment wear suitable of gloves esistant gloves of gloves esistant gloves of gloves ended thickness of the ma tion of the suitable gloves and varies from manufact	such as personal protective equipment measures: g. Do not blow or brush off contamination. n. the end of work. contaminated clothing. e facemask. terial: ≥ 0.5 mm does not only depend on the material, but also on further maturer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has theref



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

Ponotration time of alove material	(Contd. of page
Penetration time of glove material Value for the permeation: level ≥ 6 (480 min)	
The determined penetration times according to conditions. Therefore a maximum wearing time	to EN 16523-1:2015 are not performed under practic ne, which corresponds to 50% of the penetration tim
is recommended. The exact break trough time has to be found has to be observed.	out by the manufacturer of the protective gloves ar
Eye/face protection	
In a dusty environment wear protective goggle	9S.
Tightly sealed goggles	
Body protection:	
Protective work clothing	rator and apply lation
After contact with skin wash thoroughly with w Environmental exposure controls	
See Section 12 and 6.2	
No further relevant information available.	
······································	
SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and chen	nical properties
General Information	Calid
Physical state	Solid
Colour:	White
Odour:	Odourless Not determined
Odour threshold: Molting point/freezing point:	Not determined
Melting point/freezing point:	Not determined
Roiling point or initial bailing point and	
Boiling point or initial boiling point and	Not applicable
boiling range	Not applicable. Not applicable
boiling range Flammability	Not applicable. Not applicable
boiling range	Not applicable
boiling range Flammability Lower and upper explosion limit Lower:	Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper:	Not applicable Not applicable Not applicable
boiling range Flammability Lower and upper explosion limit Lower:	Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	Not applicable Not applicable Not applicable Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	Not applicable Not applicable Not applicable Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C	Not applicable Not applicable Not applicable Not applicable Not determined
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	Not applicable Not applicable Not applicable Not applicable Not determined
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH	Not applicable Not applicable Not applicable Not applicable Not determined
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity:	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity Dynamic:	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity Dynamic: Solubility	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water Not applicable Not applicable Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity Dynamic:	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water Not applicable
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity Dynamic: Solubility water at 20 °C:	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water Not applicable Not applicable Not applicable < 2 g/l (Ca(OH)2)
boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 1305-62-0 calcium dihydroxide >580 °C pH Viscosity: Kinematic viscosity Dynamic: Solubility	Not applicable Not applicable Not applicable Not applicable Not determined 11.5-13.5* mixed with water Not applicable Not applicable Not applicable < 2 g/l (Ca(OH)2)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

	(Contd. of page
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined
Bulk density at 20 °C:	1.2-1.3* g/cm³
Vapour density	Not applicable.
Particle characteristics	
See section 3.	
9.2 Other information	* The values are for freshly produced materia
	and may change with the time.
Appearance:	
Form:	Powder
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity Reacts with water alkaline and hardens.

⁻ DEN -



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 7)

Trade name: KEIM MALGRUNDMASSE

- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- Stable at environment temperature.
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Humidity
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1305-62-0 calcium dihydroxide

Oral |LD50 |>2,000 mg/kg (rat) (OECD 425)

Dermal LD50 >2,500 mg/kg (rabbit) (OECD 402)

Skin corrosion/irritation

- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · during inhalation: Irritating to respiratory system.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation
- This product contains white cement.

By using white Portland cement, the content of sensitizing chromium (VI) is below 0.0002% in the cement content of the usable product.

Therefore, there is no risk of sensitization by chromate.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

· Subacute to chronic toxicity:

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable

(Contd. on page 9)



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 8)

Trade name: KEIM MALGRUNDMASSE

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:	
1305-62-0 calcium dihy	droxide
NOEC	48 mg/l (Freshwater algae) (72h)
	32 mg/l (marine invertebrate organisms) (14d)
EC10/LC10 oder NOEC	2,000 mg/kg (Soil macroorganisms)
	12,000 mg/kg (soil microorganisms)
NOEC	1,080 mg/kg (plants) (21d)
EC 50/48h	49.1 mg/l (freshwater invertebrate organisms)
EC 50/72 h	184.57 mg/l (Freshwater algae)
LC 50/96 h	457 mg/l (marine fish)
	50.6 mg/l (freshwater fish)
	158 mg/l (marine invertebrate organisms)
 12.7 Other adverse efferent Additional ecological in Additional ecological in AOX-indication: Due to the substance of take influence on the AO According to the formut EU guideline NO. 2006/ According to our current of EU guideline NO. 2006 General notes: At present there are no end the statements on ecomponents. 	ntain substances with endocrine disrupting properties. ects information: content which do not include organic jointed halogens, the product can not X-load of the waste water. ulation contains the following heavy metals and compounds from the 11/EC: data base the product does not consist of any heavy metals or substances



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

(Contd. of page 9) Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Unused remainders of the product should be regarded as hazardous waste.

Recommendation for non-reusable residues: Mix with water and allow to harden.

Allow wet product and product sludge to harden and do not allow to get into drains or waterways. Dispose hardened product as concrete waste.

· European waste catalogue

17 01 01 concrete

· Uncleaned packaging:

Recommendation:

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordi IMO instruments 	ing to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
	(Contd. on page 11



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

(Contd. of page 10)

Trade name: KEIM MALGRUNDMASSE

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
- None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Not relevant.

• ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Other regulations, limitations and prohibitive regulations

· Please note:

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany) TRGS 900 (Germany)

- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: ZP1

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2023

Version number 14.0 (replaces version 13.0)

Revision: 03.08.2023

Trade name: KEIM MALGRUNDMASSE

(Contd. of page 11) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other	r information
This information is base	d on our present knowledge. However, this shall not constitute a guarante features and shall not establish a legally valid contractual relationship.
Relevant phrases H315 Causes skin irritati H318 Causes serious ey H335 May cause respira	/e damage.
Version number of pre-	
Abbreviations and acro ADR: Accord relatif au transport the International Carriage of D IMDG: International Maritime O IATA: International Air Transport	ort international des marchandises dangereuses par route (European Agreement Concerni bangerous Goods by Road) Code for Dangerous Goods
GHS: Globally Harmonised Sy EINECS: European Inventory ELINCS: European List of Not	/stem of Classification and Labelling of Chemicals of Existing Commercial Chemical Substances
TRGS: Technische Regeln für DNEL: Derived No-Effect Leve PNEC: Predicted No-Effect Co	r Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) el (REACH) oncentration (REACH)
LC50: Lethal concentration, 50 LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumula SVHC: Substances of Very Hig	t tive and Toxic
vPvB: very Persistent and very AGW: Arbeitsplatzgrenzwert (EC10: Effective concentration	y Bioaccumulative Germany) at 10% mortality rate.
EC50: Half maximal effective of LC10: Lethal concentration at NOEC: No observed effect con REACH: Registration, Evaluat	10% mortality rate.
Skin Irrit. 2: Skin corrosion/irrit Eye Dam. 1: Serious eye dam STOT SE 3: Specific target or	tation – Category 2 lage/eye irritation – Category 1 gan toxicity (single exposure) – Category 3
* Data compared to the	e previous version altered.