

Page 1/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

- · Trade name: KEIM UNICA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicate interior paint
- · Uses advised against All other uses are not recommended.

## · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

## **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

## **SECTION 3: Composition/information on ingredients**

## · 3.2 Mixtures

· Description: Aqueous solution of alkali silicate, organic modified and fillers

(Contd. on page 2)

<sup>-</sup> DEN



Page 2/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

(Contd. of page 1)

### Trade name: KEIM UNICA

### Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17xxxx titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu m$ ] & Carc. 2, H351

## · Additional information:

Route of exposure: Inhalation/contraction not given. Alveolar particles (diameter  $\leq 10 \ \mu m$ ) bound in the paint matrix. This product contains <1 % respirable crystalline quartz. For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

After inhalation: Supply fresh air; consult doctor in case of complaints.

## · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

## Trade name: KEIM UNICA

(Contd. of page 2)

Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
   Avoid contact with skin and eyes.
   Ensure adequate ventilation
   Respect the protection rules (see section 7 and 8).
   6.2 Environmental precautions:
   Do not allow product to reach soil, sewage system or any water course.
   Follow local governmental rules and regulations.
- Dilute with plenty of water.
  6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water.
  6.4 Reference to other sections See Section 7 for information on onfo handling
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. • Information about storage in one common storage facility: Do not store together with acids. · Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight. · Storage class: 12 (Contd. on page 4) - DEN



Page 4/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

(Contd. of page 3)

## Trade name: KEIM UNICA

• **GISCode** BSW10 Beschichtungsstoffe, wasserbasiert, konservierungsmittelarm • **7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu m$ ]

## AGW (Germany) Long-term value: 1.25\* 10\*\* mg/m<sup>3</sup>

2(II);\*alveolengängig\*\*einatembar; AGS, DFG, Y

## 14808-60-7 Quartz (SiO2)

MAK (Germany) alveolengängige Fraktion

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

## • Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

- Filter: P
- · Hand protection Protective gloves
- Material of gloves
- suitable material e.g.:
- Nitrile impregnated cotton-gloves
- Recommended thickness of the material:  $\geq 0.5$  mm
- Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4~\text{mm}$ 

- Butyl rubber, BR
- Recommended thickness of the material:  $\geq 0.7$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

Value for the permeation: level  $\geq$  6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses

(Contd. on page 5)



Page 5/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

(Contd. of page 4)

## **Trade name: KEIM UNICA**

- Body protection: Protective work clothing
   Environmental exposure controls See Section 12 and 6.2

- No further relevant information available.

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties					
· General Information					
· Physical state	Fluid				
· Colour:	White				
· Odour:	Odourless				
· Odour threshold:	Not determined				
<ul> <li>Melting point/freezing point:</li> </ul>	Not determined				
Boiling point or initial boiling point and					
boiling range	>100 °C				
· Flammability	Not applicable				
<ul> <li>Lower and upper explosion limit</li> </ul>					
· Lower:	Not applicable				
· Upper:	Not applicable				
Flash point:	Not applicable				
Ignition temperature:	Not determined				
<ul> <li>Decomposition temperature:</li> </ul>	Not determined				
· pH at 20 °C	~11				
Viscosity:					
<ul> <li>Kinematic viscosity</li> </ul>	Not determined				
· Dynamic at 20 °C:	1.700-2.100* mPas				
· Solubility					
· water:	Miscible				
<ul> <li>Partition coefficient n-octanol/water (log</li> </ul>					
value)	Not applicable				
· Vapour pressure at 20 °C:	~23 hPa				
<ul> <li>Density and/or relative density</li> </ul>					
· Density at 20 °C:	1.3-1.5* g/cm <sup>3</sup>				
· Relative density	Not determined				
· Vapour density	Not applicable.				
9.2 Other information	* The values are for freshly produced material				
5.2 Other information	and may change with the time.				
· Appearance:	and may change with the time.				
· Form:	Pasty				
<ul> <li>Important information on protection of health</li> </ul>	, , , , , , , , , , , , , , , , , , ,				
and environment, and on safety.					
· Auto-ignition temperature:	Product is not selfigniting.				
· Explosive properties:	Product is not senigriting. Product does not present an explosion hazard.				
	(Contd. on page 6)				

1 page 6) —— DEN –



Page 6/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

#### Trade name: KEIM UNICA

		(Contd. of pag
· Change in condition		
Softening point/range		
Oxidising properties:	Not applicable	
Evaporation rate	Not applicable.	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:
- No hazardous decomposition products if stored and handled as prescribed.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

<sup>-</sup> DEN



Page 7/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

### Trade name: KEIM UNICA

		ues relevant for classification:			
1346		tanium dioxide [in powder form containing 1 % or more of particles with			
aerodynamic diameter ≤ 10 μm]					
Oral		>5,000 mg/kg (rat) (OECD 425)			
	nal ATE				
		on/irritation Frequent persistent contact with the skin may cause skin irritation.			
		damage/irritation In case of longer exposure, irritating effect is possible.			
		ation: Irritant effect possible.			
		<b>owing:</b> Irritant effect possible or skin sensitisation Based on available data, the classification criteria are not met.			
• Germ cell mutagenicity Based on available data, the classification criteria are not met.					
		city Based on available data, the classification criteria are not met.			
• <b>Reproductive toxicity</b> Based on available data, the classification criteria are not met.					
STO	T-single	exposure Based on available data, the classification criteria are not met.			
STOT-repeated exposure Based on available data, the classification criteria are not met.					
· Aspi	iration ha	azard Based on available data, the classification criteria are not met.			
· Aspi · Othe	iration ha	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology):			
• <b>Asp</b> i • <b>Othe</b> Expe	iration ha	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available.			
• Aspi • Othe Expe The	iration hat fr inform primental product v	<b>azard</b> Based on available data, the classification criteria are not met. <b>ation (about experimental toxicology):</b> analysis are not available. vas not tested. The statements on toxicology have been derived from the properties			
• Aspi • Othe Expe The the in	iration hat fr inform product v ndividual	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available.			
• Aspi • Othe Expe The the in • Sub	iration has ber inform erimental product v ndividual acute to	<b>azard</b> Based on available data, the classification criteria are not met. <b>ation (about experimental toxicology):</b> analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components.			
<ul> <li>Aspi</li> <li>Othe</li> <li>Expe</li> <li>The</li> <li>the ii</li> <li>Sub</li> <li>Rep</li> </ul>	iration has er inform erimental product v ndividual acute to eated do 53-67-7 ti	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity			
• Aspi • Othe Expe The the ii • Sub • Rep 1346	iration has er inform product v ndividual acute to eated do 53-67-7 ti a	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with			
• Aspi • Othe Expe The the ii • Sub • Rep 1346	iration has er inform product v ndividual acute to eated do 53-67-7 ti a	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with erodynamic diameter ≤ 10 μm]			
• Aspi • Othe Expe The the ii • Sub • Rep 1346	iration has er inform product v ndividual acute to eated do 53-67-7 ti a NOAEL	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with erodynamic diameter ≤ 10 μm] 962 mg/kg /90D (rat) (OECD 408)			
• Aspi • Othe Expe The the ii • Sub • Rep 1346	iration has er inform product v ndividual acute to eated do 53-67-7 ti a NOAEL	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with erodynamic diameter ≤ 10 μm] 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407)			
<ul> <li>Aspi</li> <li>Othe</li> <li>Expe</li> <li>The</li> <li>the ii</li> <li>Suba</li> <li>Repo</li> <li>1346</li> <li>Oral</li> <li>CMF</li> </ul>	iration has r inform product v ndividual acute to eated do 53-67-7 ti a NOAEL LOAEL	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with erodynamic diameter ≤ 10 μm] 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 408)			
<ul> <li>Aspi</li> <li>Othe Expension</li> <li>The the in</li> <li>Subbition</li> <li>Report 1346</li> <li>Oral</li> <li>CMF</li> <li>11.2</li> </ul>	iration has r inform product v ndividual acute to eated do 33-67-7 ti a NOAEL LOAEL LOAEL	azard Based on available data, the classification criteria are not met. ation (about experimental toxicology): analysis are not available. vas not tested. The statements on toxicology have been derived from the properties components. chronic toxicity: se toxicity tanium dioxide [in powder form containing 1 % or more of particles with erodynamic diameter ≤ 10 µm] 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) >962 mg/kg /90D (rat) (OECD 407) >962 mg/kg /90D (rat) (OECD 407) >962 mg/kg /28D (rat) (OECD 407) (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable			

# **SECTION 12: Ecological information**

· 12.1 Toxicity

 Aquatic toxicity:

 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]

 NOEC
 5,600 mg/kg /72h (Algae) (ISO 10253)

 >100 mg/kg /3d (algae) (OECD 201)

 EC 50/48h
 >1,000 mg/l (daphnia) (OECD 202)

(Contd. on page 8)

<sup>-</sup> DEN



Page 8/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

## Trade name: KEIM UNICA

	(Contd. of pag
	>10,000 mg/l (algae) (ISO 10253)
LC 50/96 h	>1,000 mg/l (fish) (OECD 203)
	>10,000 mg/l (marine fish) (OECD 203)
ErC50	>100 mg/l /72h (algae) (OECD 201)
	tence and degradability No further relevant information available.
Bioconcen	tration factor (BCF)
	titanium dioxide [in powder form 352 containing 1 % or more of particles with aerodynamic diameter $\leq$ 10 µm]
• <b>12.5 Result</b> • <b>PBT:</b> Not a	•
· vPvB: Not a	
	rine disrupting properties
•	t does not contain substances with endocrine disrupting properties. adverse effects
	ecological information:
· AOX-indica	•
	substance of content which do not include organic jointed halogens, the product can
	ce on the AOX-load of the waste water.
EU guidelin The product	to the formulation contains the following heavy metals and compounds from the NO. 2006/11/EC: the contains TiO2.
· General no	
	here are no ecotoxicological assessments. nents on ecotoxicology have been derived from the properties of the individ s.
	<i>i</i> product to reach ground water, water course or sewage system.
Water haza	rd class 1 (German Regulation) (Self-assessment): slightly hazardous for water
SECTION	13: Disposal considerations
13.1 Waste	treatment methods
· Recommer	
Disposal m	disposed with household garbage. Do not allow product to reach sewage system. ust be made according to official regulations.
-	vaste catalogue
08 01 12 w	aste paint and varnish other than those mentioned in 08 01 11
· Uncleaned · Recommer	packaging: dation: Disposal must be made according to official regulations. (Contd. on page



Page 9/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

## Trade name: KEIM UNICA

· Recommended cleansing agents: Water, if necessary with cleansing agents.

S.

(Contd. of page 8)

SECTION 14: Transport information	1
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable
<ul> <li>14.7 Maritime transport in bulk according t IMO instruments</li> </ul>	o Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

(Contd. on page 10)

- DEN -



Page 10/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023 Version

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

### Trade name: KEIM UNICA

## · REGULATION (EU) 2019/1148

(Contd. of page 9)

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

## · National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: BSW10
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Version number of previous version: 3.0
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefährstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

(Contd. on page 11)



Page 11/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.04.2023

Version number 4.0 (replaces version 3.0)

Revision: 20.04.2023

(Contd. of page 10)

**Trade name: KEIM UNICA** 

Carc. 2: Carcinogenicity – Category 2 • \* Data compared to the previous version altered.

DEN