

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture

Inorganic pigment paste for painting in KEIM-A-technique.

- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA

Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
• 1.4 Emergency telephone number:
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS09

- · Signal word Void
- · Hazard statements

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Paint-paste from purely inorganic pigments, fillers and water.

· Dangerous components:		
CAS: 1314-13-2	zinc oxide	10-25%
EINECS: 215-222-5	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Index number: 030-013-00-7		
Reg.nr.: 01-2119463881-32-XXXX		
CAS: 1332-58-7	Kaolin	2.5-10%
EC number: 310-194-1	substance with a Community workplace exposure	
	limit	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: When seeing the doctor we suggest to present this safety data sheet.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 2)

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: metal oxide

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Product forms slippery surface when combined with water.

Avoid contact with skin and eyes.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Follow local governmental rules and regulations.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 3)

· Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	· Ingredients with limit values that require monitoring at the workplace:					
	1332-58-7 Kaolin					
	WEL Long-term value: 2 mg/m³					
	·DNELs	DNELs				
Ī	1314-13-2	1314-13-2 zinc oxide				
	Oral	Long-term - systemic effects, consumer	0.83 mg/kg/day (consumer) (50 mg Zn/day)			
	Dermal	Long-term - systemic effects, worker	83 mg/kg bw/day (worker)			
		Long-term - systemic effects, consumer	83 mg/kg/day (consumer) (5000 mg Zn/day)			
	Inhalative	Long-term - systemic effects, worker	5 mg/m³ (worker)			
		Long-term - systemic effects, consumer	2.5 mg/m³ (consumer)			
		Long-term - local effects, worker	0.5 mg/m³ (worker)			

· PNECs

1314-13-2 zinc oxide

Aquatic compartment - freshwater
Aquatic compartment - marine water
Aquatic compartment - sediment in freshwater
Aquatic compartment - sediment in freshwater
Aquatic compartment - sediment in marine water
Terrestrial compartment - soil
Sewage treatment plant

0.0206 mg/l (freshwater)
0.0061 mg/l (marine water)
117.8 mg/kg sed dw (sediment fresh water)
56.5 mg/kg sed dw (sediment marine water)
35.6 mg/kg dw (soil)
0.1 mg/l (sewage treatment plant)

Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves
- · Material of gloves

suitable material e.g.:

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

Density at 20 °C:

· Relative density

· Vapour density

· Evaporation rate

(Contd. of page 4)

to be checked prior to the application.

· Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment See Section 12 and 6.2

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and chemical properties · General Information · Appearance:		
Form:	Pasty	
Colour: · Odour:	Different, according to colouring.	
· Odour: · Odour threshold:	Weak, characteristic Not determined.	
· pH-value at 20 °C:	~7*	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower: Upper:	Not applicable. Not applicable.	
· Vapour pressure:	Not determined.	

1,3-1,5* g/cm3

Not determined.

Not applicable.

Not applicable.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 5)

· Solubility in / Miscibility with

water: miscible

· Partition coefficient: n-octanol/water: Not applicable.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

* The values are for freshly produced material and may

change with the time.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
1314-13-2	zinc oxid	е	
Oral	LD50	>5,000 mg/kg (rat)	
Inhalative	LC50/4 h	>5.7 mg/l (rat)	
1332-58-7	Kaolin		
Oral	LD50	>5,000 mg/kg (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation not primarily irritating on the skin
- Serious eye damage/irritation In case of longer exposure, slightly irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 6)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not applicable
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

1314-13-2 zinc oxide

EC 50/48h | 0.67 mg/l (daphnia)

ErC50/72h 0.21 mg/l (algae) (pH >7 - 8,5; Zn (ZnO))

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU quideline NO. 2006/11/EC:

The product contains ZnO.

General notes:

The product contains materials that are harmful to the environment.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 7)

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informat	tion
· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)
·IATA	MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: ZINC OXIDE
Marine pollutant: Special marking (ADR):	Symbol (fish and tree)
Special marking (ADK). Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
EMS Number: Stowage Category	F-A,S-F A
	(Contd. on page 9



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

44.7.7	(Contd. of page
 14.7 Transport in bulk according to A of Marpol and the IBC Code 	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
Transport category	3
Tunnel restriction code	E
·IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
•	SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE), 9, I

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.11.2017 Version number 13 Revision: 07.11.2017

Trade name: KEIM ARTIST PAINTS (KÜNSTLERFARBEN)

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

* Data compared to the previous version altered.

GB