

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Version number 1.2 (replaces version 1.1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KEIM BLOCK-PRIMER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Water based isolating primer for interior use.
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

**David Pratt** 

Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk • 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Note on EUH208:

These are preservatives.

Avoid contact with the skin and eyes.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable

GB

Revision: 26.10.2023



Page 2/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

**Trade name: KEIM BLOCK-PRIMER** 

(Contd. of page 1)

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Aqueous preparation based on synthetic resin, mineral fillers and pigments

Dangerous components:		
CAS: 1332-58-7 EC number: 310-194-1	Kaolin substance with a Community workplace exposure limit	10-25%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]  ❖ Carc. 2, H351	10-<20%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60- XXXX	1,2-benzisothiazol-3(2H)-one  Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  ATE: ATE oral: 500 mg/kg  Specific concentration limit:  Skin Sens. 1;H317: C ≥ 0.05 %	>0.0036-<0.0360%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: ATE oral: 100 mg/kg  ATE dermal: 50 mg/kg  ATE (4h) inhalative: 0.5 mg/l Specific concentration limits:  Skin Corr. 1C;H314: $C \ge 0.6$ %  Skin Irrit. 2; H315: 0.06 % ≤ $C < 0.6$ %  Eye Dam. 1; H318: $C \ge 0.6$ %  Eye Irrit. 2; H319: 0.06 % ≤ $C < 0.6$ %  Skin Sens. 1A; H317: $C \ge 0.0015$ %	≥0.0002-<0.0015%

### Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter  $\leq$  10  $\mu$ m) bound in the paint matrix. For the wording of the listed hazard phrases refer to section 16.

- GE



Page 3/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 2)

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

**General information:** 

With appearance of symptoms or in cases of doubt seek medical advice.

When seeing the doctor we suggest to present this safety data sheet.

· After inhalation:

Take affected people into fresh air and keep quiet.

Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon oxide (COx)

Nitrogen oxides (NOx)

acrylic monomers

- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

The product itself is not inflammable. The remaining polymer after ablating of the aqueous phase is flammable.

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB



Page 4/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 3)

### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Do not inhale fumes.

Ensure adequate ventilation

Respect the protection rules (see section 7 and 8).

Particular danger of slipping on leaked/spilled product.

### 6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Close drainages (risk of blocking due to polymer precipitation)

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

#### Information about fire - and explosion protection:

Cool endangered receptacles with water spray.

### · 7.2 Conditions for safe storage, including any incompatibilities

Storage:

#### · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

#### · Information about storage in one common storage facility:

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

### · Further information about storage conditions:

Please note information on label

Protect from frost.

Protect from heat and direct sunlight.

· Storage class: 12

(Contd. on page 5)



Page 5/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 4)

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

1332-58-7 Kaolin

WEL Long-term value: 2 mg/m<sup>3</sup>

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m]

WEL Long-term value: 10\* 4\*\* mg/m³
\*total inhalable \*\*respirable

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

- · Hand protection Protective gloves
- · Material of gloves

suitable material e.g.:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Value for the permeation: level  $\geq 6$  (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- Body protection: Protective work clothing
- · Environmental exposure controls

See Section 12 and 6.2

(Contd. on page 6)



Page 6/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

further relevant information available

No further relevant information available.

(Contd. of page 5)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: White

Odour: Weak, characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range ~100 °C
• Flammability Not applicable

· Lower and upper explosion limit

Lower: Not applicable
 Upper: Not applicable
 Flash point: Not applicable
 Auto-ignition temperature: Not determined
 Decomposition temperature: Not determined
 pH

· Viscosity:

• Kinematic viscosity at 20 °C 100\* s (DIN 53211/4)
• Dynamic at 20 °C: 2500-3500\* mPas

· Solubility

· water: Miscible

· Partition coefficient n-octanol/water (log

value) Not applicable • Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not applicable

and may change with the time.

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Change in condition

· Softening point/range

Oxidising properties: Not applicable

(Contd. on page 7)



Page 7/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

		(Contd. of page
Evaporation rate	Not applicable.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Acids

Bases

oxidizing agents

10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon oxides (COx)

Nitrogen oxides (NOx)

acrylic monomers

No hazardous decomposition products if stored and handled as prescribed.

GB



Page 8/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 7)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rel	evant for classification:			
1332-58-7	1332-58-7 Kaolin				
Oral	LD50	>2,000 mg/kg (rat) (OECD 420)			
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)			
13463-67-	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]				
Oral	LD50	>20,000 mg/kg (rat)			
Dermal	LD50	>10,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>6.82 mg/l (rat)			
2634-33-5	2634-33-5 1,2-benzisothiazol-3(2H)-one				
Oral	ATE	500 mg/kg (ATE)			
55965-84-	55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
Oral	ATE	100 mg/kg (ATE)			
Dermal	ATE	50 mg/kg (ATE)			
Inhalative	ATE (4h)	0.5 mg/l (ATE) Conversion value from table 3.1.2 of the CLP regulation (exposure route: vapors)			

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- · Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation

Contains CIT/MIT (3:1), BIT. May produce an allergic reaction.

CIT = 5-chloro-2- methyl-2H-isothiazol-3-one

MIT = 2-methylisothiazol-3(2H)-one

BIT = 1,2-benzisothiazol-3(2H)-one

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable

(Contd. on page 9)



Page 9/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

· 11.2 Information on other hazards

(Contd. of page 8)

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:			
1332-58-7 Kaolin			
EC 50/48h  >1,000 mg/l (daphnia) (OECD 202)			
EC 50/72 h >1,000 mg/l (rat) (OECD 201)			

LC 50/96 h >1,000 mg/l (fish) (OECD 423)

- 12.2 Persistence and degradability No further relevant information available.
- · Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- vPvB: Not applicable
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Other information: Pretreat waste water with help of precipitation.
- · Additional ecological information:
- · AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

· General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Disposal must be made according to official regulations.

(Contd. on page 10)



Page 10/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 9)

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informat	tion
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 11)



Page 11/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

· REGULATION (EC) No 1907/2006 ANNEX XVII

(Contd. of page 10)

ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Please note:

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### · Department issuing SDS: KEIMFARBEN Germany, Product safety department

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration. (Contd. on page 12)



Page 12/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 1.2 (replaces version 1.1) Revision: 26.10.2023

Trade name: KEIM BLOCK-PRIMER

(Contd. of page 11)

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.