

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KEIM CONCRETAL-C
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Concrete paint/ concrete coating
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk • 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzothiazolin-3-one. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· Note:

These are preservatives.

Avoid contact with the skin and eyes.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable
- · vPvB: Not applicable

GB



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Aqueous solution of silica sol, acrylic polymer, mineral fillers, pigments, additives.

Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] ❖ Carc. 2, H351	<15%
CAS: 12001-26-2 EC number: 601-648-2	Mica substance with a Community workplace exposure limit	2.5-10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60- XXXX	1,2-benzothiazolin-3-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.02%
CAS: 55965-84-9 EINECS: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) ♠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=100); ♠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % $\le C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Eye Irrit. 2; H319: 0.06 % $\le C < 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	<0.0015%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

With appearance of symptoms or in cases of doubt seek medical advice .

When seeing the doctor we suggest to present this safety data sheet.

After inhalation:

Take affected people into fresh air and keep quiet.

Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

(Contd. on page 3)



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon oxide (COx)

acrylic monomers

- 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- Additional information

The product itself is not inflammable. The remaining polymer after ablating of the aqueous phase is flammable.

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin and eyes.

Respect the protection rules (see section 7 a. 8).

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Close drainages (risk of blocking due to polymer precipitation)

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

(Contd. on page 4)



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

Cool endangered receptacles with water spray.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m]

WEL Long-term value: 10* 4** mg/m³
*total inhalable **respirable

12001-26-2 Mica

WEL Long-term value: 10* 0.8** mg/m³ *total inhalable **respirable

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

(Contd. on page 5)



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 4)

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

· Hand protection Protective gloves

Material of gloves suitable material e.g.:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

Body protection: Protective work clothing

Environmental exposure controls

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Different, according to colouring.

Odour: Characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range ~100 °C (7732-18-5 Water)

· Flammability Not applicable

Lower and upper explosion limit

Lower: Not applicable
Upper: Not applicable
Flash point: Not applicable
Ignition temperature: Not determined
Decomposition temperature: Not determined

(Contd. on page 6)



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

	(Contd. of page
pH at 20 °C	8-9*
Viscosity:	
Kinematic viscosity	Not determined
Dynamic at 20 °C:	1.300-1.600* mPas
Solubility	
water:	Miscible
Partition coefficient n-octanol/water (log	
value)	Not applicable
Vapour pressure at 20 °C:	~23 hPa (7732-18-5 Water)
Density and/or relative density	
Density at 20 °C:	1.3-1.5* g/cm³
Relative density	Not determined
Vapour density	Not applicable.
<u> </u>	
9.2 Other information	* The values are for freshly produced materi
	and may change with the time.
Appearance:	
Form:	Pasty
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable
Information with regard to physical haz	ard
classes	u. u
Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
	Void
Flammahla liquide	
Flammable liquids	
Flammable solids	Void
Flammable solids Self-reactive substances and mixtures	Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void

(Contd. on page 7)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 6)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon oxides (COx)

acrylic monomers

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50	values	relevant for	classification:
-----------	--------	--------------	-----------------

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative	ATE mix (4h)	>5 mg/l (inhalative)
	ATE mix	>2,000 mg/kg (dermal)
		>2,000 mg/kg (orally)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- · Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation

Contains CIT/MIT (3:1), BIT. May produce an allergic reaction.

CIT = 5-chloro-2- methyl-2H-isothiazol-3-one

MIT = 2-methylisothiazol-3(2H)-one

BIT = 1,2-benzisothiazol-3(2H)-one

Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

(Contd. on page 8)



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

· Subacute to chronic toxicity:

(Contd. of page 7)

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca
EC50	>100 mg/kg (Freshwater algae) (OECD 201)
EC 50	>10,000 mg/l (algae) (ISO 10253)
LC 50	>10,000 mg/l (marine fish) (OECD 203)
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)
	>1,000 mg/l (daphnia) (OECD 202)
2634-33-5 1	,2-benzothiazolin-3-one
NOEC	0.04 mg/l /72h (algae) (OECD 201) S 2238
	1.2 mg/l /21d (daphnia) (OECD 211) S 803
NOEC	0.21 mg/kg /28d (fish) (OECD 215) S 805
EC 50/48h	3.27 mg/l (daphnia) (OECD 202) S 2240
EC 50/3h	13 mg/l (sewage sludge) (OECD 209) S 2747
EC 50/72 h	0.11 mg/l (algae) (OECD 201) S 2238
EC20/3h	3.3 mg/l (sewage sludge) (OECD 209) S 2747
LC 50/96 h	1.6 mg/l (fish) (OECD 203) S 2746



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

55965-84-9	(Contd. of page 8 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)
NOEC	0.0012 mg/l /72h (algae) (OECD 201) S 1322
	0.098 mg/l /28d (fish) (OECD 215) S 117
	0.004 mg/l /21d (daphnia) (OECD 211) S 52
EC 50/48h	0.0052 mg/l (algae) (ISO 10253) RAC
	0.1 mg/l (daphnia) (OECD 202) S 52
EC 50/3h	7.92 mg/l (sewage sludge) (OECD 209) S 418
EC 50/72 h	0.048 mg/l (algae) (OECD 201) S 1322
EC20/3h	0.97 mg/l (sewage sludge) (OECD 209) S 418
LC 50/96 h	0.22 mg/l (fish) (OECD 203) S 6

- 12.2 Persistence and degradability No further relevant information available.
- · Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

· 12.3 Bioaccumulative potential No further relevant information available.

· Bioconcent	ration factor (BCF)	
2634-33-5	1,2-benzothiazolin-3-one	6,95 (Fish)
	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Other information: Pretreat waste water with help of precipitation.
- · Additional ecological information:
- · AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

(Contd. on page 10)



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Version number 15.0 (replaces version 14.0) Printing date 10.06.2022 Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 9)

General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informa	tion	
14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable	
14.7 Maritime transport in bulk accordi IMO instruments	i ng to Not applicable	
UN "Model Regulation":	Void	



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 10)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable
- · Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

	•	
H301	Toxic if swallowed.	

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS: KEIMFARBEN Germany, Product safety department

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 15.0 (replaces version 14.0) Revision: 10.06.2022

Trade name: KEIM CONCRETAL-C

(Contd. of page 11)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GB