

Page 1/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: KEIM ECOSIL-ME
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicate interior paint
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk

• 1.4 Emergency telephone number:
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Aqueous solution of alkali silicate and mineral mixture

(Contd. on page 2)



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 1			
· Dangerous components:	Dangerous components:		
CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17- xxxx	Silicic acid, potassium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C ≥40 % Eye Irrit. 2; H319: C ≥ 40 % STOT SE 3; H335: C ≥ 40 %	≥2.5-≤10%	
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m] \clubsuit Carc. 2, H351	2.5-10%	
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	≥1-≤2.5%	

· Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter \leq 10 μ m) bound in the paint matrix. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: When seeing the doctor we suggest to present this safety data sheet.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon oxide (COx)

silicon dioxid (SiO2)

- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Respect the protection rules (see section 7 and 8).

Avoid contact with skin and eyes.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eves.

Do not inhale aerosols.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

No special measures required.

(Contd. on page 4)



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 3)

The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Protect from frost.

Store in a cool place.

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

WEL Long-term value: 10* 4** mg/m³
*total inhalable **respirable

·DNELs

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative Long-term - systemic effects 0.8 mg/m³ (worker)

· PNECs

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

Aquatic compartment - freshwater 0.127 mg/l (Freshwater)

Aquatic compartment - marine water >1 mg/l (Seawater) >1,000 mg/kg sed dw (Freshwater)

Aquatic compartment - sediment in marine water >100 mg/kg sed dw (Seawater)

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale aerosols.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

(Contd. on page 5)



Page 5/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 4)

· Hand protection Protective gloves

Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Goggles recommended during refilling

Tightly sealed goggles

- · Body protection: Protective work clothing
- Environmental exposure controls

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Different, according to colouring.

· Odour: Weak, characteristic · Odour threshold: Not determined

• Melting point/freezing point:

Not determined

· Boiling point or initial boiling point and

boiling range Not determined Flammability Not applicable

· Lower and upper explosion limit

Lower: Not applicable
 Upper: Not applicable
 Flash point: Not applicable
 Auto-ignition temperature: Not determined
 Decomposition temperature: Not determined

· pH at 20 °C ~11*

(Contd. on page 6)



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

	(Contd. of page	
Viscosity:		
Kinematic viscosity	Not determined	
Dynamic at 20 °C:	1.400-1.900* mPas	
Solubility		
water:	Miscible	
Partition coefficient n-octanol/water (log		
value)	Not applicable	
Vapour pressure at 20 °C:	~23 hPa	
Density and/or relative density		
Density at 20 °C:	1.4-1.7* g/cm³	
Relative density	Not determined	
Vapour density	Not applicable.	
Particle characteristics	See section 3.	
	-	
9.2 Other information	* The values are for freshly produced mater	
_	and may change with the time.	
Appearance:		
Form:	Pasty	
Important information on protection of hea	alth	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition	·	
Evaporation rate	Not applicable	
Information with regard to physical haz	ard	
classes	ui u	
Explosives	Void	
Flammable gases		
Aerosols	Void	
	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Self-heating substances and mixtures Substances and mixtures, which emit	Void	
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void	
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void	
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void	
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void Void	
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void	

(Contd. on page 7)



Page 7/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 6)

· Other safety characteristics

· Photocatalytic properties

The product has photocatalytic properties.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon oxides (COx)

silicon dioxid (SiO2)

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] Oral 1.D50 >5.000 mg/kg (rat) (OECD 425)

Oral	LD50	>5,000 mg/kg (rat) (OECD 42
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

		>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation

In case of longer exposure, slightly irritating effect to the eyes is possible.

Based on available data, the classification criteria are not met.

- · during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 7)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

· Subacute to chronic toxicity:

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:			
13463-67-7	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]			
NOEC	≥100,000 mg/kg (Freshwater sediment) (ASTM 1706) Hyalella azteca			
EC 50	>10,000 mg/l (algae) (ISO 10253)			
	>100 mg/l (Freshwater algae) (OECD 201)			
LC 50	>10,000 mg/l (marine fish) (OECD 203)			
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)			
	>1,000 mg/l (daphnia) (OECD 202)			
13463-67-7	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]			
ErC50/72h	>100 mg/l (algae)			
LC 50/96 h	>1,000 mg/l (Pimephales promelas)			

- $\cdot \, \textbf{12.2 Persistence and degradability} \,\, \textbf{No further relevant information available}.$
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 8)

- · 12.7 Other adverse effects
- Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains BaSO4, TiO2, ZnS.

General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
		(Contd. on page

GB



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

		(Contd. of page 9)
· 14.6 Special precautions for user	Not applicable	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1314-98-3 zinc sulphide

Listed

Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII
- ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

(Contd. on page 11)



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.06.2024 Version number 13.1 (replaces version 13.0) Revision: 14.06.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 10)

Abbreviations and acronyms:

WEL: Workplace exposure limit

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

GB