

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · 1.1 Product identifier

- Trade name: KEIM RESTAURO-FUGE
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Sealing mortar
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

- **Further information obtainable from:** David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

## **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- STOT SE 3 H335 May cause respiratory irritation.

## · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Cement, portland, chemicals
- Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

(Contd. on page 2)

GB



Page 2/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

## Trade name: KEIM RESTAURO-FUGE

	(Contd. of page 1)	
<ul> <li>Precautionary state</li> </ul>	atements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P261	Avoid breathing dust.	
P271	Use only outdoors or in a well-ventilated area.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P315	Get immediate medical advice/attention.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362	Take off contaminated clothing.	
· 2.3 Other hazards		
This Product contains cement. Cement produces an alkaline reaction with moisture or water. Avoid contact with eyes and prolonged skin contact.		
,	nd vPvB assessment	
. = tot applicas		

• **vPvB:** Not applicable

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** White Portland cement, aggregates and additives.

## · Dangerous components:

CAS: 65997-15-1	Cement, portland, chemicals	10-20%
EINECS: 266-043-4	Eve Dam. 1, H318; () Skin Irrit. 2, H315; STOT SE 3, H335	1

#### Additional information:

White Portland cement is low in chromate due to the process, i.e. the content of water-soluble chromium(VI) is less than 0.0002 %, even without the addition of chromate reducer.

This product contains <1 % respirable crystalline quartz.

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

- General information: When seeing the doctor we suggest to present this safety data sheet.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)

<sup>-</sup> GB



Page 3/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

#### Trade name: KEIM RESTAURO-FUGE

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

- · Suitable extinguishing agents:
- Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eves. Avoid formation of dust. Use respiratory protective device against the effects of fumes/dust/aerosol. Respect the protection rules (see section 7 and 8). Product forms slippery surface when combined with water. 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Close drainages (risk of blocking) Danger of slipping! Avoid formation of dust. Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. GB

(Contd. on page 4)



Page 4/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

#### Trade name: KEIM RESTAURO-FUGE

(Contd. of page 3)

## **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Avoid contact with skin and eyes. Keep receptacles tightly sealed. Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Any unavoidable deposit of dust must be regularly removed. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. • Information about storage in one common storage facility: Do not store together with acids. Further information about storage conditions: Store in dry conditions. Protect from humidity and water. Avoid dust formations and deposits. Keep container tightly sealed. Protect from heat and direct sunlight. · Storage class: 13 · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 65997-15-1 Cement, portland, chemicals WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

GB



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023 Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

## Trade name: KEIM RESTAURO-FUGE

	(Contd. of page 4
Respiratory protection:	
In a dusty environment wear suitable	e facemask.
Filter: FFP2	
Hand protection	
Protective gloves	
Alkaline resistant gloves	
Material of gloves	
suitable material e.g.:	
Nitrile impregnated cotton-gloves	
Recommended thickness of the mat	
of quality and varies from manufact	does not only depend on the material, but also on further mark urer to manufacturer. As the product is a preparation of severa ove material can not be calculated in advance and has therefor n.
Penetration time of glove materia	
Value for the permeation: level $\geq 6$ (	480 min)
conditions. Therefore a maximum w	ccording to EN 16523-1:2015 are not performed under practica rearing time, which corresponds to 50% of the penetration time
is recommended. The exact break trough time has to has to be observed.	be found out by the manufacturer of the protective gloves an
· Eye/face protection	
In a dusty environment wear protect	ve goggles.
Tightly sealed goggles	
Body protection:	
Protective work clothing	
After contact with skin wash thoroug	hly with water and apply lotion.
· Environmental exposure controls	
See Section 12 and 6.2	
No further relevant information avail	able.

Odourless

Not determined

Not determined

Not determined

Not applicable

Not applicable

Not applicable

- · Odour threshold:
- Melting point/freezing point:
- · Boiling point or initial boiling point and
- boiling range
- · Flammability
- Lower and upper explosion limit
- · Lower:
- · Upper:

(Contd. on page 6)

GB



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

## Trade name: KEIM RESTAURO-FUGE

	(Contd. of pag
Flash point:	Not applicable
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH at 20 °C	~12 *
	mixed with water
· Viscosity:	
Kinematic viscosity	Not applicable
Dynamic:	Not applicable
Solubility	
water:	Miscible
Partition coefficient n-octanol/water (log	
value)	Not applicable
· Vapour pressure:	Not applicable
Density and/or relative density	
Density at 20 °C:	1.5-1.7* g/cm³
Relative density	Not determined
Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced mater
	and may change with the time.
Appearance:	and may onange with the time.
Form:	powdery, grainy
Important information on protection of hea	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	r roduct does not present an explosion nazard.
Softening point/range	
• Oxidising properties:	Not applicable
Evaporation rate	Not applicable.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
Substances and mixtures, which emit flammable gases in contact with water	Void
	Void Void



Page 7/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

(Contd. of page 6)

#### Trade name: KEIM RESTAURO-FUGE

· Oxidising solids	Void	
<ul> <li>Organic peroxides</li> </ul>	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Reacts with water alkaline and hardens.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- Stable at environment temperature.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Humidity
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · during inhalation: Irritating to respiratory system.
- · during swallowing: Irritant effect possible

## · Respiratory or skin sensitisation

This product contains white cement.

By using white Portland cement, the content of sensitizing chromium (VI) is below 0.0002% in the cement content of the usable product.

- Therefore, there is no risk of sensitization by chromate.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

(Contd. on page 8)

<sup>–</sup> GB -



Page 8/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023 Version num

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

#### Trade name: KEIM RESTAURO-FUGE

(Contd. of page 7)

- · Subacute to chronic toxicity:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

# **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable
- vPvB: Not applicable
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects No further relevant information available.
- Other information: Elimination from the water by means of sedimentation.
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

- According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:
- The product contains ZnS.
- General notes:
- At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

# **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

#### Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system. Unused remainders of the product should be regarded as hazardous waste.

Recommendation for non-reusable residues: Mix with water and allow to harden.

Allow wet product and product sludge to harden and do not allow to get into drains or waterways.

(Contd. on page 9)

<sup>-</sup> GB



Page 9/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

(Contd. of page 8)

#### Trade name: KEIM RESTAURO-FUGE

· European waste catalogue

17 01 01 concrete

· Uncleaned packaging:

Recommendation:

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary with cleansing agents.

# **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable	
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	<b>o</b> Not applicable	
· Transport/Additional information:	No dangerous good in sense of these transport regulations.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 10)

GB ·



Page 10/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.07.2023

Version number 13.1 (replaces version 13.0)

Revision: 14.07.2023

#### Trade name: KEIM RESTAURO-FUGE

#### · REGULATION (EC) No 1907/2006 ANNEX XVII

(Contd. of page 9)

#### · ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

#### · National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations

· Please note:

TRGS 200 (Germany) TRGS 500 (Germany) TRGS 510 (Germany) TRGS 900 (Germany)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\*\* Data compared to the previous version altered.