

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022

Version number 13.0 (replaces version 12.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KEIM SOLIPRIM
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicate-based primer for interior use.
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk

• 1.4 Emergency telephone number:
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

· Note:

These are preservatives.

Avoid contact with the skin and eyes.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable · **vPvB:** Not applicable

GB

Revision: 05.08.2022



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: An aqueous solution of amorphous silicas

Dangerous components:		
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60- XXXX	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.02%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3- one (3:1)	<0.0015%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %	<0.0015%

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

With appearance of symptoms or in cases of doubt seek medical advice .

When seeing the doctor we suggest to present this safety data sheet.

After inhalation:

Take affected people into fresh air and keep quiet. Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

(Contd. on page 3)



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

silicon dioxid (SiO2)

carbon oxide (COx)

acrylic monomers

- · 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin and eyes.

Particular danger of slipping on leaked/spilled product.

Respect the protection rules (see section 7 and 8).

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

Cool endangered receptacles with water spray.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Please note information on label

Protect from frost.

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

· Hand protection Protective gloves

(Contd. on page 5)



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 4)

· Material of gloves

suitable material e.g.: Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing
- **Environmental exposure controls**

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Fluid milky

Odour: Characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range ~100 °C

· Flammability Not applicable

· Lower and upper explosion limit

Lower: Not applicable
Upper: Not applicable
Flash point: Not applicable
Ignition temperature: Not determined
Decomposition temperature: Not determined

· pH at 20 °C ~9*

· Viscosity:

Kinematic viscosityDynamic:Not determinedNot determined.

· Solubility

· water: Miscible

(Contd. on page 6)



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

	(Contd. of page
Partition coefficient n-octanol/water (log	
value)	Not applicable
Vapour pressure at 20 °C:	~23 hPa
Density and/or relative density	
Density at 20 °C:	1.0-1.1* g/cm³
Relative density	Not determined
Vapour density	Not applicable
9.2 Other information	* The values are for freshly produced materi and may change with the time.
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties:	Not applicable
Evaporation rate	Not applicable.
Information with regard to physical haz	ard
classes	ara
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.

(Contd. on page 7)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 6)

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

silicon dioxid (SiO2)

Carbon oxides (COx)

acrylic monomers

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- Respiratory or skin sensitisation

Contains CIT/MIT (3:1), MIT, BIT. May produce an allergic reaction.

CIT = 5-chloro-2- methyl-2H-isothiazol-3-one

MIT = 2-methylisothiazol-3(2H)-one

BIT = 1,2-benzisothiazol-3(2H)-one

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

- GE

(Contd. on page 8)



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Version number 13.0 (replaces version 12.0) Printing date 05.08.2022 Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	· Aquatic toxicity:		
2634-33-5 1,2-benzisothiazol-3(2H)-one			
NOEC	0.04 mg/l /72h (algae) (OECD 201) S 2238		
	1.2 mg/l /21d (daphnia) (OECD 211) S 803		
NOEC	0.21 mg/kg /28d (fish) (OECD 215) S 805		
EC 50/48h	3.27 mg/l (daphnia) (OECD 202) S 2240		
EC 50/3h	13 mg/l (sewage sludge) (OECD 209) S 2747		
EC 50/72 h	0.11 mg/l (algae) (OECD 201) S 2238		
EC20/3h	3.3 mg/l (sewage sludge) (OECD 209) S 2747		
LC 50/96 h	1.6 mg/l (fish) (OECD 203) S 2746		
55965-84-9	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H isothiazol-3- one (3:1)		
NOEC	0.0012 mg/l /72h (algae) (OECD 201) S 1322		
	0.098 mg/l /28d (fish) (OECD 215) S 117		
	0.004 mg/l /21d (daphnia) (OECD 211) S 52		
EC 50/48h	0.0052 mg/l (algae) (ISO 10253) RAC		
	0.1 mg/l (daphnia) (OECD 202) S 52		
EC 50/3h	7.92 mg/l (sewage sludge) (OECD 209) S 418		
EC 50/72 h	0.048 mg/l (algae) (OECD 201) S 1322		
EC20/3h	0.97 mg/l (sewage sludge) (OECD 209) S 418		
LC 50/96 h	0.22 mg/l (fish) (OECD 203) S 6		
	(Contd. on page		



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

	(Contd. of page 8)
2682-20-4 2	-methylisothiazol-3(2H)-one
EC 50/48h	0.681 mg/l (daphnia)
EC 50/72 h	0.072 mg/l (algae) (OECD 201)
LC 50/96 h	4.77 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

· 12.3 Bioaccumulative potential No further relevant information available.

· B	· Bioconcentration factor (BCF)		
	2634-33-5	1,2-benzisothiazol-3(2H)-one	6,95 (Fish)
5		reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Other information: Pretreat waste water with help of precipitation.
- · Additional ecological information:
- · AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

· General notes:

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

(Contd. on page 10)



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 9)

- Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informatio	n
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transpor regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable
- · Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 11)



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

(Contd. of page 10)

- Other regulations, limitations and prohibitive regulations
- · Please note:

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Toxic if swallowed. H301

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS: KEIMFARBEN Germany, Product safety department

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.08.2022 Version number 13.0 (replaces version 12.0) Revision: 05.08.2022

Trade name: KEIM SOLIPRIM

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

(Contd. of page 11)