

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KEIM CONCRETAL-SD
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- $^{\cdot}$ Application of the substance / the mixture
- Addition to mixing water for KEIM CONCRETAL-FSP 0.2 to produce blowhole grout.
- \cdot Uses advised against All other uses are not recommended.

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

- **Further information obtainable from:** David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one, formaldehyde. May produce an allergic reaction.
- EUH210 Safety data sheet available on request.
- Restricted to professional users.
- · Note:
- These are preservatives.
- Avoid contact with the skin and eyes.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable
- · vPvB: Not applicable

(Contd. on page 2)

GB



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

(Contd. of page 1)

Description: Modified aqueous synthetic resin dispersion Dangerous components:			
CAS: 50-00-0 EINECS: 200-001-8 Index number: 605-001-00-5 Reg.nr.: 01-2119488953-20	formaldehyde	<0.05%	
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one	<0.05%	
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- xxxx	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	<0.0015%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

When seeing the doctor we suggest to present this safety data sheet.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

[–] GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

(Contd. of page 2)

Trade name: KEIM CONCRETAL-SD

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

- After eye contact:
 Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing:
- Rinse mouth and throat well with water. Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

- carbon oxide (COx)
- 5.3 Advice for firefighters
- Special protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Respect the protection rules (see section 7 and 8). Avoid contact with skin and eyes. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.
6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly.

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

(Contd. of page 3)

Trade name: KEIM CONCRETAL-SD

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with skin and eyes. Do not inhale aerosols. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Keep receptacles tightly sealed. Open and handle receptacle with care. Information about fire - and explosion protection: Cool endangered receptacles with water spray. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Protect from frost.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

50-00-0 formaldehyde

- WEL Short-term value: 2.5 mg/m³, 2 ppm Long-term value: 2.5 mg/m³, 2 ppm
 - Carc

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

- General protective and hygienic measures:
- Avoid contact with the eyes and skin.
- Do not inhale aerosols.

(Contd. on page 5)

GB



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

	(Contd. of page	
Wash hands before breaks and at the end of work.		
Immediately remove all soiled and contamin	ated clothing.	
Respiratory protection:		
Use suitable respiratory protective device on	ily when aerosol or mist is formed.	
Combination filter A/P		
Hand protection Protective gloves		
· Material of gloves		
Rubber gloves Nitrile rubber, NBR		
Recommended thickness of the material: ≥ 0	0.4 mm	
	ot only depend on the material, but also on further mar	
	nanufacturer. As the product is a preparation of sever	
	erial can not be calculated in advance and has therefo	
to be checked prior to the application.		
• Penetration time of glove material		
Value for the permeation: level ≥ 6		
penetration time \geq 480 min.		
The determined penetration times according	g to EN 16523-1:2015 are not performed under practic	
conditions. Therefore a maximum wearing t	ime, which corresponds to 50% of the penetration tim	
is recommended.		
The exact break trough time has to be four	ad out by the manufacturer of the protective gloves o	
	id out by the manufacturer of the protective gloves a	
has to be observed.		
has to be observed. • Eye/face protection Goggles recommended		
has to be observed. • Eye/face protection Goggles recommended • Body protection:		
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with 	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls 	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls 	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 	d during refilling	
 has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 	d during refilling water and apply lotion.	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available.	d during refilling water and apply lotion.	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemica	d during refilling water and apply lotion.	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemical • 9.1 Information on basic physical and chemical	d during refilling water and apply lotion. al properties emical properties Fluid	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available. • SECTION 9: Physical and chemical • 9.1 Information on basic physical and chemical • General Information	d during refilling water and apply lotion. al properties emical properties	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemical • 9.1 Information on basic physical and chemical • General Information • Physical state	d during refilling water and apply lotion. al properties emical properties Fluid	
has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemica 9.1 Information on basic physical and che General Information Physical state Colour:	d during refilling water and apply lotion. Al properties emical properties Fluid milky	
has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemica 9.1 Information on basic physical and che General Information Physical state Colour: Odour:	d during refilling water and apply lotion. Al properties emical properties Fluid milky Characteristic	
has to be observed. Eye/face protection Goggles recommended Body protection: Protective work clothing After contact with skin wash thoroughly with Environmental exposure controls See Section 12 and 6.2 No further relevant information available. SECTION 9: Physical and chemica 9.1 Information on basic physical and che General Information Physical state Colour: Odour: Odour threshold:	d during refilling water and apply lotion. al properties emical properties Fluid milky Characteristic Not determined	
has to be observed. • Eye/face protection Goggles recommended • Body protection: Protective work clothing After contact with skin wash thoroughly with • Environmental exposure controls See Section 12 and 6.2 No further relevant information available. • SECTION 9: Physical and chemical • 9.1 Information on basic physical and chemical • 9.1 Information on basic physical and chemical • General Information • Physical state • Colour: • Odour: • Odour threshold: • Melting point/freezing point:	d during refilling water and apply lotion. al properties emical properties Fluid milky Characteristic Not determined	

Not applicable

Not applicable

Not applicable

- · Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

Ignition temperature:	Not determined
Ignition temperature:	
• Decomposition temperature:	Not determined
PH at 20 °C	7-9*
Viscosity:	
Kinematic viscosity	Not determined
Dynamic at 20 °C:	1.000-1.500* mPas
Solubility	
water:	Miscible
 Partition coefficient n-octanol/water (log 	
value)	Not determined.
· Vapour pressure at 20 °C:	~23 hPa
 Density and/or relative density 	
[·] Density at 20 °C:	0.9-1.1* g/cm³
· Relative density	Not determined
· Vapour density	Not determined.
9.2 Other information	* The values are for freshly produced mater
	and may change with the time.
Appearance:	and may ondrige with the time.
· Form:	Fluid
Important information on protection of heal	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product los not semigriting. Product does not present an explosion hazard.
Change in condition	Froduct does not present an explosion hazard.
· Evaporation rate	Not determined.
•	
Information with regard to physical haza	rd
classes	
· Explosives	Void
[.] Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
• Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
	(Contd. on page



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

(Contd. of page 6)

Trade name: KEIM CONCRETAL-SD

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

50-00-0 formaldehyde

Oral LD50 >200 mg/kg (rat)

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- Respiratory or skin sensitisation
- Contains CIT/MIT (3:1); BIT; CH2O. May produce an allergic reaction.
- CIT = 5-chloro-2- methyl-2H-isothiazol-3-one
- MIT = 2-methylisothiazol-3(2H)-one
- BIT = 1,2-benzisothiazol-3(2H)-one
- CH2O = formaldehyde
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Subacute to chronic toxicity:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

(Contd. of page 7)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable
- · vPvB: Not applicable
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- AOX-indication:

The product can take influence in small measure on the AOX-load of the waste water.

• According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

· General notes:

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

07 02 15 wastes from additives other than those mentioned in 07 02 14

· Uncleaned packaging:

· Recommendation:

Allow residues to dry in container. Dispose empty containers in accordance with current local/ national regulations.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

(Contd. of page 8)

Disposal must be made according to official regulations. • **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable	
 14.7 Maritime transport in bulk according to IMO instruments Not applicable 		
· Transport/Additional information:	No dangerous good in sense of these transport regulations.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Please note:
- TRGS 200 (Germany) TRGS 500 (Germany) TRGS 510 (Germany) TRGS 900 (Germany)

(Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

(Contd. of page 9)

Trade name: KEIM CONCRETAL-SD

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: KEIMFARBEN Germany, Product safety department

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2022

Version number 1.0

Revision: 21.11.2022

Trade name: KEIM CONCRETAL-SD

(Contd. of page 10)

GB

Skin Sens. 1A: Skin sensitisation – Category 1A Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2