



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM REVERSIL-SCHLÄMME**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Reversible, closing base coat for interior use
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIMFARBEN GMBH  
Keimstraße 16 / 86420 Diedorf  
Tel. +49 (0)821 4802-0  
Fax +49 (0)821 4802-210  
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**  
Product safety department  
Telefon: 49(0)821/4802-138  
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P280 Wear protective gloves / protective clothing.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with regional/national regulations.
- **Additional information:**  
EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- **Note:**  
These are preservatives.  
Avoid contact with the skin and eyes.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 1)

· vPvB: Not applicable

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

##### · Description:

Aqueous dispersion of polyether-polyurethane without free groups of isocyanates and fillers

##### · Dangerous components:

|   |   |                     |
|---|---|---------------------|
| CAS: 13463-67-7<br>EINECS: 236-675-5<br>Index number: 022-006-00-2<br>Reg.nr.: 01-2119486799-10-XXXX    | titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]<br>☠ Carc. 2, H351   | $\geq 0.1$ - $<1\%$ |
| CAS: 1314-13-2<br>EINECS: 215-222-5<br>Index number: 030-013-00-7<br>Reg.nr.: 01-2119463881-32-0043     | zinc oxide<br>☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410  | $<0.5\%$            |
| CAS: 108-01-0<br>EINECS: 203-542-8<br>Index number: 603-047-00-0<br>Reg.nr.: 01-2119492298-24-XXXX      | 2-dimethylaminoethanol<br>☠ Flam. Liq. 3, H226; ☠ Acute Tox. 3, H331; ☠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Acute Tox. 4, H312<br>Specific concentration limit:<br>STOT SE 3; H335: C $\geq 5\%$   | $<0.2\%$            |
| CAS: 2634-33-5<br>EINECS: 220-120-9<br>Index number: 613-088-00-6<br>Reg.nr.: 01-2120761540-60-XXXX     | 1,2-benzisothiazol-3(2H)-one<br>☠ Acute Tox. 2, H330; ☠ Eye Dam. 1, H318;<br>☠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411;<br>☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317<br>Specific concentration limit:<br>Skin Sens. 1; H317: C $\geq 0.05\%$   | $<0.02\%$           |
| CAS: 55965-84-9<br>EC number: 611-341-5<br>Index number: 613-167-00-5<br>Reg.nr.: 01-2120764691-48-XXXX | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)<br>☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317, EUH071<br>Specific concentration limits:<br>Skin Corr. 1C; H314: C $\geq 0.6\%$<br>Skin Irrit. 2; H315: $0.06\% \leq C < 0.6\%$<br>Eye Dam. 1; H318: C $\geq 0.6\%$<br>Eye Irrit. 2; H319: $0.06\% \leq C < 0.6\%$<br>Skin Sens. 1A; H317: C $\geq 0.0015\%$ | $<0.0015\%$         |

(Contd. on page 3)

DEN



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 2)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · **General information:**

Seek medical treatment in case of complaints.

When seeing the doctor we suggest to present this safety data sheet.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

##### · **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

##### · **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### · **After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

#### · **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

#### · **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

#### · **5.1 Extinguishing media**

##### · **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

#### · **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

carbon oxide (CO<sub>x</sub>)

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen fluoride (HF)

Sulphur dioxide (SO<sub>2</sub>)

Barium oxide vapour

Hydrogen cyanide (HCN)

#### · **5.3 Advice for firefighters**

- **Specila protective equipment:** Wear self-contained respiratory protective device.

##### · **Additional information**

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

DEN

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 3)

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin and eyes.

Respect the protection rules (see section 7 a. 8).

#### · 6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

See item 8 (8.2) for information about suitable protective equipment and technical precautions.

Respect the protection rules.

#### · Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

##### · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

##### · Information about storage in one common storage facility: Not required.

##### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Protect from heat and direct sunlight.

##### · Storage class: 12

#### · 7.3 Specific end use(s) No further relevant information available.

DEN

(Contd. on page 5)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 4)

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**14808-60-7 Quartz (SiO<sub>2</sub>)**

MAK (Germany) | alveolengängige Fraktion

**13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

AGW (Germany) | Long-term value: 1.25\* 10\*\* mg/m<sup>3</sup>  
2(II);\*alveolengängig\*\*einatembar; AGS, DFG, Y

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

MAK (Germany) | vgl.Abschn.IIb und Xc

**55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)**

MAK (Germany) | Long-term value: 0.2E mg/m<sup>3</sup>  
vgl.Abschn.Xc

· **DNELs**

**1314-13-2 zinc oxide**

|            |                              |   |
|------------|------------------------------|---|
| Oral       | Long-term - systemic effects | 0.83 mg/kg bw/day (consumer) (50 mg Zn/day) |
| Dermal     | Long-term - systemic effects | 83 mg/kg bw/day (worker)                    |
|            | Long-term - systemic effects | 83 mg/kg bw/day (consumer) (5000 mg Zn/day) |
| Inhalative | Long-term - systemic effects | 5 mg/m <sup>3</sup> (worker)                |
|            | Long-term - systemic effects | 2.5 mg/m <sup>3</sup> (consumer)            |
|            | Long-term - local effects    | 0.5 mg/m <sup>3</sup> (worker)              |

**108-01-0 2-dimethylaminoethanol**

|            |                              |                                |
|------------|------------------------------|--------------------------------|
| Dermal     | Long-term - systemic effects | 1.04 mg/kg bw/day (worker)     |
|            | Acute - systemic effects     | 5 mg/kg/day (worker)           |
| Inhalative | Acute - systemic effects     | 22 mg/m <sup>3</sup> (worker)  |
|            | Long-term - systemic effects | 7.4 mg/m <sup>3</sup> (worker) |

· **PNECs**

**1314-13-2 zinc oxide**

|  |  |
|--|--|
| Aquatic compartment - freshwater               | 0.0206 mg/l (Freshwater)                 |
| Aquatic compartment - marine water             | 0.0061 mg/l (Seawater)                   |
| Aquatic compartment - sediment in freshwater   | 117.8 mg/kg sed dw (Freshwater sediment) |
| Aquatic compartment - sediment in marine water | 56.5 mg/kg sed dw (Marine sediment)      |
| Terrestrial compartment - soil                 | 35.6 mg/kg dw (soil)                     |
| Sewage treatment plant                         | 0.1 mg/l (Sewage treatment plant)        |

**108-01-0 2-dimethylaminoethanol**

|                                    |                          |
|------------------------------------|--------------------------|
| Aquatic compartment - freshwater   | 0.0661 mg/l (Freshwater) |
| Aquatic compartment - marine water | 0.0066 mg/l (Seawater)   |

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 5)

|  |   |
|--|---|
| Aquatic compartment - sediment in freshwater | 0.0529 mg/kg sed dw (Freshwater sediment) |
| Terrestrial compartment - soil               | 0.0177 mg/kg dw (soil)                    |
| Sewage treatment plant                       | 10 mg/l (Sewage treatment plant)          |

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

· **Hand protection** Protective gloves

· **Material of gloves**

suitable material e.g.:

Nitrile impregnated cotton-gloves

Butyl rubber, BR

PVC or PE gloves

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Value for the permeation: level  $\geq 6$  (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Goggles recommended during refilling

· **Body protection:** Protective work clothing

· **Environmental exposure controls**

See Section 12 and 6.2

No further relevant information available.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

White

· **Odour:**

Characteristic

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 6)

|  |  |
|--|--|
| · <b>Odour threshold:</b>  | Not determined   |
| · <b>Melting point/freezing point:</b>   | Not determined   |
| · <b>Boiling point or initial boiling point and boiling range</b>                      | Not determined   |
| · <b>Flammability</b>  | Not applicable   |
| · <b>Lower and upper explosion limit</b>   |  |
| · <b>Lower:</b>  | Not applicable   |
| · <b>Upper:</b>  | Not applicable   |
| · <b>Flash point:</b>  | Not applicable   |
| · <b>Ignition temperature:</b>   | Not determined   |
| · <b>Decomposition temperature:</b>  | Not determined   |
| · <b>pH at 20 °C</b>   | ~8*  |
| · <b>Viscosity:</b>  |  |
| · <b>Kinematic viscosity</b>   | Not determined   |
| · <b>Dynamic at 20 °C:</b>   | 1,500-2,500* mPas  |
| · <b>Solubility</b>  |  |
| · <b>water:</b>  | Fully miscible   |
| · <b>Partition coefficient n-octanol/water (log value)</b>                             | Not determined.  |
| · <b>Vapour pressure:</b>  | Not determined.  |
| · <b>Density and/or relative density</b>   |  |
| · <b>Density at 20 °C:</b>   | 1.5-1.6* g/cm <sup>3</sup>   |
| · <b>Relative density</b>  | Not determined   |
| · <b>Vapour density</b>  | Not applicable.  |
| · <b>9.2 Other information</b>   | * The values are for freshly produced material and may change with the time. |
| · <b>Appearance:</b>   |  |
| · <b>Form:</b>   | Pasty  |
| · <b>Important information on protection of health and environment, and on safety.</b> |  |
| · <b>Auto-ignition temperature:</b>  | Product is not selfigniting.   |
| · <b>Explosive properties:</b>   | Product does not present an explosion hazard.                                |
| · <b>Change in condition</b>   |  |
| · <b>Softening point/range</b>   |  |
| · <b>Oxidising properties:</b>   | Not applicable   |
| · <b>Evaporation rate</b>  | Not applicable.  |
| · <b>Information with regard to physical hazard classes</b>                            |  |
| · <b>Explosives</b>  | Void   |
| · <b>Flammable gases</b>   | Void   |
| · <b>Aerosols</b>  | Void   |
| · <b>Oxidising gases</b>   | Void   |
| · <b>Gases under pressure</b>  | Void   |
| · <b>Flammable liquids</b>   | Void   |
| · <b>Flammable solids</b>  | Void   |

(Contd. on page 8)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 7)

|  |      |
|--|------|
| · <b>Self-reactive substances and mixtures</b>                                     | Void |
| · <b>Pyrophoric liquids</b>  | Void |
| · <b>Pyrophoric solids</b>   | Void |
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |
| · <b>Desensitised explosives</b>   | Void |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
In case of fire, the following can be released:  
Poisonous gases/vapours  
Carbon oxides (COx)  
Nitrogen oxides (NOx)  
Hydrogen fluoride  
Sulphur oxides (SOx)  
Bariumoxide vapour  
(possible HCN)  
No hazardous decomposition products if stored and handled as prescribed.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:****13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

|            |              |  |
|------------|--------------|--|
| Inhalative | ATE mix (4h) | >5 mg/l (inhalative)                           |
|            | ATE mix      | >2,000 mg/kg (dermal)<br>>2,000 mg/kg (orally) |
|            | NOAEL        | 3,500 mg/kg /Oral (rat) (90d)                  |

(Contd. on page 9)

DEN





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 8)

**1314-13-2 zinc oxide**

Oral LD50 &gt;5,000 mg/kg (rat)

**108-01-0 2-dimethylaminoethanol**

Oral LD50 1,187 mg/kg (rat) (OECD 401)

Dermal LD50 1,219 mg/kg (rabbit) (OECD 402)

Inhalative LC50/4 h 6 mg/l (rat) (OECD 403)

- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation**  
Contains CIT/MIT (3:1) , BIT. May produce an allergic reaction.  
CIT = 5-chloro-2- methyl-2H-isothiazol-3-one  
MIT = 2-methylisothiazol-3(2H)-one  
BIT = 1,2-benzisothiazol-3(2H)-one
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**  
Experimental analysis are not available.  
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **Subacute to chronic toxicity:**

**Repeated dose toxicity****13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**Inhalative NOAEC 10 mg/m<sup>3</sup> (rat) (90d)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable
- **11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:**  
Harmful to aquatic organisms.  
May cause long-term adverse effects in the aquatic environment.

(Contd. on page 10)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 9)

**13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

|       |   |
|-------|---|
| NOEC  | $\geq 100,000$ mg/kg (Freshwater sediment)<br>Hyalella azteca   |
| EC50  | $>100$ mg/kg (Freshwater algae) (OECD 201)  |
| EC 50 | $>10,000$ mg/l (algae) (ISO 10253)  |
| LC 50 | $>10,000$ mg/l (marine fish) (OECD 203)<br>$>1,000$ mg/l (freshwater fish) (EPA-540/9-85-006)<br>$>1,000$ mg/l (daphnia) (OECD 202) |

**1314-13-2 zinc oxide**

|           |  |
|-----------|--|
| EC 50/48h | 0.67 mg/l (daphnia)                          |
| ErC50/72h | 0.21 mg/l (algae) (pH $>7 - 8,5$ ; Zn (ZnO)) |

**108-01-0 2-dimethylaminoethanol**

|             |                                  |
|-------------|----------------------------------|
| EC 20/30min | $>1,000$ mg/l (activated sludge) |
| EC 50/48h   | 98.4 mg/l (daphnia)              |
| EC 50/72 h  | 34.5 mg/l (algae)                |
| EC 50       | $>1,000$ mg/l (bacteria) (30min) |
| LC 50/96 h  | 146.6 mg/l (fish)                |
| EC 10/0,5h  | $>1,000$ mg/l (activated sludge) |

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

|            |  |
|------------|--|
| NOEC       | 0.04 mg/l /72h (algae) (OECD 201)<br>S 2238<br>1.2 mg/l /21d (daphnia) (OECD 211)<br>S 803 |
| NOEC       | 0.21 mg/kg /28d (fish) (OECD 215)<br>S 805   |
| EC 50/48h  | 3.27 mg/l (daphnia) (OECD 202)<br>S 2240   |
| EC 50/3h   | 13 mg/l (sewage sludge) (OECD 209)<br>S 2747   |
| EC 50/72 h | 0.11 mg/l (algae) (OECD 201)<br>S 2238   |
| EC20/3h    | 3.3 mg/l (sewage sludge) (OECD 209)<br>S 2747  |
| LC 50/96 h | 1.6 mg/l (fish) (OECD 203)<br>S 2746   |

**55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)**

|      |   |
|------|---|
| NOEC | 0.0012 mg/l /72h (algae) (OECD 201)<br>S 1322 |
|------|---|

(Contd. on page 11)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 10)

|            |   |
|------------|---|
| EC 50/48h  | 0.098 mg/l /28d (fish) (OECD 215)<br>S 117<br>0.004 mg/l /21d (daphnia) (OECD 211)<br>S 52<br>0.0052 mg/l (algae) (ISO 10253)<br>RAC<br>0.1 mg/l (daphnia) (OECD 202)<br>S 52 |
| EC 50/3h   | 7.92 mg/l (sewage sludge) (OECD 209)<br>S 418   |
| EC 50/72 h | 0.048 mg/l (algae) (OECD 201)<br>S 1322   |
| EC20/3h    | 0.97 mg/l (sewage sludge) (OECD 209)<br>S 418   |
| LC 50/96 h | 0.22 mg/l (fish) (OECD 203)<br>S 6  |

· **12.2 Persistence and degradability** No further relevant information available.

· **Other information:**

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **Log POW**

|          |                        |              |
|----------|------------------------|--------------|
| 108-01-0 | 2-dimethylaminoethanol | -0,55 (23°C) |
|----------|------------------------|--------------|

· **Bioconcentration factor (BCF)**

|            |   |             |
|------------|---|-------------|
| 2634-33-5  | 1,2-benzisothiazol-3(2H)-one  | 6,95 (Fish) |
| 55965-84-9 | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | 3,16        |

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects** No further relevant information available.

· **Additional ecological information:**

· **AOX-indication:**

The product can take influence in small measure on the AOX-load of the waste water.

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

The product contains TiO<sub>2</sub>, ZnS, BaSO<sub>4</sub>, ZnO.

· **General notes:**

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

(Contd. on page 12)



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 11)

Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

#### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.

· **European waste catalogue**

|           |   |
|-----------|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |
|-----------|---|

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary with cleansing agents.

#### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Not applicable

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **Transport/Additional information:**

No dangerous good in sense of these transport regulations.

· **UN "Model Regulation":**

Void

DEN

(Contd. on page 13)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

Trade name: KEIM REVERSIL-SCHLÄMME

(Contd. of page 12)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Labelling according to Regulation (EC) No 1272/2008**

For information on labelling please refer to section 2 of this document.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **Other regulations, limitations and prohibitive regulations**

- **Please note:**

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable

- **Product-Code/Giscode:** BSW50

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H226 Flammable liquid and vapour.

(Contd. on page 14)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 15.0 (replaces version 14.0)

Revision: 14.06.2022

**Trade name: KEIM REVERSIL-SCHLÄMME**

(Contd. of page 13)

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H310 Fatal in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H331 Toxic if inhaled.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

· **Department issuing SDS:** KEIMFARBEN Germany, Product safety department

· **Version number of previous version:** 14.0

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· \* **Data compared to the previous version altered.**