



TECHNICAL DATA SHEET

KEIM STURZECKWINKEL

1. PRODUCT DESCRIPTION

Pre-assembled fabric moulding made of glass fibre mesh mat.

2. FIELD OF APPLICATION

For the execution of a combined diagonal and internal corner reinforcement (reveal/lintel) for facade openings in KEIM ETIC-Systems.

3. PRODUCT PROPERTIES

- especially economical
- easy and fast processing
- non-slip
- alkali-resistant
- resistant to aging

MATERIAL CHARACTERISTICS:

- Mesh size: 4 x 4 mm
- Weight per unit area: approx. 160 g/m²
- Colour shade: white

4. APPLICATION INSTRUCTIONS

SUBSTRATE PREPARATION:

Check the adhesion of the insulation panels after at least 3 days. Insulation panels that are not bonded or damaged must be replaced. The glued and if necessary dowelled insulation panels must be dry, free of dust, clean and level.

APPLICATION CONDITIONS:

Ambient and substrate temperature during application and drying from ≥ 5 °C to ≤ 30 °C. Do not apply in direct sunlight or on sun-heated substrates. Protect surfaces from direct sun, wind and rain during and after application.

APPLICATION:

Apply the system's reinforcing mortar at the appropriate points and embed KEIM Sturzeckwinkel centrally or in the upper third, free of bubbles and folds.

The layer thickness for embedding in thin-layer systems should not be less than 2 mm and not exceed 3 mm to achieve the best possible functionality. In thick-layer systems, use close to the surface is recommended wherever possible.

5. LIEFERFORM

Product name	Mesh size	Pieces per unit
Sturzeckwinkel	4 x 4 mm	25

TECHNICAL DATA SHEET – KEIM STURZECKWINKEL

6. LAGERUNG

Storage conditions
dry flat-lying in the outer cardboard

7. ENTSORGUNG

ENTSORGUNG

Waste code: 10 11 03

8. SICHERHEITSHINWEISE

no particular indications

9. ALLGEMEINE HINWEISE

Can also be used in systems with mesh size 6 x 6 mm.

The stated values and properties are the result of extensive development work and practical experience. Our recommendations for application, whether given verbally or in writing, are intended to provide assistance in the selection of our products and do not establish a contractual relationship. In particular, they do not release the purchaser and processor from the obligation to convince themselves of the suitability of our products for the intended application with due care, which is general practice in trade and crafts. The general rules of construction technology must be observed. We reserve the right to make modifications to improve the product or its application. This edition supersedes all earlier editions.



KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf / Tel. +49 821 4802-0 / Fax +49 821 4802-210
Frederik-Ipsen-Straße 6 / 15926 Luckau / Tel. +49 35456 676-0 / Fax +49 35456 676-38
www.keim.com / info@keimfarben.de