



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM CONCRETAL-W-GROB**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Filled Sol-silicate paint for concrete
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIM MINERAL PAINTS LTD
Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA
Tel +44 1952 231 250 / Fax +44 1952 231 251
www.keim.com / sales@keimpaints.co.uk
- **Further information obtainable from:**
David Pratt
Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mineral fillers, potassium water glass, silica sol, acrylate dispersion

· **Dangerous components:**

12001-26-2	Mica	substance with a Community workplace exposure limit	2.5-10%
------------	------	---	---------

GB

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:**

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon oxide (CO_x)

silicon dioxid (SiO₂)

· 5.3 Advice for firefighters

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Respect the protection rules (see section 7 a. 8).

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 2)

Follow local governmental rules and regulations.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· **6.4 Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Prevent formation of aerosols.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

· **Information about fire - and explosion protection:**

The product is not flammable.

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

· **Information about storage in one common storage facility:** Do not store together with acids.

· **Further information about storage conditions:**

Please note information on label

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

· **Storage class:** 12

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

12001-26-2 Mica

WEL	Long-term value: 10* 0.8** mg/m ³ *total inhalable **respirable
-----	---

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 3)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
Do not inhale aerosols.
Immediately remove all soiled and contaminated clothing
- **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter: P
- **Protection of hands:** Protective gloves
- **Material of gloves**
suitable material e.g.:
Nitrile impregnated cotton-gloves
PVC or PE gloves
Recommended thickness of the material: ≥ 0.5 mm
Natural rubber, NR
Recommended thickness of the material: ≥ 0.6 mm
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.7 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
Value for the permeation: Level ≥ 6 (480 min)
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **Eye protection:** Goggles recommended during refilling
- **Body protection:**
Protective work clothing
After contact with skin wash thoroughly with water and apply lotion.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Pasty
Colour:	Different, according to colouring.
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value at 20 °C:** 11*

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 4)

· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Oxidising properties	Not applicable.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.6* g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	miscible
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	
Dynamic at 20 °C:	1800-2500* mPas
Kinematic:	Not determined.
· 9.2 Other information	* The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Acids
oxidizing agents

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 5)

· **10.6 Hazardous decomposition products:**

In case of fire, the following can be released:

carbon oxide (COx)

silicon dioxid (SiO₂)

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:** not determined

· **Primary irritant effect:**

· **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.

· **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.

· **during swallowing:** Irritant effect possible

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Other information (about experimental toxicology):**

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** not applicable

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **AOX-indication:**

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

The product contains BaSO₄, TiO₂.

· **General notes:**

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 6)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations.

· **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

GB

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2016

Version number 11

Revision: 21.07.2016

Trade name: KEIM CONCRETAL-W-GROB

(Contd. of page 7)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** not applicable
- **Product-Code/Giscode:** M-SK01
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
- *** Data compared to the previous version altered.**