



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2017



Version number 12

Revision: 06.04.2017

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM NHL-KALKPUTZ-FEIN**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**  
Dry mortar to be mixed with water and then used as a plaster for walls and ceilings indoors and outdoors.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIM MINERAL PAINTS LTD  
Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA  
Tel +44 1952 231 250 / Fax +44 1952 231 251  
www.keim.com / sales@keimpaints.co.uk
- **Further information obtainable from:**  
David Pratt  
Telefon: +44 1952 231250  
E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  
  
GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
high-hydraulic lime  
calcium dihydroxide
- **Hazard statements**  
H315 Causes skin irritation.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 1)

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P261 Avoid breathing dust.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362 Take off contaminated clothing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

**2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures****Description:** High-hydraulic lime, calcium dihydroxide, aggregate and additives.**Dangerous components:**

	high-hydraulic lime ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	10-15%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-XXXX	calcium dihydroxide ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	2.5-10%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures****General information:** When seeing the doctor we suggest to present this safety data sheet.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
In case of fire do not breathe smoke, fumes and vapours.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid contact with skin and eyes.  
Avoid formation of dust.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Respect the protection rules (see section 7 a. 8).  
Product forms slippery surface when combined with water.
- **6.2 Environmental precautions:**  
Do not allow product to reach soil, sewage system or any water course.  
Follow local governmental rules and regulations.
- **6.3 Methods and material for containment and cleaning up:**  
Close drainages (Risk of blocking)  
Danger of slipping!  
Avoid formation of dust.  
Ensure adequate ventilation.  
Pick up mechanically.  
Dispose of the material collected according to regulations.  
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

GB

(Contd. on page 4)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 3)

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Keep receptacles tightly sealed.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

#### · Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

##### · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

##### · Information about storage in one common storage facility: Do not store together with acids.

##### · Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

Avoid dust formations and deposits.

Keep container tightly sealed.

Protect from heat and direct sunlight.

##### · Storage class: 13

##### · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

General Threshold Limit Value for Dust:

total dust (inhalable fraction) MAK 4 mg/m<sup>3</sup>

##### 1305-62-0 calcium dihydroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

#### · DNELs

##### 1305-62-0 calcium dihydroxide

Inhalative	Acute - local effects, worker	4 mg/m <sup>3</sup> (worker)
	Acute - local effects, consumer	4 mg/m <sup>3</sup> (consumer)
	Long-term - local effects, worker	1 mg/m <sup>3</sup> (worker)
	Long-term - local effects, consumer	1 (consumer)

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 4)

**· PNECs****1305-62-0 calcium dihydroxide**

Aquatic compartment - freshwater	0.49 mg/l (freshwater)
Aquatic compartment - marine water	0.32 mg/l (marine water)
Terrestrial compartment - soil	1080 mg/kg dw (soil)
Sewage treatment plant	3 mg/l (sewage sludge)

**· Additional information:** The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

**· Respiratory protection:**

In a dusty environment wear suitable facemask.

Filter: FFP2

**· Protection of hands:**

Protective gloves

Alkaline resistant gloves

**· Material of gloves**

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**Value for the permeation: Level  $\geq 6$  (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**

In a dusty environment wear protective goggles.

Tightly sealed goggles

**· Body protection:**

Protective work clothing

After contact with skin wash thoroughly with water and apply lotion.

**· Limitation and supervision of exposure into the environment** See Section 12 and 6.2

GB

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

Trade name: KEIM NHL-KALKPUTZ-FEIN

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: powdery, grainy

Colour: nature white

· Odour: Odourless

· Odour threshold: Not determined.

· pH-value: 11.5-13.5\*  
with water mixed

##### · Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Not applicable.

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

##### · Explosion limits:

Lower: Not applicable.

Upper: Not applicable.

· Oxidising properties: Not applicable.

· Vapour pressure: Not applicable

· Density at 20 °C: 1.34-1.58 g/cm<sup>3</sup>  
Bulk density

· Relative density: Not determined.

· Vapour density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with  
water at 20 °C: < 2 g/l (Ca(OH)<sub>2</sub>)  
miscible

· Partition coefficient: n-octanol/water: Not applicable.

##### · Viscosity:

Dynamic: Not applicable.

Kinematic: Not applicable.

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 6)

**· 9.2 Other information**

\* The values are for freshly produced material and may change with the time.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** Reacts with water alkaline and hardens.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**  
Stable at environment temperature.  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Humidity
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**  
No hazardous decomposition products if stored and handled as prescribed.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

1305-62-0 calcium dihydroxide		
Oral	LD50	>2000 mg/kg (rat) (OECD 425)
Dermal	LD50	> 2500 mg/kg (rabbit) (OECD 402)
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **during inhalation:** Irritating to respiratory system.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**  
Experimental analysis are not available.  
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** not applicable
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 7)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

##### 1305-62-0 calcium dihydroxide

NOEC	72h; 48 mg/l (freshwater alga) 14d; 32 mg/l (invertebrate marine organisms)
EC10/LC10 oder NOEC	2000 mg/kg (Soil macro-organisms) 12000 mg/kg (soil microorganisms)
NOEC	21d; 1080 mg/kg (plants)
EC 50/48h	49.1 mg/l (freshwater invertebrate organisms)
EC 50/72 h	184.57 mg/l (freshwater alga)
LC 50/96 h	457 mg/l (marine fish) 50.6 mg/l (freshwater fish) 158 mg/l (invertebrate marine organisms)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.

##### · Additional ecological information:

##### · AOX-indication:

According to our standard of knowledge the product does not contain any organic bounded halogen. The product has no influence on the waste water's AOX-value.

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

##### · General notes:

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

##### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 8)

Disposal must be made according to official regulations.

**· European waste catalogue**

10 13 99 | wastes not otherwise specified

**· Uncleaned packaging:****· Recommendation:**

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

**· Recommended cleansing agents:** Water, if necessary with cleansing agents.**SECTION 14: Transport information****· 14.1 UN-Number****· ADR, IMDG, IATA**

Void

**· 14.2 UN proper shipping name****· ADR, IMDG, IATA**

Void

**· 14.3 Transport hazard class(es)****· ADR, IMDG, IATA****· Class**

Void

**· 14.4 Packing group****· ADR, IMDG, IATA**

Void

**· 14.5 Environmental hazards:****· Marine pollutant:**

No

**· 14.6 Special precautions for user**

Not applicable.

**· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**· Transport/Additional information:**

No dangerous good in sense of these transport regulations.

**· UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****· Labelling according to Regulation (EC) No 1272/2008**

For information on labelling please refer to section 2 of this document.

**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 10)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2017

Version number 12

Revision: 06.04.2017

**Trade name: KEIM NHL-KALKPUTZ-FEIN**

(Contd. of page 9)

- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
  - TRGS 200 (Germany)
  - TRGS 500 (Germany)
  - TRGS 510 (Germany)
  - TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** not applicable
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage.
  - H335 May cause respiratory irritation.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
  - VOC: Volatile Organic Compounds (USA, EU)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - EC10: Effective concentration at 10% mortality rate.
  - EC50: Half maximal effective concentration.
  - LC10: Lethal concentration at 10% mortality rate.
  - NOEC: No observed effect concentration.
  - REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**