



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM MARANO-ROLL**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Roll-filler/putty for interior wall and ceiling surfaces.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIMFARBEN GMBH  
Keimstraße 16 / 86420 Diedorf  
Tel. +49 (0)821 4802-0  
Fax +49 (0)821 4802-210  
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**  
Product safety department  
Telefon: 49(0)821/4802-138  
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 1)

**· Dangerous components:**

CAS: 55965-84-9 Index number: 613-167-00-5	mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331;  Skin Corr. 1B, H314;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Sens. 1, H317	<0.0015%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318;  Aquatic Acute 1, H400; Aquatic Chronic 2, H411;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.05%

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**· 4.1 Description of first aid measures****· General information:**

Seek medical treatment in case of complaints.

When seeing the doctor we suggest to present this safety data sheet.

**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

**· After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**· After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

**· 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**· 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**· 5.1 Extinguishing media****· Suitable extinguishing agents:**Water haze, extinguishing powder, alcohol resistant foam, CO<sub>2</sub>, sand.**· 5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

carbon oxide (CO<sub>x</sub>)**· 5.3 Advice for firefighters****· Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)

DEN



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 2)

· **Additional information**

In case of fire do not breathe smoke, fumes and vapours.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.  
Respect the protection rules (see section 7 a. 8).  
Product forms slippery surface when combined with water.

· **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.  
Follow local governmental rules and regulations.

· **6.3 Methods and material for containment and cleaning up:**

Danger of slipping!  
Close drainages (Risk of blocking)  
Pick up mechanically.  
Dispose of the material collected according to regulations.  
Clear contaminated areas thoroughly.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Avoid contact with skin and eyes.  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
See item 8 (8.2) for information about suitable protective equipment and technical precautions.  
Respect the protection rules.

· **Information about fire - and explosion protection:**

The product is not flammable.  
No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Keep in the original containers in a cool and dry place.  
Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Store in a cool place.  
Protect from heat and direct sunlight.  
Protect from frost.

· **Storage class:** 12

(Contd. on page 4)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

**55965-84-9 mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (<0.0015%)**

MAK (Germany) Long-term value: 0.2E mg/m<sup>3</sup>  
vgl.Abschn.Xc

**2634-33-5 1,2-benzisothiazol-3(2H)-one (<0.05%)**

MAK (Germany) vgl.Abschn.IIb und Xc

- **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

##### · **Personal protective equipment:**

##### · **General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

##### · **Respiratory protection:**

When suspended particles/dust formation:

Filter: P

- **Protection of hands:** Protective gloves are recommendable

##### · **Material of gloves**

suitable material e.g.:

Nitrile impregnated cotton-gloves

PVC gloves

Recommended thickness of the material:  $\geq 0.5$  mm

Neoprene gloves

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### · **Penetration time of glove material**

Value for the permeation: Level  $\geq 6$  (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### · **Eye protection:**

In a dusty environment wear protective goggles.

Tightly sealed goggles

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 4)

- **Body protection:**  
Protective work clothing  
After contact with skin wash thoroughly with water and apply lotion.
- **Limitation and supervision of exposure into the environment**  
See Section 12 and 6.2  
No further relevant information available.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· Form:	Pasty
· Colour:	Light grey
· Odour:	Characteristic
· Odour threshold:	Not determined

· pH-value at 20 °C: ~9

##### · Change in condition

· Melting point/freezing point:	Not determined
· Initial boiling point and boiling range:	>100 °C

· Flash point: Not applicable

· Flammability (solid, gas): Not applicable

· Ignition temperature: Not determined

· Decomposition temperature: Not determined

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

##### · Explosion limits:

· Lower:	Not applicable
· Upper:	Not applicable

· Vapour pressure: Not determined.

· Density at 20 °C:	~1.1* g/cm <sup>3</sup>
· Relative density	Not determined
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.

· Solubility in / Miscibility with water: Miscible

· Partition coefficient: n-octanol/water: Not applicable

##### · Viscosity:

· Dynamic: Not determined.

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 5)

- |                                |                                                                              |
|--------------------------------|------------------------------------------------------------------------------|
| <b>Kinematic:</b>              | Not determined                                                               |
| · <b>9.2 Other information</b> | * The values are for freshly produced material and may change with the time. |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
No hazardous decomposition products if stored and handled as prescribed.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)

**55965-84-9 mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

Inhalative	LC50/4 h	0.33 mg/l (rat)
------------	----------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation**  
Contains CIT/MIT, BIT. May produce an allergic reaction.  
CIT = 5-chloro-2-methyl-2H-isothiazol-3-one  
MIT = 2-methyl-2H-isothiazol-3-one  
BIT = 1,2-benzisothiazol-3(2H)-one
- **Other information (about experimental toxicology):**  
Experimental analysis are not available.  
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

##### **2634-33-5 1,2-benzisothiazol-3(2H)-one**

NOEC	0.027 mg/l (algae)
EC 50/48h	2.94 mg/l (daphnia)
ErC50/72h	0.11 mg/l (algae)
LC 50/96 h	2.18 mg/l (fish)

##### **55965-84-9 mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

EC 50/48h	0.16 mg/l (daphnia) (OECD 202)
EC 50	0.027 mg/l (algae)
LC 50/96 h	0.19 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** Does not accumulate in organisms
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **AOX-indication:**  
The product can take influence in small measure on the AOX-load of the waste water.
- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**  
According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.
- **General notes:**  
At present there are no ecotoxicological assessments.  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Other adverse effects** No further relevant information available.

DEN

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 7)

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods****Recommendation**

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

**European waste catalogue**

08 02 99	wastes not otherwise specified
----------	--------------------------------

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary with cleansing agents.

### SECTION 14: Transport information

**14.1 UN-Number****ADR, IMDG, IATA** Void**14.2 UN proper shipping name****ADR, IMDG, IATA** Void**14.3 Transport hazard class(es)****ADR, IMDG, IATA****Class** Void**14.4 Packing group****ADR, IMDG, IATA** Void**14.5 Environmental hazards:****Marine pollutant:** No**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

**Transport/Additional information:**

No dangerous good in sense of these transport regulations.

**UN "Model Regulation":**

Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Labelling according to Regulation (EC) No 1272/2008**

For information on labelling please refer to section 2 of this document.

(Contd. on page 9)

DEN





## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

(Contd. of page 8)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW20
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H301 Toxic if swallowed.
  - H302 Harmful if swallowed.
  - H311 Toxic in contact with skin.
  - H314 Causes severe skin burns and eye damage.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H331 Toxic if inhaled.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - H411 Toxic to aquatic life with long lasting effects.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - AGW: Arbeitsplatzgrenzwert (Germany)
  - REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
  - Acute Tox. 3: Acute toxicity – Category 3
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Skin Sens. 1: Skin sensitisation – Category 1
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

(Contd. on page 10)



Page 10/10

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.12.2018

Version number 1.0

Revision: 07.12.2018

**Trade name: KEIM MARANO-ROLL**

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· \* **Data compared to the previous version altered.**

(Contd. of page 9)

— DEN —