



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM SOLDALIT-ME-GROB**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Highly filled sol-silicate exterior priming paint for base and intermediate coats with photocatalytic action.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIMFARBEN GMBH
Keimstraße 16 / 86420 Diedorf
Tel. +49 (0)821 4802-0
Fax +49 (0)821 4802-210
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**
Product safety department
Telefon: 49(0)821/4802-138
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Aqueous solution of silicic acid potassium salt, silica sol, acrylic polymer, mineral fillers, pigments, additives.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 1)

· Dangerous components:

CAS: 1314-98-3 EINECS: 215-251-3 Reg.nr.: 01-2119475779-15-xxxx	zinc sulphide substance with a Community workplace exposure limit	≤ 2.5%
---	--	--------

SECTION 4: First aid measures

· 4.1 Description of first aid measures**· General information:**

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

· After inhalation: Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents:**

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

silicon dioxid (SiO₂)carbon oxide (CO_x)**· 5.3 Advice for firefighters****· Protective equipment:** Wear self-contained respiratory protective device.**· Additional information**

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Respect the protection rules (see section 7 a. 8).

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 2)

Ensure adequate ventilation

Avoid contact with skin and eyes.

· **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

· **Information about fire - and explosion protection:**

The product is not flammable.

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

· **Information about storage in one common storage facility:** Do not store together with acids.

· **Further information about storage conditions:**

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

· **Storage class:** 12

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

14808-60-7 Quartz (SiO₂)

MAK (Germany) | alveolengängige Fraktion

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 3)

1314-98-3 zinc sulphide

MAK (Germany)	Long-term value: 0.1A* 2E** mg/m ³ *alveolengängig; **eintembar
---------------	---

· DNELs**1314-98-3 zinc sulphide**

Inhalative	Acute - local effects, worker	5 mg Zn/m ³ (worker) (insoluble Zn)
------------	-------------------------------	--

· PNECs**1314-98-3 zinc sulphide**

Aquatic compartment - freshwater	(Zn) 0.0206 mg/l (freshwater) (PNEC acid)
Aquatic compartment - marine water	(Zn) 0.0061 mg/l (marine water) (PNEC acid)
Aquatic compartment - sediment in freshwater	(Zn) 235.6 mg/kg sed dw (sediment fresh water) (Faktor 0,5; EZB 2008)
Aquatic compartment - sediment in marine water	(Zn) 113 mg/kg sed dw (sediment marine water) (Faktor 0,5; EZB 2008)
Terrestrial compartment - soil	(Zn) 106.8 mg/kg dw (soil) (Faktor 3; EZB 2008)
Sewage treatment plant	(Zn) 0.052 mg/l (sewage treatment plant)

· Additional information: The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Avoid contact with the eyes and skin.
Do not inhale aerosols.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

· Protection of hands: Protective gloves**· Material of gloves**

suitable material e.g.:

Nitrile impregnated cotton-gloves

PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≥ 6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)

DEN



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment** See Section 12 and 6.2

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Fluid
· Colour:	Different, according to colouring.
· Odour:	Odourless

· pH-value at 20 °C: ~11*

· Change in condition

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

· Lower:	Not applicable.
· Upper:	Not applicable.

· Oxidising properties: Not applicable

· Vapour pressure at 20 °C: ~23 hPa

· Density at 20 °C: 1.6-1.8* g/cm³

· Relative density: Not determined.

· Vapour density: Not applicable

· Evaporation rate: Not applicable

· Solubility in / Miscibility with water: miscible

· Partition coefficient: n-octanol/water: Not applicable

· Viscosity:

· Dynamic: Not determined.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 5)

- | | |
|------------------------------|--|
| Kinematic: | Not determined. |
| 9.2 Other information | * The values are for freshly produced material and may change with the time. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
silicon dioxid (SiO₂)
carbon oxide (CO_x)
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

1314-98-3 zinc sulphide		
Oral	LD50	> 2000 mg/kg (rat)
Inhalative	LC50/4 h	> 5.7 mg/l (rat)
- **Primary irritant effect:**
- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** not applicable
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

DEN



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 6)

- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

1314-98-3 zinc sulphide

EC 50/48h (Zn) 204 mg/l (daphnia) (pH <7)

EC 50/72 h (Zn) 144 mg/l (algae) (pH >7 - 8,5)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **AOX-indication:**

According to our standard of knowledge the product does not contain any organic bounded halogen. The product has no influence on the waste water's AOX-value.

- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

The product contains TiO₂, BaSO₄, ZnS.

· **General notes:**

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· **Recommendation**

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

· **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

DEN

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 7)

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances - ANNEX I None of the ingredients is listed.
 - National regulations:
 - Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
 - Other regulations, limitations and prohibitive regulations
 - Substances of very high concern (SVHC) according to REACH, Article 57 not applicable
 - Product-Code/Giscode: BSW10
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: KEIMFARBEN Germany, Product safety department

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.05.2017

Version number 11

Revision: 08.05.2017

Trade name: KEIM SOLDALIT-ME-GROB

(Contd. of page 8)

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
AGW: Arbeitsplatzgrenzwert (Germany)
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

*** Data compared to the previous version altered.**

DEN